

PRICE LIST 2019



mares



REGULATORS	4
INSTRUMENTS	8
BCD's	10
SUITS	13
FINS	18
MASKS & SNORKELS	20
ACCESSORIES	23



BREATHING SYSTEM	26
BUOYANCY SYSTEM	28
INSULATION SYSTEM	34
ACCESSORIES	36



COMPUTER & FINS	38
MASKS & SNORKELS	40
WETSUITS	41
ACCESSORIES	41

FINS	42
MASKS & SNORKELS	42
COMBOS	42
WETSUITS	43

REGULATORS

CODE	PRODUCT	TECHNICAL Specs	VERSION	SRP
	416247 EPIC ADJ 82X	       	INT	6798
	416250 ULTRA ADJ 82X	      	INT	5778
	416251 ULTRA 72X	    	INT	5268
	416163 ABYSS 52X Till end of stock	     	INT	5098
	416241 LOOP 15X	   	INT/DIN	3568
	416234 PRESTIGE 15X	     	INT	3398
	416234 PRESTIGE 15X	     	INT	3398
	416220 ROVER 2S	     	INT	2208

OCTOPUS

	416535 OCTOPUS CARBON Till end of stock	    	NORMAL	3211
	416504 OCTOPUS ABYSS Till end of stock	   	NORMAL	2446
	416523 OCTOPUS MV	   	NORMAL	1358
	416505 OCTOPUS ROVER	   	NORMAL	1154
	416893 AIR CONTROL	     		2140



Regulator	Epic Adj 82X	Ultra Adj 82X	Ultra 72X	Abyss 52X	Loop 15X	Prestige 15X	Rover 2S	
Code	416247	416250	416251	416163	416241	416234	416220	
1st stage	Diaphragm	■	■	■	■	■		
	Piston						■	
All metal technology	■			■				
Ultralight techno polymer		■	■		■	■	■	
DFC - Dynamic flow control	■	■	■	■	■	■	■	
NCC - Natural convection channel				■				
A.S.T. - Auto sealing technology	■	■	■					
Swivel turret	■	■						
Tilted HP	■	■						
Vertical LP			■					
Twin power	■	■	■					
VAD - Vortex assisted design (*SVAD)	■	■	■	■	■ (1)	■	■	
Adjustable breathing comfort	■	■						
P.A.D. - Pneumatically assisted design	■	■						
Mesh grid				■			■	
Fluid dynamic deflector				■		■	■	
Superflex hose	■	■	■	■		■		
P.V.D. finishing	■							
Pearl finishing		■	■					
Sandblasted					■		■	
1 st stage Weight [g]	INT	964	964	882	687	772	772	608
2 nd stage Weight [g]		329	192	190	269	199	193	200
Total Weight [g] (including hose)	INT	1429	1292	1208	1106	1146	1110	987

SPOTLIGHT. Epic 82X ADJ/AST Dry System



The Epic 82X is the new top-of-the-line breathing system, combining the traditional advantages of Mares regulators with latest-generation technological innovations and an exclusive design. Epic 82X marks the new benchmark product for people who want a high-performance regulator.

As a result of our extensive expertise, we've produced the Epic 82X first stage with a 360° swivel turret and a unique design for the HP ports (OPD) allowing you to orient the high pressure hose and/or computer transmitter to your preference, regardless of the first stage position. This offers you total control of your equipment configuration.

The 82X is a balanced-diaphragm first stage, which guarantees reliable, consistent, elite performance at any depth or air pressure supply. It also includes the all-new AST anti-flooding system (Auto-Sealing Technology) which safeguards against water intrusion into the first stage, maintaining a dry first stage under all conditions. The flow of gas from the tank activates the AST system automatically without relying on a mechanical solution, ensuring maximum reliability.

But the benefits don't stop there. Epic 82X also incorporates full pneumatic balancing in the second stage, as well as a large, pivoting purge button for fast, intuitive use. Combined with the VAD Twin Power system, which allows the diver to control air flow in response to their breathing demands, the Epic 82X ensures the very best performance even in the most extreme conditions.

All this has been achieved whilst maintaining a compact and lightweight product, and with an element of design that all will envy. The Epic 82X first stage is truly one of a kind.



NEW AST (Auto-Sealing Technology) Dry System



Mares all-new AST (Auto-sealing Technology) Sealing System is Mares latest dynamic technology that provides protection against water entering the first stage. This revolutionary new system is effectively an insurance policy for your regulator. It means that even if you forget to replace the dust cap onto the first stage, the protective shield will guard water from being able to penetrate into the first stage, even if the regulator is fully submerged.

Because the system is activated by the flow of gas from the tank, and doesn't depend on mechanics, you're assured of maximum reliability under all conditions. The AST System can be used in cold water situations, as well as higher percentages of oxygen, without affecting the performance of the regulator.

The AST System comes as standard on the new Epic 82X, however it can also be retrofitted to Mares 52X, 15X and 2S first stages, making is ideal for use on rental regulators.



415336 JAX MOUTHPIECE
12 pcs PACK ASSORTED 3398



415347 JAX MOUTHPIECE
12 pcs PACK UNIQUE 3568



415354 SMALL JAX MOUTHPIECE
12 pcs PACK WHITE 3568



415111 SMALL MOUTHPIECE KIT
BLACK INCL.
ZIP TIE 117

CODE	PRODUCT	SRP
415701	MULTI TOOL PRO	287
415703	MULTI TOOL TECH	287
416804	DIN CONNECTOR 300 - 300 bar (MR12, R2)	678
416807	DIN CONNECTOR MR12S 300 bar	678
416809	DIN CONNECTOR MR52/R2S 300 bar	508
416810	DIN CONNECTOR 300 bar (OTHERS)	508
415861	DIN / YOKE ADAPTOR	678
416811	AST DRY SYSTEM	440
416812		338

WRIST STYLE COMPUTERS

CODE PRODUCT

TECHNICAL Specs

SRP

NEW



414139 GENIUS



10196

NEW



414138 SMART AIR



3908

NEW



414138 SMART AIR WITH LED
414319 TRANSMITTER



5397



414169 QUAD AIR



3598



414169 QUAD AIR WITH LED
414319 TRANSMITTER



5547



414135 PUCK PRO+



2098



BKBK BKWH YLBK BLBK GRBK WHBK



414129 SMART



2548



BKBK BKGR BKRD BKWH WHLM WHLL

CONSOLE STYLE COMPUTERS



414162 PUCK AIR WITH COMPASS NORTH



3908



414420 MISSION PUCK 2
VERSION - IN



3058

CODE	PRODUCT	VERSION	SRP
	414417 MISSION 1	BAR	1035
	414418 MISSION 2	BAR	1647
	414419 MISSION 3	BAR	2140
	414423 MISSION 2C	BAR	1579
	414404 MISSION 1C - WRIST COMPASS	NO	712
	414504 HANDY COMPASS		678

COMPUTER ACCESSORIES

	414316 INTERFACE WITH CABLE DIVE LINK 2	Smart Air/Smart/Puck Pro+/Quad Air/Quad	508
	414317 INTERFACE BLUELINK PRO	Smart Air/Smart/Puck Pro+/Quad Air/Quad	576
	414311 ICON HD TRANSMITTER		2998
	414319 LED TANK MODULE	Icon HD/Quad Air/Smart Air	2098
	414901 MATRIX GLASS PROTECTION		202
	414902 NEMO WIDE SCREEN PROTECTION		219
	415182 QUAD DISPLAY PROTECTION		219

SPOTLIGHT. Smart + Air

THE QUINTESSENTIAL DIVE COMPUTER - TAKEN TO A WHOLE NEW LEVEL!

The newest addition to the Mares Computer Family builds on the already outstanding Smart computer. The all-new Smart Air retains all the most successful characteristics of its predecessor, such as its simple two button operation, crystal clear segmented characters, comprehensive, easy-to-read display and multigas capability. However the Smart Air takes the incredible Smart to a whole new level, with the exciting introduction of Air Integration. Smart Air is now able to remotely receive data, including tank pressure, directly from the dive tank via a wireless transmitter.

The Smart Air can also use the "BLUELINK" Bluetooth system (sold separately) to record and share dive data directly on your smartphone, completing your wireless experience! With a long-life, user-replaceable battery, your search for an effortless, user-friendly computer with all the trimmings is looking bright!





417224 PRESTIGE SLS BLUE



XS - S - M - L

4078



417225 PRESTIGE SLS WHITE



XXS - XS - S - M - L

4078



417361 PURE SLS



XS - S - M - L

3908



417362 BOLT SLS



XS - S - M - L

4248



417357 QUANTUM SLS



XS - S - M - L

4418



417226 MAGELLAN

XXS/XS - S/M - L/XL

3398

TECHNICAL SPECIFICATION

BCD	Magellan	Pure SLS	Bolt SLS	Quantum SLS	Prestige SLS	
Code	417226	417361	417362	417357	417224 BL	417225 WH
Sizes	XXS/XS · S/M · L/XL	XS · S · M · L · XL	XS · S · M · L · XL	XS · S · M · L · XL	XS · S · M · L · XL	XXS · XS · S · M · L
Fusion bladder						
Classic bladder				■		■
Backmounted	■	■	■			
Ergo inflator	■	■	■	■		■
Airtrim						
Monoplate backpack		■	■	■		■
Foldable backpack	■					
Suspension system						
Material	Cordura®420	Cordura®420	Cordura®420	Cordura®420	Cordura®420	
D-rings	Stainless steel	7	6	6	2	
	Aluminium	4				
	Heavy-duty Technopolymer	1		3	4	
Weight (size L)	kg	2,4	3,8	3,9	4,5	3,9
	lb	5.3	8.3	8.6	9.9	8.6
Buoyancy	3XS					
	XXS	180 N (18,3 kg / 38 lb)				100 N (10,8 kg / 24 lb)
	XS	170 N (18,1 kg / 40 lb)	200 N (21 kg / 46 lb)	120 N (12,2 kg / 27 lb)	120 N (12,2 kg / 27 lb)	120 N (12,2 kg / 27 lb)
	S	180 N (18,3 kg / 38 lb)	170 N (18,1 kg / 40 lb)	200 N (21 kg / 46 lb)	130 N (13,8 kg / 30 lb)	130 N (13,8 kg / 30 lb)
	M	170 N (18,1 kg / 40 lb)	200 N (21 kg / 46 lb)	150 N (16 kg / 35 lb)	150 N (16 kg / 35 lb)	150 N (16 kg / 35 lb)
	L	180 N (18,3 kg / 38 lb)	170 N (18,1 kg / 40 lb)	200 N (21 kg / 46 lb)	180 N (18,3 kg / 38 lb)	180 N (18,3 kg / 38 lb)
	XL	170 N (18,1 kg / 40 lb)	200 N (21 kg / 46 lb)	200 N (21 kg / 46 lb)	200 N (21 kg / 46 lb)	
	417959 (small - max 4 kg)		XS · S · M · L · XL	XS · S · M	XS · S	XXS · XS · S
MRS Plus	417960 (large - max 6 kg)			L · XL	M · L · XL	M · L
	417955 (small - max 4 kg)					
	417954 (large - max 6 kg)					
Standard Buckle	417963 (small - max 4 kg)	XXS/XS · S/M				
	417962 (large - max 6 kg)	L/XL				

BCD ACCESSORIES

CODE	PRODUCT	VERSION/SIZE	SRP
	417955 MRS PLUS KIT (PAIR)	For XS and S size BCD	678
	417954	For M - L - XL size BCD	678
	417958 MRS PLUS KIT (PAIR)	Prime Only	712
	417959 SLS (SLIDE AND LOCK SYSTEM) (PAIR)	For XS and S size BCD	746
	417960	For M - L - XL size BCD	746
	47201060 TRIM WEIGHT FOR HYBRID PRO TEC / PURE	Lumbar Trim Weight Add On	406
	415157 HOSE RETAINER		105
	415717 LANYARD SPIRAL WITH RING		185
	415715 RETRACTOR W/LOCK-STOP		219
	415716 LANYARD MALE/FEMALE		100
	415718 CONSOLE HOLDER WITH VELCRO		100
	415719 UNDERWATER SLATE		151
	415722 LANYARD OPEN LOOP		117
	415732 LANYARD STAINLESS SPIRAL W/RING		219



412319 DUAL MAN 5 mm



2 - 3 - 4 - 5 - 6

2208



412062 FLEXA 543 MAN 5 mm



2 - 3 - 4 - 6

2599



412342 FLEXA CORE MAN 4 mm

2 - 3 - 4 - 5 - 6

1307



412348 FLEXA 322 MAN 3 mm



2 - 3 - 4 - 5 - 6 - 7

2310



482244 REEF MAN 3 mm



2 - 3 - 4 - 5 - 6 - 7

1358

412513 REEF SHORTY MAN 2.5 mm
Till end of stock

2 - 3 - 4 - 6

627



412343 FLEXA CORE SHE DIVES 4 mm

1 - 2 - 3 - 4 - 5

1307



412349 FLEXA SHE DIVES 322 3 mm



1 - 2 - 3 - 4

2309



482245 REEF SHE DIVES 3 mm



1 - 2 - 3 - 4 - 5

1358

CODE	PRODUCT	SIZES	SRP
------	---------	-------	-----



412551 LONG SLEEVE RASH GUARD MAN XS - S - M - L - XL - XXL 338



412555 LONG SLEEVE RASH GUARD SHE DIVES XXS - XS - S - M - L - XL 338



412974 SHORT SLEEVE RASH GUARD MAN S - M - L 270

THERMO GUARD RANGE



412970 THERMO GUARD LONG SLEEVE 0.5 MAN XS - S - L - XL - XXL 559



412983 THERMO GUARD LONG SLEEVE 0.5 SHE DIVES XXS - XS - S - M - L 559



412982 THERMO GUARD SHORT SLEEVE 0.5 SHE DIVES XS - S - M - L 492



412549 THERMO GUARD SHORT SLEEVE 0.5 MAN XS - S - M - L - XL - XXL 508



412517 THERMO GUARD SHORTS 0.5 MAN XS - S - M - L - XL - XXL 423

CODE	PRODUCT	SIZES	SRP
------	---------	-------	-----



412966 RASH GUARD SHORTS MAN

XS - XL - XXL

219



412547 RASH GUARD SHORTS MAN

XS - S - M - L - XL - XXL

219



412967 RASH GUARD SHORTS SHE DIVES

XS - S - M

168



412548 RASH GUARD SHORTS SHE DIVES

XXS - XS - S - M - L

168

HOOD/VEST



412810 HOOD COMFORT 3 mm

S - M - L - XL

287



412411 GOLD SKIN MAN 2 mm

2 - 3 - 4 - 5 - 6

491



412412 GOLD SKIN SHE DIVES 2 mm

1 - 2 - 3 - 4 - 5

491

CODE	PRODUCT	SIZES	SRP
	412702 AMARA GLOVE 2 mm	XXS - XS - S - M - L - XL	253

	482087 FLEXA TOUCH 2 mm	XSS - ML - XL	236
---	-------------------------	---------------	-----

BOOTS & SOCKS

	412637 FLEXA DS 5 mm	5 - 6 - 7 - 8 - 9 - 10 - 11 - 12	508
---	----------------------	----------------------------------	-----

	412626 FLEXA DS 5 mm Till end of stock	5 - 6 - 7 - 8 - 9 - 10 - 11 - 12	508
---	---	----------------------------------	-----

	412634 CLASSIC NG 5 mm	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12	355
--	------------------------	--------------------------------------	-----

	412619 CLASSIC NG 5 mm Till end of stock	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12	355
---	---	--------------------------------------	-----

	412636 EQUATOR 2 mm	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12	236
--	---------------------	--------------------------------------	-----

	412613 DIVE BOOT EQUATOR 2 mm Till end of stock	4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12	236
--	--	--------------------------------------	-----

	412611 CLASSIC SOCKS 3 mm	XXS - XS - S - M - L - XL	168
---	---------------------------	---------------------------	-----

POCKET

	412341 FLEXA SMART POCKET	304
---	---------------------------	-----

OPEN HEEL FINS

CODE	PRODUCT	SPECS	COLOUR	SIZES	SRP	
410007	POWER PLANA			BK	S/R	1188
410019	X STREAM			RD YL BL	XS/S/R	1273
410019	X STREAM JP			TBK JPK JLB WH	XS/S/R	1273
410003	AVANTI QUATTRO +			YL FL LM BL BK WH	S/R/XL	1239
410025	EXCITE			YL BL GR	XS/S/R/XL	1409
410026	EXCITE PRO					
410018	EXCEL PLUS			YL BL SI	XS/S/R	1290
	Till end of stock					
410001	AVANTI X 3 OPEN HEEL			YL BL BK	XS/S/R	848

FULL FOOT FINS

CODE	PRODUCT	SPECS	COLOUR	SIZES	SRP
410347	AVANTI HC PRO			36/37, 38/39, 40/41, 42/43, 44/45	593
410316	AVANTI EXCEL			34/35, 36/37, 38/39, 40/41, 42/43, 44/45	576
420404	AVANTI QUATTRO POWER			40/41, 42/43, 44/45	967
410303	AVANTI HP			36/37, 38/39, 40/41, 42/43, 44/45	423

FINS ACCESSORIES

	40200090	ABS PLUS FINS BUCKLE	134
	415120	FIN STRAP	202
	415305	ABS BUCKLES (PAIR)	355
	415337	ABS PLUS BUCKLE WITH STRAP	389
	415363	BUNGEE STRAP COLORED (PAIR)	508



411061 CHROMA LIQUIDSKIN



678

411052 X-VISION ULTRA LIQUIDSKIN



559

411055 TANA



304

411033 X-VU LIQUIDSKIN



508

411047 ONE VISION SUNRISE



338

411040 i3



406

411042 i3 (SUNRISE)



406

411044 X-VISION



457

CODE	PRODUCT	DIMENSION	SRP
	412901 TRILASTIC MASK STRAP	All Mares Masks	104
	412902 TRILASTIC MASK STRAP SHE DIVES	All Mares Masks	104
OPERA	415105 MASK STRAP - CLEAR SILICONE		90
OPERA	415106 MASK STRAP - BLACK SILICONE		90
X-VISION/X-VISION MID	41200135 MASK STRAP - CLEAR SILICONE		90
X-VISION/X-VISION MID	41200136 MASK STRAP - BLACK SILICONE		90

OPTICAL LENSES



411187	X-VISION/MID NEGATIVE LENS	RIGHT AND LEFT FROM -1 TO -7	340
411194 411193	X-VISION 14 NEGATIVE/POSITIVE LENS CHROMA NEGATIVE/POSITIVE LENS	RIGHT AND LEFT FROM -1 TO -7 FROM +1.5 TO +3	340
411192	X-VU NEGATIVE/POSITIVE LENS	RIGHT AND LEFT FROM -1 TO -7 FROM +1.5 TO +3	340

411460 PRO FLEX



BK

202

411480 ERGO SPLASH



287

411481 ERGO DRY



372

CODE	PRODUCT	TECHNICAL SPECS	DIMENSIONS	SRP
	415510 CRUISE BACKPACK	   	100 l - 4.4 kg 40 x 31 x 80 cm	1970
	415540 CRUISE BACKPACK DRY		108 l - 1.1 kg 42 x 33 x 79 cm	1069
	415456 CRUISE BUDDY		87 l - 3.5 kg 43 x 27 x 75 cm	1358
	415516 DIVING BOX (4PCS IN ONE SET) (PRE-ORDER ONLY)		82 x 42 x 38 cm	4928
	415576 CRUISE MESH		108.5 l - 0.67 Kg 95.3 x 38.1 x 38.1 cm	474
	415546 CRUISE REG		9.4 l - 0.25 kg 26 x 10 x 36 cm	253
	415584 CRUISE PEARL			83
	415545 CRUISE JOURNEY			712
	415450 CRUISE DRY MBP15		15 l - 1.2 kg 40 x 12 x 65 cm	780
	415451 CRUISE DRY D55		55 l - 0.9 kg 60 x 30 x 55 cm	644

CODE	PRODUCT	TECHNICAL SPECS	DIMENSIONS	SRP
	415455 DRY BAG 5T		5 l	117
	415454 DRY BAG 10T		10 l	151
	415453 DRY BAG 25T		25 l	202
	415452 DRY BAG 35T		35 l	253
	415460 CRUISE DRY BP-LIGHT 75		75 l	678
	415461 CRUISE DRY T-LIGHT 25		25 l	218
	415462 CRUISE DRY T-LIGHT 10		10 l	151
	415463 CRUISE DRY T-LIGHT 5		5 l	134
	415530 DRY BAG 75L		75 l	338
	415531 DRY BAG 25L		25 l	202



415626 FORCE PLUS

610



415627 FORCE NANO PLUS

542

BUOYS



415707 STANDARD INFLATABLE BUOY

219



415708 SAFETY STOP MARKER BUOY

236



415743 DIVER'S ALERT MARKER BUOY

508



415721 TORPEDO BUOY

168

ACCESSORIES



415172 MAGNETIC SHAKER

287

XR REGULATORS

CODE	PRODUCT	TECHNICAL Specs	SRP
------	---------	-----------------	-----



416402 DR 25X
FULL TEK SET

2 DR SECOND STAGES
2 25XR FIRST STAGES
2 HOSES (56 cm/210 cm)
1 NECK BUNGEE
1 DEAD BOLT SNAP

10028



416403 CR 25X
FULL TEK SET

2 CR SECOND STAGES
2 25XR FIRST STAGES
2 HOSES (56 cm/210 cm)
1 NECK BUNGEE
1 DEAD BOLT SNAP

7648




416401 R2S VR REGULATOR (DIN)

2548



415763 NECK REGULATOR BUNGEE



168



414600 INSTRUMENT SPG52 56 cm HOSE 1018



414601 INSTRUMENT SPG52 15 cm MIFLEX 1069



414604 HAND COMPASS WITH BUNGEE 899



417516	HEAVY DUTY COMPLETE MOUNTING SYSTEM (Assembled)	HEAVY DUTY HARNESS 417501 BACKPLATE STAINLESS STEEL 3 mm	2208
--------	---	---	------



417501	HEAVY DUTY HARNESS ONLY	HEAVY DUTY WEBBED HARNESS HEAVY DUTY WEBBED CROTCH STRAP D-RINGS, BAR SLIDES AND WAIST BUCKLE IN MARINE GRADE STAINLESS STEEL	782
--------	-------------------------	---	-----



417517	HEAVY LIGHT DUTY COMPLETE MOUNTING SYSTEM (Assembled)	HEAVY LIGHT DUTY HARNESS 417502 LIGHT ALUMINIUM BACKPLATE 3 mm	2378
--------	---	---	------



417502	HEAVY LIGHT DUTY HARNESS ONLY	HEAVY DUTY WEBBED HARNESS HEAVY DUTY WEBBED CROTCH STRAP D-RINGS, BAR SLIDES AND WAIST BUCKLE IN MARINE GRADE ANODIZED ALUMINIUM	763
--------	-------------------------------	--	-----



417504	DELUXE PADDING BACK & SHOULDERS	1 PADDED BACK WITH 8 GROMMETS AND 4 D-RINGS 2 PADDED SHOULDER STRAPS 2 MOVEABLE VELCRO TABS FOR CUSTOM FITTING	746
--------	---------------------------------	--	-----



47201140	TRIM WEIGHT BACK POCKET	118
----------	-------------------------	-----

CODE	PRODUCT	TECHNICAL SPECS	SRP
417507	BACKPLATE STAINLESS STEEL 6 mm	Weight: 4.0 kg	2038
417507	BACKPLATE STAINLESS STEEL 3 mm	Weight: 2.5 kg	1698
417508	BACKPLATE ALUMINIUM 3 mm	Weight: 750 g	1528
417509	BACKPLATE SOFT		644
417510	BUTT PLATE For Side Mounted Diving	Bolt to backplate	678

XR BLADDERS

CODE	PRODUCT	TECHNICAL Specs	SRP
417511	DONUT BLADDER SINGLE TANK	10 kg CAPACITY	2259
		16 kg CAPACITY	2480
417512	DONUT BLADDER TWIN TANK	20 kg CAPACITY	2667
		24 kg CAPACITY	2820

XR HARNESSES ACCESSORIES

	417553	BENT TOOTHED TRIGLIDERS SS316	2 pcs	269
	417552	BENT TOOTHED TRIGLIDERS ALU BLACK	2 pcs	269
	417540	METAL BUCKLE SS316		457
	417524	TOOTHED SS316 TRIGLIDERS	10 pcs	170
	417522	SF SS316 CLIP		253
	415778	HAND LINE CUTTER TITANIUM		542
	415777	HAND LINE CUTTER CERAMIC		406



417551 BLUE BATTLE
SINGLE BACKMOUNT SET
Limited Edition

16 kg BLUE BATTLE SINGLE TANK DONUT
3 mm ALU BLUE BATTLE BACKPLATE
6 mm ALU BLUE RINGS
SS316 BLUE BUCKLE
STANDARD WEBBING HARNESS
2 TANK STRAPS WITH ALU BLUE BUCKLES
BLACK FLAT-HEAD BOLT SCREWS

6118



417550 SILVER KNIGHT
SINGLE BACKMOUNT SET

16 kg STANDARD SINGLE TANK DONUT
3 mm ALU SILVER BATTLE BACKPLATE
6 mm ALU SILVER RINGS
SS316 SILVER BUCKLE
STANDARD WEBBING HARNESS
2 TANK STRAPS WITH ALU SILVER BUCKLES
BLACK FLAT-HEAD BOLT SCREWS

6118



417547 PURE LIGHT
SIDEMOUNT SET

SIDEMOUNT PURE LIGHT BLADDER 10 kg
SIDEMOUNT TOP ALU PLATE
SIDEMOUNT BOTTOM ALU PLATE
SIDEMOUNT TAIL ALU PLATE
SIDEMOUNT HIP ALU RINGS (R&L)
HARNESS HEAVY LIGHT COMPLETE
SIDEMOUNT BACK POUCH & WEIGHT
SIDEMOUNT STAGE BUNGEE

6288



417548 HEAVY PURE
SIDEMOUNT SET

SIDEMOUNT HEAVY PURE BLADDER 18 kg
SIDEMOUNT TOP SS316 PLATE
SIDEMOUNT BOTTOM SS316 PLATE
SIDEMOUNT TAIL SS316 PLATE
SIDEMOUNT HIP SS316 RINGS (R&L)
HARNESS HEAVY DUTY COMPLETE
SIDEMOUNT BACK POUCH & WEIGHT
SIDEMOUNT STAGE BUNGEE

6288

XR SIDEMOUNT BLADDERS



417536 SIDEMOUNT
PURE LIGHT BLADDER

10 kg

2888



417542 SIDEMOUNT
HEAVY PURE BLADDER

18 kg

3058

CODE	PRODUCT	TECHNICAL Specs	SRP
	417528 SIDEMOUNT TOP PLATE	460 g	763
	417543 SIDEMOUNT TOP ALU PLATE	76 g	763
	417529 SIDEMOUNT BOTTOM PLATE	400 g	712
	417544 SIDEMOUNT BOTTOM ALU PLATE	72 g	712
	417530 SIDEMOUNT TAIL PLATE	180 g	474
	417545 SIDEMOUNT TAIL ALU PLATE	66 g	474
	417531 SIDEMOUNT HIP RINGS	105 g	627
	417546 SIDEMOUNT HIP ALU RINGS	42 g	627
	417532 SIDEMOUNT BACK WEIGHT		627
	417533 SIDEMOUNT SIDE WEIGHT		270
	417534 SIDEMOUNT BACK POUCH		782
	417535 SIDEMOUNT STAGE BUNGEEs	pair	338

SPOTLIGHT. XR Sidemount Range



The latest addition to the XR Family is the exciting new Sidemount range. Widely used amongst the technical diving community, sidemount diving is gaining popularity with recreational divers, offering a flexible alternative to the traditional style of carrying cylinders on your back. This allows for greater freedom of movement, as well as easier access to the cylinders.

The Mares XR system can be used in either cold water with a steel tank and a drysuit, or in warmer conditions with a wetsuit and aluminium tank. The individual components of the system are fully modular, and are able to be configured in various ways to suit the diver's needs and preferences.

The XR Sidemount system is based around the Pure Bladder, which is fully compatible with all harnesses from the XR range. With a 12L capacity, the cell is constructed using 1200 denier "bulletproof" ballistic nylon with a 600 denier polyester exterior. The fully modular trim makes it suitable for use in caves, open water and wreck diving situations, in both cold and warm water. The unit has a preformed shape dedicated to sidemount diving, and maintains its flat shape, even when fully inflated.

The various mounting accessories are made from the highest quality 316 grade Stainless Steel for the ultimate in corrosion resistance. Included are the top, bottom and tail plates and hip rings, which allow for various different setups using the Mares XR webbed harness. The sidemount back pouch is also a hugely useful addition to the range, enabling the sidemount diver to stow various accessories required for the dive.

With regard to weight systems, the new Sidemount range offers a choice of using a back weight, side weight, or a combination of both depending on the diver's preference. Both weight systems are made from 1200 denier ballistic nylon with 600 denier polyester interior. The back weight is able to accommodate up to 12kg and includes attachment grommets on the top and bottom for modular fixing on XR sidemount backplates. It also features three back straps, offering various sizing options, and is secured shut using a heavy duty Velcro dual closing system. The side weight can hold up to 4kg of weight and is modular across all Mares XR harnesses. It can be placed either on the shoulder or waist straps, and secures weight via a Heavy Duty cold water Velcro single closing system.



417515	ELASTIC STAGE TANK STRAP	7 l 10 l 15 l	151 151 168
--------	--------------------------	---------------------	-------------------



417537	SMITH STAGE SYSTEM	6" 7" 8"	627 627 678
--------	--------------------	----------------	-------------------



417518	STAGE RIGGING SET	610
--------	-------------------	-----



415090	DOUBLE TANK STRAP (PAIR)	508
--------	--------------------------	-----



417527	RUBBER STAGE TANK STRAP (PAIR)	6" 7"	168
--------	--------------------------------	----------	-----

CODE	PRODUCT	SIZE	SRP
	412031 DRYSUITS KEVLAR WITH SILICONE SEALS	XS - S - M - L - XL	16998
	412148 COMFORT MID BASE LAYER	XS - S - M - L - XL	2718
	412147 EXTREME UNDERGARMENT	S - M - L - XL	2888
	412032 TEK SHORTS	XS - S - M - L	1528
	415781 NECK GREY SILICONE SEALS	REGULAR	440
	415783	REGULAR	440
	415782 WRIST GREY BOTTLENECK SILICONE SEALS (1 PAIR)	REGULAR	339
	415784	REGULAR	339
	412760 AMARA 2MM TEK GLOVES	XXS - XS - S - M - L - XL	287





410050 FINS POWER PLANA TEK - XR LINE S - R - XL

1698



415768 SPRING STRAP FOR TEK FINS (PAIR) R/XL

559

SIZE CHART / **XR DRY SUITS**

	XS	S	M	L	XL	2XL	3XL
A	165-170	170-175	175-180	180-185	185-190	190-195	200-210
B	49-59	59-68	68-77	77-86	86-95	95-100	100-105
C	167	175	183	190	198	205	213
D	102	108	114	122	128	136	142
E	94	102	110	118	126	134	142
F	104	116	128	132	140	148	156
G	98	101	104	107	110	113	115
H	80	84	88	92	96	100	104
I	62	65	68	72	75	79	80
J	30	30	30	30	30	33	33
K	35	36	37	38	39	40	41

	6	7	8	9	10	11	12
A	24	25	26	27	28	29	30
B	8,5	8,5	9	9	9,3	9,5	10
C	5,5	5,5	5,5	5,7	6	6	6,5

CODE	PRODUCT	TECHNICAL SPECS	SRP
	415758 DRY BACKPACK	30 l	559
	417505 CARGO POCKET		338
	417506 MASK POCKET		219
	415762 WETNOTES INCLUDING PEN AND STRAPS		457
	417538 FLAT HEAD DEAD BOLT SCREW BLACK LARGE (4 pairs)		399
	417520 FLAT HEAD DEAD BOLT SCREW (4 pairs)		399
	417521 ROUNDED DEAD BOLT SCREW (4 pairs)	6 mm 9 mm	399 399
	417526 D-RINGS BENT SS316 (10 pcs)		272
	417525 D-RINGS FLAT SS316 (10 pcs)		255
	415765 DEAD BOLT SNAP STAINLESS STEEL	75 mm 120 mm	102 111
	415793 DEAD BOLT SNAP BLACK CERAMIC	75 mm 120 mm	134 151
	415766 DOUBLE ENDER STAINLESS STEEL	90 mm 100 mm 120 mm	102 102 119
	415794 DOUBLE ENDER BLACK CERAMIC	90 mm 100 mm 120 mm	125 134 151



415764 XR CAVE SPOOL STAINLESS STEEL 30 m

15 m

644

45 m

678

712

XR LIFT & MARKING BUOYS


415773 XR SMB TRAINING

508



415755 XR SMB REGULAR ORANGE

678



415756 XR SMB EMERGENCY YELLOW

678



415757 XR LIFT BAG ORANGE

80 lb

950



424153 SMART APNEA

2548



BKWH BKGR BKOR

FINS

CODE	PRODUCT	COLOUR	SIZES	SRP
------	---------	--------	-------	-----



420409 RAZOR MATRIX (SFT)



39/40, 41/42, 43/44

3908



420411 RAZOR C740 (MED)



39/40, 41/42, 43/44

2990

420401 RAZOR PRO



39/40, 41/42, 43/44

1188

420406 RAZOR CONCORDE



38/39, 40/41, 42/43, 44/45

899

420905	RAZOR BLADE FIXING SET		84
--------	------------------------	--	----

420904	RAZOR FOOT POCKET BLACK		39 - 41 - 43	389
--------	-------------------------	--	--------------	-----

423974	NOSE CLIP APNEA		236
--------	-----------------	--	-----

423943	FINS INSOLE (5 PAIRS)		ONE SIZE FITS ALL	491
--------	-----------------------	--	-------------------	-----

425715	BUOY TRAINING		70 x 17 cm 48 l	1868
--------	---------------	--	--------------------	------

MASKS & SNORKELS

CODE	PRODUCT	COLOUR	SRP
421406	ESSENCE LIQUIDSKIN		559
421400	STAR LIQUIDSKIN SF		559
421411	VIPER		559
421401	STAR ELITE		559
421402	STAR SF		559
421405	TANA		304
421455	SNORKEL DUAL BASIC		185



482167 PHANTOM CAMO BLUE 3 mm M - L - XL 1069



422440 TOP RASHGUARD CAMO GREEN 2 - 3 - 4 - 5 - 6 406



422424 UNDER SUIT 2 mm XS - S - M - L - XL 406



422425 SHORTS PANTS WITH POCKET 2 mm S - M - L - XL 474



422756 AMARA CAMO GREEN 2 mm S - M - L - XL 253

BAGS

NEW



425562 ATTACK LONG FINS 372



425558 BACKPACK ATTACK 75L 712

CODE	PRODUCT	COLOURS	SIZE	SRP
410308	CLIPPER		27/29, 30/32, 33/34, 35/36, 37/38, 39/40, 41/42, 43/44	338
410344	CLIPPER		30/32, 33/34, 35/36, 37/38, 39/40, 41/42, 43/44	338
410333	MANTA		36/37, 38/39, 40/41, 42/43, 44/45	318
410337	X-ONE		S/M, M/L	398

MASK & SNORKEL COMBO

481089	BONITO COMBO		478
411746	VENTO ADULT SET		350
411748	VENTO JUNIOR SET		310

CODE	PRODUCT	COLOURS	SIZE	SRP
481093	X-ONE & BONITO SET		ADULT S/M, M/L	798

AQUAZONE WETSUITS: ADULT

CODE	PRODUCT	SIZES	SRP
	412530 STEAMER MANTA MAN 2.2 mm	2 - 3 - 4 - 5 - 6 - 7	998
	412529 STEAMER MANTA LADY 2.2 mm	1 - 2 - 3 - 4	998
	412533 SHORTY MANTA JUNIOR 2.2 mm	-3 - -4 - -5 - -6	338

REGULATORS

 **CARBON TECHNOLOGY:** Extreme light weight, exceptional mechanical resistance and high thermal conductivity make carbon the perfect material for the most demanding divers and every condition.

 **ALL METAL TECHNOLOGY:** Outstanding mechanical resistance and high thermal conductivity make our metal 2nd stages extremely long lasting and ideal for cold water dives. The high thermal conductivity of metal reduces the dry mouth feeling during the dive.

 **ULTRALIGHT TECHNO POLYMER:** Abrasion resistant and affordable, ideal for diving in warm and moderate water temperatures.

 **DFC - Dynamic Flow Control:** Minimizes intermediate pressure drop during inhalation thus maximizing gas delivery, especially under extreme conditions.

 **NCC - Natural Convection Channel:** Increases cold water performance by creating a flow of water across the regulator. The flow is driven by the change of density in water with temperature.

 **A.C.T VALVE (ADVANCED COATING TECHNOLOGY):** The new valve in the "X" systems increases durability by an astounding 600%, even under the most extreme conditions.

 **VAD - Vortex Assisted Design:** The air bypass tube conveys air to the mouthpiece creating a swirling vortex with a low pressure area in the center that keeps the diaphragm down during inhalation, for very sensitive and easy breathing at all depths.

 **Twin Power VAD System:** Two positions: VAD & VAD+ ; VAD will guarantee a natural breath like any other Mares regulator, while VAD+ will provide a more intense airflow for an increased amount of air for more demanding dives.

 **MESH GRID:** Patented design which reduces the impact of water flow onto the second stage diaphragm, thus eliminating free flows even in strong currents.

 **FLUID DYNAMIC DEFLECTOR:** Receives and properly directs the airflow from the bypass tube to the mouthpiece.

 **SUPERFLEX HOSE:** Extreme light weight and exceptional softness guarantee the maximum freedom of movement.

 **SMALL SIZE:** Innovative diaphragm design and component layout result in tangible reduction of dimensions. Enjoy unique wearing comfort and easiest handling and storage.

INSTRUMENTS

 **LCD COLOUR DISPLAY:** State-of-the-art smartphone technology applied to dive computers. The only one in the world. (320 x 240 pixels / 262.144 colours)

 **FULL DOT MATRIX:** The next generation of dive computer displays: exceptional resolution allowing for total flexibility. The best user interface, the best dive display, no compromises.

 **SEGMENT / MATRIX AREA DISPLAY:** The perfect compromise between sharpness (segments) and flexibility (dot matrix) at a reasonable price.

 **SEGMENT DISPLAY:** Needle-sharp information combined and intelligent placement of information for easiest readability.

 **AIR INTEGRATED:** Provides all relevant gas related information such as tank pressure, time to reserve and gas consumption resulting in a significant increase in safety.

 **GAS SWITCHING:** Set up to three nitrox mixes and take full advantage of decompressing with high oxygen concentration mixes.

 **SOFTWARE UPGRADEABILITY:** Keep the computer up to date with the latest Mares developments.

 **USB RECHARGER:** Recharges integrated batteries via a wall adapter or a USB port.

 **ONE BUTTON CONTROL:** Full-featured computer in which all functions can be accessed through an intelligent and intuitive logic with a single button.

 **MINERAL GLASS DISPLAY:** (Tempered) Superior scratch resistance and improved readability in all diving conditions and viewing angles.

BCD's

 **FUSION BLADDER:** Combines features of backmounted and classic bladder. High lift capacity, unrestricted movement and a comfortable position on the surface characterise this type of bladder.

 **CLASSIC BLADDER:** Air-cell enveloping diver on the sides and back. High lift capacity and a very comfortable position on the surface characterise this bladder design.

 **BACKMOUNTED:** Air-cell separated from the harness, resulting in unrestricted freedom of movement.

 **ERGO INFLATOR:** The standard inflation and deflation control device used in PADI [etc.] training programs. Intuitive use and secure grip.

 **AIRTRIM:** Patented technology for easiest and precise buoyancy control in all positions and conditions. The control device is always at hand and placed in the most ergonomic position.

 **SUSPENSION SYSTEM:** Inspired by the design of modern hiking backpacks, the system avoids direct contact between body and tank support.

SUITS

 **FOR COLD WATER:** Neoprene thickness greater than 5 millimeter. Shoulder colour coding: grey.

 **FOR TEMPERATE WATER:** Neoprene thickness of 5 millimeter. Shoulder colour coding: red (men); blue fog (women).

 **FOR WARM WATER:** Neoprene thickness of 3 millimeter or less. Shoulder colour coding: white.

 **BACK PROTECTION SYSTEM:** Ergonomically shaped neoprene cushion between back and tank support for improved wearing comfort and extra warmth in a zone which is usually cold sensitive.

 **SPINE PAD:** An additional strip of GlideSkin positioned under the back zipper. Efficiently eliminates any kind of uncomfortable feeling caused by tank and zipper and provides further increases sealing.

 **TITEX ZIPS:** Extremely strong and durable zippers. SuperSeal version on Isotherm, SilverSeal version on 2ndSkin. Lubricate regularly for best performance.

 **DOUBLE SEALING SYSTEM:** Combination of GlideSkin inner faces and a soft internal neoprene sealing ring form an impermeable barrier against water entry at wrists and ankles.

 **THERMO PLUSH:** Extremely soft internal layer in the chest area to keep the upper part of the body warm. Thermo plush is durable and dries fast.

 **HOOD INCLUDED:** Whenever you see this icon means that the hood is sold together with the wetsuit.

 **CMS - Composite Material System:** One PVC sheet is combined with fine Aluminium, another is hot melt type of PVC. The end result is a three-layer suit with excellent durability and thermal protection characteristics.

 **HD NEOPRENE:** Use of the micro bubble increases the density and prevents the pinhole penetrating through the materials. It reduces the thickness of the materials from traditional 7mm to 4mm and achieves light and compact fitting.

 **VULCANIZED BOOTS:** Durable, reinforced, vulcanized rubber lined with neoprene for added comfort, featuring a 4mm anti-slip sole. The rear heel notches keep your fin strap from slipping.

FINS

 **RUBBER COMPOSITION:** Fin made entirely from high-quality natural rubber. Virtually indestructable.

 **RIDDLED FOOT POCKET:** The perforations prevent stagnating water flow from slowing you down. Eliminating this "parachute effect" you'll slide faster through the water. Furthermore the openings eliminate any suction effect, making doffing easier.

 **OPB - Optimised Pivoting Blade:** Allows the blade to maintain an optimal angle throughout the kicking cycle, whereas traditional fins achieve this only during a small portion of the cycle. OPB produces a constant thrust, which minimizes fatigue and produces fluid movement through the water.

 **CHANNEL THRUST:** Soft longitudinal inserts allow a controlled deformation of the fin blade while kicking. This channel shape produces a greater amount of water resulting in more thrust for the same effort.

 **TRI-MATERIAL CONSTRUCTION:** 3 specific materials for maximum elasticity, high durability and resistance to aging. The result is superior performance in all diving conditions.

MASKS & SNORKELS

 **LIQUIDSKIN:** Patented Technology. The exclusive Bi-Silicone technology uses two different types of silicone: a firmer portion for support structure and a softer portion for contact with your face. It is 45% softer for unparalleled comfort and 270% more elastic for a perfect fit.

 **TRI-COMFORT:** small horizontal ribs between the frame and the skirt in the area around the nose. These ribs absorb and redistribute the pressure exerted by the frame onto the skirt, with a resulting increase in comfort.

 **SUNRISE:** The Sunrise masks are dedicated to the Asian market & wider faces because of the special geometry of the skirt.

 **OPTICAL LENSES:** Mares offers corrective lenses for most models. In addition to the negative diopters (-1 to -7), for some models also positive diopters are available (+1.5 to +3). Mares design makes it quick and easy to install lenses.

 **DRY TOP:** Designed to provide divers and snorkelers completely dry breathing.

 **PURGE VALVE:** Versions with the lower purge valve system ensure quick and effective tube purging.

ACCESSORIES

 **AIR TRAVEL OPTIMIZED:** Extremely lightweight and resilient materials and overall attention to details, make these products ideal for the travelling diver.

 **HEAVY DUTY WHEELS:** All Mares bags include rugged and durable construction wheels, secured with stainless steel screws.

 **HARD BOTTOM:** More stable and resistant to wear and tear. Storage space much stronger with better protection.

 **BACKPACK SYSTEM:** Ergonomically designed shoulder straps are included and stored in an appropriate pocket.

 **FOLDABLE SYSTEM:** The product can be folded into itself in less than one minute to store it in small space.



 **CONSISTENT LIGHT INTENSITY:** An electronic voltage supply control of the LED ensures a consistent light for the entire rated burn time.

 **EXTERNAL CHARGER:** The external charging system protects the light from flooding. Overpressure valve to protect the lamp from a possible excessive build-up of gas from the batteries.

 **MAGNETIC SWITCH:** The external magnetic switch protects the light from flooding. High reliability ensured by the complete absence of o-ring.

 **ADJUSTABLE FOCUS:** Focus can be adjusted during the dive by a simple rotation. It allows for a change in the light beam between 12° & 75°.

SIZE CHART



WETSUIT ≥ 5mm

IT	2	3	4	5	6	7	8
EU	S	M	L	XL	XXL	3XL	4XL
USA	S	M	L	XL	XXL	XXXL	
1	175 / 5'9"	178 / 5'10"	181 / 5'11"	184 / 6'	187 / 6'2"	190 / 6'3"	193 / 6'4"
2	93 / 37"	97,5 / 38"	101,5 / 40"	105,5 / 42"	110 / 43"	114 / 45"	118 / 46"
3	73 / 29"	77,5 / 31"	81,5 / 32"	86 / 34"	90 / 35"	94 / 37"	98 / 39"
4	91 / 36"	95,5 / 38"	99,5 / 39"	104 / 41"	108 / 43"	112 / 44"	116 / 46"

IT	1	2	3	4	5	6	7
EU	XS	S	M	L	XL	XXL	3XL
USA	4	6	8	10	12	14	16
1	164 / 5'5"	167 / 5'6"	170 / 5'7"	173 / 5'8"	176 / 5'9"	179 / 5'10"	182 / 6'
2	77,5 / 31"	81,5 / 32"	85,5 / 34"	89,5 / 35"	93,5 / 37"	97,5 / 38"	101,5 / 40"
3	67 / 26"	71 / 28"	75 / 30"	79 / 31"	83 / 33"	87 / 34"	91 / 36"
4	84 / 33"	88 / 35"	92 / 36"	96 / 38"	100 / 39"	104 / 41"	108 / 43"

WETSUIT ≤ 3mm

IT	2	3	4	5	6	7	8
EU	S	M	L	XL	XXL	3XL	4XL
USA	S	M	L	XL	XXL	XXXL	
1	176 / 5'9"	179 / 5'10"	182 / 6'	185 / 6'1"	188 / 6'2"	191 / 6'3"	194 / 6'4"
2	92 / 36"	96,5 / 38"	100,5 / 40"	105 / 41"	109 / 43"	113,5 / 45"	117,5 / 46"
3	71,5 / 28"	75,5 / 30"	80 / 32"	84 / 33"	88,5 / 35"	92,5 / 36"	97 / 38"
4	91 / 36"	95 / 37"	99,5 / 39"	103,5 / 41"	108 / 43"	112 / 44"	116 / 46"

IT	1	2	3	4	5	6	7
EU	XS	S	M	L	XL	XXL	3XL
USA	4	6	8	10	12	14	16
1	163,5 / 5'4"	166,5 / 5'6"	169,5 / 5'7"	172,5 / 5'8"	175,5 / 5'9"	178,5 / 5'10"	181,5 / 5'11"
2	75 / 30"	79 / 31"	83 / 33"	87 / 34"	91 / 36"	95 / 37"	99 / 39"
3	66 / 26"	70 / 28"	74 / 29"	78 / 31"	82 / 32"	86 / 34"	90 / 35"
4	82,5 / 32"	86,5 / 34"	90,5 / 36"	94,5 / 37"	98,5 / 39"	102,5 / 40"	106,5 / 42"

THERMO GUARD SHORTY UNISEX

IT	EU	CHEST	WAIST	HIPS	TOLERANCE
-3	8 A	56 / 22"	52 / 20"	66 / 26"	± 2 / ± 0.8"
-2	10 A	61 / 24"	56 / 22"	75 / 30"	± 2 / ± 0.8"
-1	12 A	67 / 26"	60 / 24"	79 / 31"	± 2 / ± 0.8"
0	14 A	73 / 29"	65 / 26"	87 / 34"	± 2 / ± 0.8"
1	XS	86 / 34"	65 / 26"	85 / 33"	± 2 / ± 0.8"
2	S	90 / 35"	70 / 28"	89 / 35"	± 2 / ± 0.8"
3	M	94 / 37"	74 / 29"	94 / 37"	± 2 / ± 0.8"
4	L	99 / 39"	78 / 31"	98 / 39"	± 2 / ± 0.8"
5	XL	103 / 41"	82 / 32"	102 / 40"	± 2 / ± 0.8"
6	XXL	107 / 42"	86 / 34"	106 / 42"	± 2 / ± 0.8"
7	3XL	111 / 44"	91 / 36"	111 / 44"	± 2 / ± 0.8"

NEOPRENE BOOTS

	EUROPE	USA	JAPAN
3XS	35/36	4	-
2XS	36/37	5	23 cm
XS	38	6	24 cm
S	39/40	7	25 cm
M	40/41	8	26 cm
L	41/42	9	27 cm
XL	43	10	28 cm
2XL	44/45	11	29 cm
3XL	45/46	12	-
4XL	47	13	-

ALL MEASUREMENTS ARE GIVEN FOR GUIDANCE ONLY