A wide-angle underwater photograph showing a scuba diver in a black wetsuit and orange fins swimming over a coral reef. The diver is facing away from the camera, towards a school of small, silvery fish. The reef consists of various types of coral, including staghorn and table corals. The water is a clear, deep blue.

SCUBAPRO



2019

PRICE LIST
RETAIL

INDEX



4	REGULATORS
32	COMPUTERS & INSTRUMENTS
52	BCs
64	X-TEK
70	DIVE WEAR
106	MASK, FINS & SNORKELS
128	FREE DIVING SECTION
130	BAGS & ACCESSORIES
146	PROMOTIONAL ITEMS

DEEP DOWN YOU WANT THE **BEST**





MK25T EVO/S620X-Ti

Part number	Description	Retail
12.620.400	INT 232	18,500

SCUBAPRO's top regulator technology is on display in this ultra-light, corrosion-resistant reg system. The MK25T EVO is machined from a solid block of titanium which will not corrode, even in concentrated saltwater conditions, promising a century of trouble-free use. It offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The new S620 X-Ti, with its durable and good-looking titanium faceplate, embraces the best features of SCUBAPRO's renowned S600 in an upgraded, state-of-the-art design. Smaller and lighter than the S600 but using the same-sized diaphragm, the S620 X-Ti delivers excellent performance; work of breathing has been reduced by 37% over the S600, providing effortless airflow under all dive conditions. The full titanium inlet tube is ultra-light, the large purge button improves water circulation, and the new exhaust tee increases performance while directing bubbles out of the field of view for the ultimate in lightweight performance.

First Stage

- Air-balanced flow-through piston in a full titanium body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patented XTIS (Extended thermal Insulating system) thermally insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Four high-flow and one axial super high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Weight: INT 232: 475g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.2-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Titanium barrel is rugged, anti-corrosion and lightweight for long-term reliability.
- Diaphragm fits inside a more compact casing for maximum breathing sensitivity.
- User controls include an easy-grip diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) lever.
- New exhaust tee increases performance while directing bubbles out of the field of view.
- Newly designed Compact Hi-Flow mouthpiece is mounted on an enlarged mouthpiece pipe to improve airflow as well as mouth comfort.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Specific matching colors (blue, pink, yellow, purple, white and orange) on mouthpiece and hose protector are available as an accessory.
- Weight: 168g.
- Airflow at 200bar: 1850 l/min.

Limited Lifetime Warranty



MK25 EVO/A700 BT CARBON

Part number	Description	Retail
12.770.700	INT 232	10,950

SCUBAPRO's flagship reg system, featuring a tough hand-made carbon fiber cover on the A700's full-metal casing, plus a unique DLC Black Tech protective coating on both first and second stages. Offering superb breathing performance, excellent impact resistance and dependable protection against the ravages of salt water and corrosion, this race-car-sleek system looks as good as it works.

First Stage

- Air balanced flow-through piston in a Black Tech-coated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Weight: INT 232: 790g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Hand-made carbon fiber front cover and rugged metal case and valve housing are able to withstand years of aggressive diving.
- Carbon fiber is virtually bulletproof and also extremely lightweight. The A700 Carbon's cover weighs only 10 grams, compared to the 42-gram weight of the original A700's metal cover, resulting in more comfortable diving.
- Special Torx cover screws are able to support a higher tightening torque without damage.
- Metal case construction enables the use of a larger diaphragm inside a compact casing, increasing breathing sensitivity.
- User controls include a diver-adjustable inhalation effort knob and coaxial-flow Venturi-Initiated Vacuum Assist (VIVA) lever.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 233g.
- Airflow at 200bar: 2000 l/min.
- Maximum low pressure: 14bar.

Limited Lifetime Warranty



MK25 EVO/G260 BT

Part number	Description	Retail
12.771.500	INT 232	8,300
12.771.600	DIN 300	8,500

A reg system aimed at technical divers, the MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The G260's casing is built from rugged nylon fiberglass and uses freeze resistant components. Both first and second stages have a Black Tech scratch-resistant coating that protects against the ravages of salt water and corrosion. This durable coating includes an inner layer of chemical Nickel (FDA approved) and an outer glossy DLC (Diamond Like Carbon) finish. It's a rugged reg system that delivers solid breathing performance in all diving conditions and water temperatures.

First Stage

- Air balanced flow-through piston in a Black Tech-coated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patented XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow and one axial super high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT or 300 bar DIN configuration.
- Weight: INT 232 : 790g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged reinforced technopolymer design features SCUBAPRO's largest second stage casing and diaphragm for the ultimate in breathing sensitivity, regardless of position in the water.
- Dark anodized aluminum front cover ring adds scratch resistance without adding weight.
- Metal components, including metal air barrel and metal valve inlet tube, increase resistance to freezing when diving in extreme conditions.
- High-flow exhaust valve reduces exhalation for better overall breathing comfort.
- A diver-adjustable inhalation effort knob fine-tunes air delivery to suit changing depths, water conditions and personal tastes.
- Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch prevents free flows in cold water or when used as an octopus.
- Reversible hose attachment allows you to easily adjust hose routing for tech diving configurations.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 275g.
- Airflow at 200bar: 1800 l/min .

Limited Lifetime Warranty



MK25 EVO/A700

Part number	Description	Retail
12.770.040	INT 232	8,200

SCUBAPRO's flagship reg system is designed for divers who want the best. The MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The A700 offers effortless inhalation and an ease of exhalation that is unmatched in a precision-handcrafted, full-metal package. Together they provide unparalleled breathing performance in all water temperatures.

First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT configuration.
- Weight: INT 232: 790 g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged full-metal case, front cover and valve housing are able to withstand years of aggressive diving.
- Metal construction enables the use of a larger diaphragm inside a compact casing, increasing breathing sensitivity.
- User controls include a diver-adjustable inhalation effort knob and coaxial-flow Venturi-Initiated Vacuum Assist (VIVA) lever.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 265g.
- Airflow at 200bar: 2000 l/min.

Limited Lifetime Warranty

XTIS
EXTENDED THERMAL
INSULATING SYSTEM



MK25 EVO/S620Ti

Part number	Description	Retail
12.620.000	INT 232	7,750

SCUBAPRO teams its high performance first stage with a brand new air-balanced second stage. The MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand.

The new S620 Ti embraces the best features of SCUBAPRO's renowned S600 in an upgraded, state-of-the-art design. Smaller and lighter than the S600 but using the same-sized diaphragm, the S620 Ti delivers excellent performance; work of breathing has been reduced by 37% over the S600, providing effortless airflow under all dive conditions. The full titanium inlet tube is ultra-light, the larger water circulation holes in the front purge cover allow faster inhalation response and the new exhaust tee increases performance while directing bubbles out of the field of view. In all water temperatures, in all dive conditions, this new reg system is a winner.

First Stage

- Air-balanced flow-through piston in a chrome plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patented XTIS (Extended thermal Insulating system) thermally insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- Spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Four high-flow and one axial super high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300: 572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged reinforced technopolymer case and front cover are able to withstand years of aggressive diving.
- Titanium barrel is rugged, anti-corrosion and lightweight for long-term reliability.
- Uses the S600's large diaphragm inside a compact casing for maximum breathing sensitivity.
- Diaphragm fits inside a more compact casing for maximum breathing sensitivity.
- User controls include an easy-grip diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) lever.
- New exhaust tee increases performance while directing bubbles out of the field of view.
- Compact Hi-Flow mouthpiece improves airflow as well as mouth comfort, fitting all mouth sizes, from largest to smallest.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Specific matching colors (blue, pink, yellow, purple, white and orange) on mouthpiece and hose protector are available as accessories.
- Weight: 179g.
- Airflow at 200bar: 1850 l/min.

Limited Lifetime Warranty



XTIS
EXTENDED THERMAL
INSULATING SYSTEM

MK25 EVO/S600

Part number	Description	Retail
12.971.050	INT 232	6,700
12.971.070	DIN 300	6,900

Combining SCUBAPRO's best-selling second stage and its top-performing first stage is a match made in diver heaven. The MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The S600, with its rugged fiberglass casing and stainless steel front face and ring, provides a steady, effortless flow of air, regardless of depth. In all water temperatures, in the most demanding dive conditions, this reg system performs flawlessly.

First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300:572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Metal valve housing is able to withstand years of aggressive diving.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 193g.
- Airflow at 200bar: 1850 l/min.
- Maximum low pressure: 14bar.
- Changeable purge covers allow you to make your regulator truly unique.

Limited Lifetime Warranty



* COLOR COVERS SOLD SEPARATELY

MK25 EVO/G260

Part number	Description	Retail
12.252.010	INT 232	6,250
12.252.030	DIN 300	6,450

Offering effortless air delivery and outstanding reliability, this is the go-to air delivery system for cold water or technical diving. There's no better example of solid first stage performance in all water temperatures than the MK25 EVO. Teamed with the venerable G260, this system can be relied upon to deliver top-of-the-line performance in the most extreme conditions.

First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300: 572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Nylon fiberglass design features SCUBAPRO's biggest second stage casing and diaphragm for the ultimate in breathing sensitivity, regardless of position in the water.
- Anodized aluminum front cover ring.
- Metal components, including metal air barrel and metal valve inlet tube, increase resistance to freezing when diving in extreme conditions.
- High-flow exhaust valve reduces exhalation for better overall breathing comfort.
- A diver-adjustable inhalation effort knob fine-tunes air delivery to suit changing depths, water conditions and personal tastes.
- Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch prevents free flows in cold water or when used as an octopus.
- Reversible hose attachment allows you to easily adjust hose routing for tech diving configurations.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 295g.
- Airflow at 200bar: 1800 l/min.

Limited Lifetime Warranty



MK21/S560

Part number	Description	Retail
12.974.000	INT 232	4,700
12.974.300	DIN 300	4,800

This reg system is feature rich which offers SCUBAPRO reliability and is priced right. About 20% smaller than SCUBAPRO's flagship MK25 but benefitting from the same core technology, the MK21 features a modern, cutting-edge design whose size and weight make it an excellent choice for travel divers. The full-featured S560 second stage, built with a rugged reinforced techno-polymer case, is lightweight too, and also easy to use. Together they create the must-have reg system for recreational divers of all skill levels.

First Stage

- Air-balanced flow-through piston provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Polished chrome-plated marine grade brass body is close to 20% smaller than the MK25, making it an easy travel companion.
- Unique thermal exchange design with external fins optimizes freezing resistance.
- Two high pressure ports, one on each side of the body, allow the first stage to be positioned either up or down.
- Standard "smart" hose routing cap offers four low pressure ports angled for more convenient hose routing (+/- 20°).
- Optional hose routing cap increases routing configurations with four angled low pressure ports (0°/30°) plus a fifth centralized high-flow low pressure port, ideal for technical diving.
- Redesigned yoke allows for easier mounting on a cylinder, and a redesigned cap protects internal components from water intrusion after the dive.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 744g; DIN 300:
- Airflow at 200bar: (l/min): >7500.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Lightweight techno-polymer casing helps reduce jaw fatigue and improve diving comfort.
- Techno Polymer inlet tube contributes to reliability and long life.
- High flow exhaust valve reduces exhalation effort to lower overall work of breathing.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 172g.
- Airflow at 200bar: 1850 l/min
- Maximum low pressure: 14bar.

Limited Lifetime Warranty



MK17 EVO/S620Ti

Part number	Description	Retail
12.623.000	INT 232	6,950
12.623.300	DIN 300	7,050

Teaming SCUBAPRO's best-selling second stage with its environmentally sealed first stage creates a reliable air delivery system for all diving conditions. The MK17 EVO is completely sealed off from the elements, ensuring trouble-free operation no matter how cold or murky the water gets. It is more compact yet delivers better breathing performance than its predecessor. Its improved internal design allows more airflow from the LP ports which have been reconfigured for better hose routing.

The new S620 Ti embraces the best features of SCUBAPRO's renowned S600 in an upgraded, state-of-the-art design. Smaller and lighter than the S600 but using the same-sized diaphragm, the S620 Ti delivers excellent performance; work of breathing has been reduced by 40% over the S600, providing effortless airflow under all dive conditions. The full titanium inlet tube is ultra-light, the large purge button improves water circulation, and the new exhaust tee increases performance while directing bubbles out of the field of view. In all water temperatures, in all dive conditions, this new reg system is a winner.

First Stage

- Air balanced diaphragm delivers constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Environmentally sealed system prevents water and pollutants from fouling the inner mechanism.
- Dry ambient pressure chamber increases freezing resistance, ensuring consistent airflow in the coldest conditions.
- Improved airflow on all LP ports
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in either 232bar INT or 300bar DIN configurations. DIN version comes with a dual-compound wheel that features an ergo shape and soft grip on a rugged black nylon frame.
- Airflow at 200bar: 6900 l/min.

Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort at varying depths and supply pressures.
- Rugged reinforced technopolymer case and front cover are able to withstand years of aggressive diving.
- Titanium barrel is rugged, anti-corrosion and lightweight for long-term reliability.
- Uses the S600's large diaphragm inside a compact casing for maximum breathing sensitivity.
- Metal case construction enables the use of a larger diaphragm inside a compact casing, increasing breathing sensitivity.
- User controls include an easy-grip diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) lever.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 179g.
- Air flow at 200bar: 1850 l/min.

Limited Lifetime Warranty



MK17 EVO/S600

Part number	Description	Retail
12.927.050	INT 232	5,950
12.927.070	DIN 300	6,050

Teaming SCUBAPRO's best-selling second stage with its environmentally sealed first stage creates a reliable air delivery system for all diving conditions. The MK17 EVO is completely sealed off from the elements, ensuring trouble-free operation no matter how cold or murky the water gets. It is more compact yet delivers better breathing performance than its predecessor. Its improved internal design allows more airflow from the LP ports which have been reconfigured for better hose routing. The S600, with its rugged fiberglass reinforced nylon casing and stainless steel front face front face, provides a steady, effortless flow of air, regardless of depth.

First Stage

- Air balanced diaphragm delivers constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Environmentally sealed system prevents water and pollutants from fouling the inner mechanism.
- Dry ambient pressure chamber increases freezing resistance, ensuring consistent airflow in the coldest conditions.
- Improved airflow on all LP ports
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in either 232bar INT or 300bar DIN configurations. DIN version comes with a dual-compound wheel that features an ergo shape and soft grip on a rugged black nylon frame.
- Airflow at 200bar: 6900 l/min.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Metal valve housing is able to withstand years of aggressive diving.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 193g.
- Airflow at 200bar: 1850 l/min.
- Maximum low pressure: 14bar.
- Changeable purge covers allow you to make your regulator truly unique.

Limited Lifetime Warranty



MK17 EVO/S560

Part number	Description	Retail
12.714.040	INT 232	4,900
12.714.060	DIN 300	5,000

An ideal breathing system for virtually any diving scenario, the balanced diaphragm MK17 EVO is completely sealed off from the elements, ensuring trouble-free operation no matter how cold or murky the water gets. It is more compact yet delivers better breathing performance than its predecessor. Its improved internal design allows more airflow from the LP ports which have been reconfigured for better hose routing. The full-featured air-balanced S560 second stage, built with a rugged nylon fiberglass case, is lightweight and easy to use. Together they create the must-have reg system for recreational divers of all skill levels.

First Stage

- Air balanced diaphragm delivers constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Environmentally sealed system prevents water and pollutants from fouling the inner mechanism.
- Dry ambient pressure chamber increases freezing resistance, ensuring consistent airflow in the coldest conditions.
- Improved airflow on all LP ports
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in either 232bar INT or 300bar DIN configurations. DIN version comes with a dual-compound wheel that features an ergo shape and soft grip on a rugged black nylon frame.
- Airflow at 200bar: 6900 l/min.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Lightweight techno-polymer casing helps reduce jaw fatigue and improve diving comfort.
- Techno Polymer inlet tube contributes to reliability and long life.
- High flow exhaust valve reduces exhalation effort to lower overall work of breathing.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA) dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight: 172g.
- Airflow at 200bar: 1850 l/min
- Maximum low pressure: 14bar.

Limited Lifetime Warranty



MK11/C370

Part number	Description	Retail
12.175.000	INT 232	4,050

The MK11/C370 is a great choice for dive-trekkers. The balanced diaphragm MK11, with its chrome-plated brass body specially designed to reduce size and weight, is an ideal travel companion. Its system features internal parts that are sealed from the elements. The new C370 brings forth the best features of its predecessor, the C350, while adding a balanced valve to its design. Its new exhaust tee, based on the S620 Ti's design, contributes to a 10% improvement in work of breathing over the C350. With this regulator system in your dive bag you'll be ready to hit the road.

First Stage

- Air balanced diaphragm design delivers constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Marine grade brass body has sealed internal parts to prevent water and pollutants from fouling the inner mechanism while enhancing cold-water performance.
- Two high pressure, two low pressure and two high-flow ports maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in either 232bar INT.
- Airflow at 200bar: 5500 l/min.
- Intermediate pressure (bar): 9.0-9.8.

Second Stage

- Air-balanced valve for smooth inhalation effort at varying depths and supply pressures.
- Compact rugged fiberglass reinforced nylon casing and new exhaust tee take up little space in a dive bag.
- Stainless steel frame on the front cover adds the SCUBAPRO C-Series signature.
- The poppet and lever allows the design to maintain the same overall size as the C350.
- The exhaust tee is based on the S620 Ti's design and contributes to better work of breathing (a 10% improvement over the C350).
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA).
- Large purge button is easy to activate, even wearing thick gloves.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Compact Hi-Flow mouthpiece improves airflow as well as mouth comfort, fitting all mouth sizes, from smaller to largest.
- Weight: 171g.
- Airflow at 200bar: (l/min): 1600 bar

Limited Lifetime Warranty



MK2 EVO/R195 NITROX

Part number	Description	Retail
12.920.060	DIN 200*	3,650

This go-anywhere regulator is now available as a dedicated nitrox delivery system. The MK2 EVO is the only classical downstream piston-style first stage with internal components specifically designed to resist freezing in extreme cold-water conditions. The R195 is easy to maintain, easy to use, and with its left or right hose routing capability, it's also the perfect system for use on stage or pony bottles. For simplicity and reliability – and in compliance with the most stringent safety norms – you can count on this nitrox reg system.

First Stage

- New XTIS (Extended Thermal Insulating System) with mechanism fully insulated from the environment, increasing freezing resistance by 50%. (Patent pending)
- Key insulation system components in blue.
- Airflow increased by 15%
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.

Second Stage

- Classic Downstream Valve
- Adjustable VIVA
- Reversible Hose Attachment
- Larger Big Diaphragm
- Pre-tuned inhalation effort
- Super comfort High-flow mouthpiece
- Weight: 198g.
- Airflow at 200bar: 1550 l/min.

Limited Lifetime Warranty



Comparison between standard DIN and **M26 DIN**



* **M26 DIN Fitting**

MK2 EVO/R195

Part number	Description	Retail
12.118.000	INT 232	3,150

First Stage

- New XTIS (Extended Thermal Insulating System) with mechanism fully insulated from the environment, increasing freezing resistance by 50%. (Patent pending)
- Key insulation system components in blue.
- Airflow increased by 15%
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.

Second Stage

- Classic Downstream Valve
- Adjustable VIVA
- Reversible Hose Attachment
- Larger Big Diaphragm
- Pre-tuned inhalation effort
- Super comfort High-flow mouthpiece
- Weight: 198g.
- Airflow at 200bar: 1550 l/min.

Limited Lifetime Warranty



MK2 EVO/R095

Part number	Description	Retail
12.096.000	INT 232	2,700
12.096.300	DIN 300	2,800

First Stage

- New XTIS (Extended Thermal Insulating System) with mechanism fully insulated from the environment, increasing freezing resistance by 50%. (Patent pending)
- Key insulation system components in blue.
- Airflow increased by 15%
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.

Second Stage

- Classic Downstream Valve
- Dealer-Adjustable VIVA
- Reversible LP Hose Attachment

Limited Lifetime Warranty



MK25 EVO

Part number	Description	Retail
10.713.010	INT 232	3,300
10.713.030	DIN 300	3,450

First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS (Extended thermal Insulating system) fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300:572g.
- Airflow at 200bar: (l/min): >8500.
- Intermediate pressure (bar): 9.0-9.8.

Limited Lifetime Warranty



10.713.010

10.713.030

REGULATORS 18

MK21

Part number	Description	Retail
10.721.000	INT 232	2,550
10.721.300	DIN 300	2,650
10.721.004	Kit, 5 port cap	520

First Stage

- New compact sized piston-controlled first stage
- Mid-range piston 1st stage offering the best compromise for the right price and the right performance
- Unique thermal exchange design with external fins, optimizing freezing resistance
- Optional replaceable head for optimal positioning with 4 LP routing configurations (0°/30°). Ideal for Technical diving
- Standard head with 4 LP hose routing (+/- 20°) and 2 HP ports, one on each side of the body



Limited Lifetime Warranty

10.721.004

10.721.000

10.721.300

MK17 EVO

Part number	Description	Retail
10.714.010	INT 232	2,750
10.714.030	DIN 300	2,850

The new MK17 EVO is completely sealed off from the elements, ensuring trouble-free operation no matter how cold or murky the water gets.

It is more compact yet delivers better breathing performance than its predecessor. Its improved internal design allows more airflow from the LP ports which have been reconfigured for better hose routing.

First Stage

- Air Balanced Diaphragm
- New machined body
- 2 HP ports
- 4 High flow ports
- New cover and caps
- New DIN wheel



Limited Lifetime Warranty

10.714.010

10.714.030

MK11

Part number	Description	Retail
10.708.000	INT 232	2,150
10.708.300	DIN 300	2,250

First Stage

- Now 20% lighter, same internal performance
- Balanced, diaphragm controlled High Performance First Stage
- Externally Adjustable Intermediate Pressure
- 4 LP (2 High-Flow-Port) and Dual HP Ports

Limited Lifetime Warranty



10.708.000

10.708.300

MK2 EVO

Part number	Description	Retail
10.063.000	INT 232	1,550
10.063.300	DIN 300	1,650

First Stage

- New XTIS (Extended Thermal Insulating System-Patent pending) with mechanism fully insulated from the environment, increasing freezing resistance by 50 %.
- Key insulation system components in blue.
- Airflow increased by 15 %
- The larger piston provides better breathing performance and sensitivity, yet the overall body size, reduced by 3,5 mm, results in a more compact first stage.
- Removable orifice allows easier maintenance and longer regulator life.
- Modern cosmetic design.

Limited Lifetime Warranty



10.063.000

10.063.300

A700

Part number	Description	Retail
11.700.000	Second Stage	4,900

Second Stage

- Precision handcrafted construction and design masterpiece
- Polished chrome exterior for a lifetime of quality and timeless styling
- Compact dimensions for lightweight comfort
- Exceptional breathing performance at any depth
- The Work of Breathing (WOB) has been lowered to a value of 0.5 J/l
- New aligned VIVA system with co-axial 2-piece dive switch
- Full metal body and metal components assure maximum performance
- Metal provides the best thermal exchange imaginable in cold water



Limited Lifetime Warranty

S620 Ti

Part number	Description	Retail
11.620.000	Second Stage	4,450

Second Stage

- Titanium barrel
- Technopolymer Body and Components
- Peak Performance Air-Balancing System
- Air-Balanced Linear-Flow Valve
- Diver Adjustable VIVA and Inhalation Effort Control
- New Mouth Piece



Limited Lifetime Warranty

S600

Part number	Description	Retail
11.603.000	Second Stage	3,550

Second Stage

- Technopolymer Body and Components
- Peak Performance Air-Balancing System
- Air-Balanced Linear-Flow Valve
- Diver Adjustable VIVA and Inhalation Effort Control
- New Mouth Piece

Limited Lifetime Warranty



G260 BT

Part number	Description	Retail
11.263.880	Second Stage	3,650

Second Stage

- Premium technical 2. Stage
- G260 technology with a stealth, rugged, nylon fibreglass case and a dark anodized aluminum ring
- Stealth design knob and nut
- Airbalanced Flow Valve
- Diver's Adjustable Inhalation Effort
- Adjustable VIVA
- Super Comfort High Flow Mouthpiece

Limited Lifetime Warranty



G260

Part number	Description	Retail
11.263.000	Second Stage	3,100

Second Stage

- Metal components for excellent cold water resistance
- Reversible Hose Attachment
- Peak Performance Air-Balancing System
- Air-Balanced Linear-Flow Valve
- Diver Adjustable VIVA
- For tactical diving very heavy duty casing

Limited Lifetime Warranty



S560

Part number	Description	Retail
11.560.000	Second Stage	2,550

Second Stage

- Lightweight techno-polymer barrel
- Air Balanced flow Valve
- Diver's Adjustable Inhalation Effort
- Adjustable VIVA
- High Flow Exhaust Valve
- Super comfort high-flow mouthpiece

Limited Lifetime Warranty



C370

Part number	Description	Retail
11.370.000	Second Stage	2,400

Second Stage

- Compact body and exhaust tee take up little space in a travel dive bag.
- Stainless steel frame on the front cover adds some style.
- Optimal flow design incorporates a special barrel and balanced poppet valve to produce maximum airflow under any diving conditions.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist (VIVA).
- Large purge button is easy to activate, even wearing thick gloves.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.

Limited Lifetime Warranty



R195

Part number	Description	Retail
11.331.000	Second Stage	1,650

Second Stage

- Classic Downstream Valve
- Adjustable VIVA
- Reversible Hose Attachment
- Larger Big Diaphragm
- Pre-tuned inhalation effort
- Super comfort High-flow mouthpiece

Limited Lifetime Warranty



R095

Part number	Description	Retail
11.330.600	Second Stage	1,350

Second Stage

- New streamlined look and evident
- Scubapro branding with embossed purge button
- Classic Downstream valve
- Pre-tuned VIVA for uncomplicated use
- Reversible hose attachment

Limited Lifetime Warranty



R195 OCTOPUS

Part number	Description	Retail
11.331.200	Octopus	1,830

- Classic downstream valve comes with VIVA switch to control free flows.
- Large diaphragm allows for smooth and easy breathing.
- Yellow super-flow hose is 100cm and features an oversized bore to increase airflow.
- Reversible hose attachment makes it easy to use on deco tanks.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.



Limited Lifetime Warranty

R095 OCTOPUS

Part number	Description	Retail
11.330.400	Octopus	1,430

- Classic downstream valve design for optimal breathing performance.
- Preset inhalation and Venturi-Initiated Vacuum Assist (VIVA) provides hassle-free air delivery.
- Reversible hose attachment makes it easy to use for sidemount, pony or deco tanks.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Includes yellow purge cover and 100cm high-viz yellow hose.



Limited Lifetime Warranty

REGULATOR COLOR COVERS -S600

Part number	Color	Retail
11.602.030P	WHITE	110
11.602.032P	BLUE	110
11.602.033P	RED	110
11.602.036	BLACK	60
11.602.042P	HYDROS BLUE	120
11.602.045P	HYDROS YELLOW	120
11.602.046P	HYDROS ORANGE	120
11.602.047P	HYDROS PURPLE	120
11.602.049P	HYDROS PINK	120



11.602.030P



11.602.032P



11.602.033P



11.602.042P



11.602.045P



11.602.046P



11.602.047P



11.602.049P



COLORED COVERS, MOUTHPIECES AND HOSE PROTECTORS TO MATCH THE SEAWING NOVAS & THE HYDROS PRO BCD, REG SOLD SEPARATELY

COLORED MOUTHPIECES AND HOSE PROTECTORS

Part number	Color	Retail
01.040.030	BLUE	130
01.040.040	RED	130
01.040.060	YELLOW	130
01.040.070	PINK	130
01.040.080	WHITE	150
01.040.019	HYDROS PURPLE	150
01.040.330	HYDROS BLUE	150
01.040.360	HYDROS YELLOW	150
01.040.370	HYDROS PINK	150
01.040.390	HYDROS ORANGE	150



01.040.030



01.040.040



01.040.060



01.040.070



01.040.080



01.040.019



01.040.330



01.040.360



01.040.370



01.040.390

Add more color to your regulator for a totally customized look. Or use the new mouthpiece/hose protection (1st stage) color kits to easily distinguish your mixes on tech dives. Available in several colors they let you to match your regulator to the rest of your gear.

PROTECTIVE SLEEVE

Part number	Description	Retail
11.700.010	BLACK	24
11.700.018	WHITE	40
11.700.030	YELLOW	30
11.700.019	HYDROS PURPLE	40
11.700.223	HYDROS BLUE	40
11.700.225	HYDROS YELLOW	40
11.700.226	HYDROS ORANGE	40
11.700.227	HYDROS PINK	40

11.700.010

11.700.018

11.700.030

11.700.019

11.700.223

11.700.225

11.700.226

11.700.227



MOUTHPIECES

Part number	Color	Retail
01.040.090	Mouthpieces Air 2 - 5th Gen	24
01.040.120	Mouthpiece Silicone Supercomfort for A700, S600, R195, G260, S560, R095	60
01.040.121	Mouthpiece Junior - Black	60
01.040.131	Mouthpiece Vinyl - Black	30
01.040.051	Mouthpiece Silicone Material and tie strap w/Pkg - Black	90
01.040.162P	Mouthpiece for S620Ti & C370	140



01.040.120

OCTOPUS CLIPS

Part number	Color	Retail
01.097.134	Octopus Retainer & Plug w/clip - Yellow	50
01.097.136	Octopus Retainer & Plug w/clip - Grey	50



01.097.134

SUPERFLOW HOSES LP

Part number	Description	Retail
01.309.020	Low Pressure Hose with female quick fitting side mount (20cm)	360
01.310.026	Low Pressure Hose AIR2/BPI (64 cm)	310
01.309.027	Low Pressure Hose (56cm)	380
01.310.034	Low Pressure Hose Octopus - Yellow (100 cm)	400
01.309.035	Low Pressure Hose w/Hose Sleeve - R Series (75 cm)	360
01.309.038	Low Pressure Hose w/Swivel & Hose Sleeve - G260 Tactical (75 cm)	1,000
01.310.040	Low Pressure Hose Octopus - Black (100 cm)	390
01.309.080	Low Pressure Hose (210cm)	560

ACCESSORIES & SPARES

Part number	Description	Retail
10.019.100	DIN to Yoke - 1st Stage	1,500
1 10.045.030	MK2 Plus/MK2EVO DIN Conversion Kit	400
2 11.101.003	Elbow 2nd Stage Connector 120° LP	350
3 11.101.004P	Elbow 2nd Stage Connector 90° LP	400
4 01.040.025	Reusable clip for mouthpiece	30
5 10.101.211	Protection Cap - DIN	40
6 10.101.212	Protection Cap - Yoke	40
7 01.043.300	Video Exhaust Adaptor Kit	180
8 40.978.000	Air Nozzle/Blow Gun	270
9 10.770.110	Yoke Protector	24
10 11.035.001	Neoprene Reg Cover - Round logo	100
11 11.035.002	Neoprene Reg Cover - S logo	100



REGULATOR CHART

REGULATOR COMBOS



	MK25T EVO/ S620 X-Ti	MK25 EVO/ A700 CARBON BT	MK25 EVO/ A700	MK25 EVO/ S620Ti	MK25 EVO/ S600	MK25 EVO/ G260BT
FIRST STAGE						
Air-Balanced Piston: Ultra-fast breathing response regardless of pressure or depth.	•	•	•	•	•	•
Balanced Diaphragm: Keeps water out while delivering air promptly at all tank pressures.						
Classic Downstream Piston: Reliable performance with minimal maintenance.						
XTIS	•	•	•	•	•	•
Full Titanium Body	•					
Dry Chamber						
Low Pressure Ports [HFP*]	5 HFP	5 HFP	5 HFP	5 HFP	5 HFP	5 HFP
High Pressure Ports	2	2	2	2	2	2
Swivel Ports	•	•	•	•	•	•
Externally Adjustable Intermediate Pressure	•	•	•	•	•	•
Optional 5 HFP Cap						
SECOND STAGE						
Air-Balanced Valve: Ultra-high airflow that remains stable under all conditions.	•	•	•	•	•	•
Classic Downstream: Simple operation with rugged, reliable performance.						
Titanium Valve Housing	•			•		
Titanium Faceplate	•					
Metal Valve Housing		•	•		•	•
Metal Components	•	•	•	•	•	•
Adjustable Inhalation Effort	•	•	•	•	•	•
Coaxial Adjustable VIVA		•	•			
Adjustable VIVA	•			•	•	•
Large Diaphragm						•
Super Comfort High-Flow Mouthpiece		•	•		•	•
Reversible Hose Attachment						•

*HFP = High Flow Port providing 15% higher airflow than standard low pressure ports.

  			 		  		
MK25 EVO/ G260	MK17 EVO/ S620Ti	MK17 EVO/ S600	MK21/ S560	MK11/ C370	MK2 EVO/R095	MK2 EVO/R195	MK2 EVO/R195 NITROX
•				•			
	•	•			•		
•						•	•
					•	•	•
5 HFP	4 HFP	4 HFP	4 HFP	4HFP	4	4	4
2	2	2	2	2	1	1	1
•							
•	•	•	•	•			
				•			
•	•	•	•	•			
					•	•	•
•					•	•	•
•	•	•		•		•	•
•	•	•				•	•
•					•	•	•
•					•	•	•
•					•	•	•
•					•	•	•

*HFP = High Flow Port providing 15% higher airflow than standard low pressure ports.





SCUBAPRO

2019



G2 (GALILEO 2)

Part number	Description	Retail
05.080.100	G2 with Tank Transmitter	11,180
05.080.101	G2 Wrist Unit Only	8,500
06.205.315	USB Cable - G2	400

With all of its new features, its ease of use, its screen options, plus the ability to use as much or little of the technology as you want, the G2 is poised to become the favorite computer for divers of all skill levels, from beginner to tech diver. The G2 is designed go anywhere – open water to freediving to CCR to sidemount. And the G2 will grow with the new diver – wherever their passion for diving takes them.

- Same intuitive menu structure, simple 3-button control system, and diver-friendly functions that make the Galileo so easy to use. Enables a seamless transition from the Galileo to the G2. All accessories are reverse compatible as well.
- Full-Color TFT (Thin-Film Transistor) 2.2in/5.6cm Dot matrix display screen (320x240p). Produces vibrant colors for maximum readability to quickly direct your attention to what you need to know.
- TFT screens use less energy. More efficient than other screen types to help extend battery life.
- See as much or as little as you like. Choice of screen display configurations. Customize your data presentation with Light, Classic, Full or Graphical screen options to suit your individual diving style.
- Customize menu listings. Use as much or as little of the G2 technology as you need – your choice.
- Multiple language choices. Select from more than 19 languages for receiving dive data.
- Predictive Multi-Gas ZHL-16 ADT MB algorithm. Advanced Uwatec algorithm programs up to 8 nitrox/trimix mixes to handle any recreational or technical diving scenario.
- Integrated heart rate monitor. Measures heartbeat and skin temperature and incorporates both into the workload calculations. Integration with the HRM is exclusive to SCUBAPRO.
- Heart rate monitor also lets you visually track your heart rate “real time” to ensure you stay in your individual target zone to maximize your fun and safety at depth.
- Hoseless air integration. Monitors tank pressure plus provides true remaining bottom time (RBT) and allows air consumption to be factored into the decompression calculation. Provides support for up to 9 transmitters when all features are activated.
- Improved, full tilt digital compass. The best available. Includes half-compass rose and bearing memory.
- Rechargeable battery. Provides up to 50 hours of dive time per charge. Battery only service by dealer.
- Huge 485MB memory. Stores pictures, tables, tissue loading status, and 1,000 hours of dive profiles.
- USB cable or Bluetooth Low Energy interface. Easily download dive data wirelessly to your phone or handheld device. Download dive data to a PC/Mac using LogTRAK software.



LIGHT Screen
without warning



PLUS:

- Fiberglass-reinforced thermoplastic slim-line casing. Ultra-durable & UV resistant.
- Curved ergonomic low-profile shape. Sits comfortably on the arm and resists rotating (integrated bungee mounts are provided for tech divers). Can also be used on a retractor.
- Rugged TR 55 transparent thermoplastic lens protects the full color dot matrix TFT display.
- Features a backlight to enhance low-light readability.
- Sleek, Swiss design. The best elements of the Galileo in an upscale design.
- Stainless steel control buttons (3).
- Accessible, intuitive, easy to use even when wearing gloves.
- Multiple dive modes. Scuba, Freediving, Gauge, CCR and Sidemount for total in-water versatility.
- (Freediving, Trimix, CCR and Sidemount modes are disabled from the factory. Activation is easy – no downloading or upgrading is required.)
- Special freediving logbook. Stores repetitive dives sequentially under the same freediving session.
- Maximum operating depth. 394ft/120m for reliable data computing regardless of diving situation.

G2 (GALILEO 2)



FULL Screen
without warning



CLASSIC Screen
with warning



GRAPHIC Screen
with warning



COMPASS Screen



05.060.002



05.055.030



06.205.315



05.080.100
G2 Complete



logtrak
SCUBAPRO

G2 (GALILEO) CONSOLE

Part number	Description	Retail
05.081.111	G2 Console	10,500

For divers who prefer a console-style dive computer, the G2 Console joins the Galileo family, offering yet another option for handling important dive data. Featuring a cell phone-style portrait-shaped screen, the G2 Console is easy to use, easy to read, and offers a compass with two screen styles. The rugged casing boot protects against bumps and includes hose protection to safeguard the quick disconnect fitting. Data downloading and analysis is easy with full Android/iPhone/PC/Mac compatibility. The G2 Console is designed to go anywhere, and will grow with the new diver – wherever their passion for diving takes them.

- Cell phone-style screen is familiar and very easy to read at depth.
- Air integrated system includes a quick-disconnect fitting that enables you to separate the dive computer from the HP hose for easy post-dive data downloading, traveling, and safe storage.
- Ultra-durable casing boot protects against bumps and includes hose protection to safeguard the quick-disconnect fitting.
- Dive modes: SCUBA, Gauge, and Trimix. (Trimix mode is disabled from the factory. Activation is easy – no down-loading or upgrading is required.)

PLUS:

- Ultra-durable casing boot protects against bumps and includes hose protection to safeguard the quick disconnect fitting.
- Scuba and trimix modes: (the trimix mode is disabled from the factory. Activation is easy – no downloading or upgrading is required.)



logtrak
SCUBAPRO

LED & SMART

Part number	Description	Retail
05.055.030	Transmitter Smart + LED / Galileo	3,150

Enjoy the convenience of air integration without the hassle of a dangling hose. This low-profile Smart transmitter works with SCUBAPRO's most advanced dive computers. It screws into a high pressure port on your first stage and relays tank pressure and true remaining bottom time (RBT) to the computer screen. The latest version features a built-in LED that gives you an estimate of pressure when the first stage is attached to a tank. This lets you know if the tank has gas without needing to activate the computer.

- Easy to use, you only need to pair it to your computer once—the first time you use it.
- Coded transmission technology prevents interference between different dive computers.
- Compatible with Galileo Sol, Galileo Luna and M2 personal dive computers.



GALILEO SOL

Part number	Description	Retail
05.077.200	Incl HR and 1 Tank Transmitter	7,200

The ultimate dive computer, Sol contains all core SCUBAPRO features in addition to all technology exclusive to the Galileo series. This state-of-the-art computer accounts for the effect of increased workload on human physiology with features like the integrated heart rate monitor, which tailors decompression calculations to your dive.



GALILEO LUNA

Part number	Description	Retail
05.076.200	Galileo Luna HF	7,200
05.076.201	Wrist Unit Only	5,550

The LUNA comes with a choice of display screens, an intuitive menu system and the best electronic compass around. In fact, it offers all of the core SCUBAPRO technology and features you'll find on the Galileo SOL except for the Predictive Multi-Gas feature and the Heart Rate Monitor. If you ever want to upgrade, these two features are available as optional purchases and can be added quickly and easily.



MANTIS 2 (M2)

Part number	Description	Retail
05.063.100	Mantis 2 (M2) with Transmitter and HRM	7,575
05.063.101	Mantis 2 (M2) only - No Transmitter / HRM	5,025
05.055.030	LED Transmitter	3,150
05.060.002	SCUBAPRO HRM Belt	1,200

The M2 is a dive computer like no other. Designed with SCUBAPRO's Human Factor Diving™ approach to product design, the M2 offers everything you expect from the leader in diving equipment. It is loaded with topside features and underwater functions, including air integration and electronic navigation, and most importantly, incorporates cutting-edge biometrics that enable you to live your life in dive mode.

- Human Factor Diving™ is SCUBAPRO's revolutionary new approach to product development that combines Human Factors Engineering, biometrics and wearable technology to create cutting-edge high-tech self-tracking devices that make diving safer and more fun.
- Targeted to recreational and technical divers as well as CCR divers and freedivers.
- Predictive Multi-Gas ZHL8 ADT MB algorithm accommodates three gas mixes (21-100% O2).
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N2 loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Smart technology wireless air integration handles multiple transmitters.
- Heart rate monitor records heartbeat and skin temperature (with SCUBAPRO HRM Belt only) that can be factored into the decompression calculation along with workload.
- Digital tilt-compensated onboard compass allows for easy navigation.
- Casing is built from the highest marine grade 316L stainless steel with a two-toned brushed finish that protects and looks great.
- Control buttons are assembled in modules using triple O-rings to maintain the casing's watertight integrity.
- Great for freediving.

PLUS:

- Programs three gas mixes (21-100% O2).
- Four Dive modes-Scuba, Gauge, Freediving and CCR.
- Swim mode.
- Sport mode.
- Full topside time-keeping functions.
- Chronograph with lap memory for running.
- Fixed PPO2 CCR algorithm.
- Visually pleasing segmented LCD display.
- Protective mineral glass.
- Easy-to-read characters and graphics.
- Intuitive menu.
- Simple circular navigation system.
- **Scuba:** Four second sampling rate/50 hours of enhanced logbook in diving mode.
- **Freediving:** One second sampling rate/10 hours of enhanced logbook in apnea mode.
- Maximum operating depth: 394ft/120m.
- CR2450 user replaceable battery rated two years/300 dives.
- PC and Mac compatible using LogTRAK.



05.063.101



05.060.002



05.055.030

MANTIS 2 (M2) ACCESSORIES

Part number	Description	Retail
05.063.005	Mantis 2 (M2) Metal Strap	1,300
05.063.002	Mantis 2 (M2) Nylon Strap	380
05.063.004	Mantis 2 (M2) Wrist Strap - Black	300
05.063.006	Mantis 2 (M2) Wrist Strap - White	300
05.063.007	Mantis 2 (M2) Wrist Strap - Blue	300
05.063.008	Mantis 2 (M2) Wrist Strap - Orange	300
05.063.009	Mantis 2 (M2) Wrist Strap - Yellow	300
05.063.010	Mantis 2 (M2) Wrist Strap - Pink	300
05.063.011	Mantis 2 (M2) Wrist Strap - Purple	300
05.063.001	Mantis 2 (M2) Cradle	850

MANTIS 2 SHOWN WITH OPTIONAL COLORED BANDS



05.063.005



05.063.004



05.063.006



05.063.007



05.063.008



05.063.009



05.063.010



05.063.011



05.063.001

MANTIS 1 (M1)

Part number	Description	Retail
05.062.100	Mantis 1 Silver/Black	3,788
05.062.200	Mantis 1 All Black	4,238

A precision blend of sophisticated computer and beautiful timepiece, the M1 is very similar to the M2 in form and function. It's the dive computer for divers who want the Smart technology offered by SCUBAPRO's ground-breaking Human Factors engineering, but who don't need air integration or an on-board digital compass.

- Targeted to recreational and technical divers as well as CCR divers and freedivers.
- Predictive Multi-Gas ZHL8 ADT MB algorithm accommodates three gases (21-100% O2).
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N2 loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Optional heart rate monitor records heartbeat and skin temperature (with SCUBAPRO HRM Belt only) that can be factored into the decompression calculation along with workload.
- Casing is built from the highest marine grade 316L stainless steel with a two-toned brushed finish that both protects and looks great.
- Magnetic control buttons eliminate the need for holes, maintaining the casing's watertight integrity and maximizing mechanical reliability.
- Great for freediving.

PLUS:

- Four Dive modes-Scuba, Gauge, Freediving and CCR.
- Swim mode.
- Full topside time-keeping functions.
- Chronograph with lap memory for running.
- Fixed PPO2 CCR algorithm.
- Segmented LCD display.
- Protective mineral glass.
- Easy-to-read characters and graphics.
- Enhanced logbook for Freediving.
- Maximum operating depth: 394ft/120m.
- CR2032 user replaceable battery rated two years/300 dives.
- PC and Mac compatible using LogTRAK with optional cradle.
- Android LogTRAK app is available.



05.062.100

MANTIS 1 SHOWN WITH OPTIONAL COLORED BANDS



05.060.006



05.060.007



05.062.200



05.060.008



05.060.009



05.060.010

MANTIS ACCESORIES - MANTIS 1

Part number	Description	Retail
05.060.006	Mantis M1 Blue Strap	180
05.060.007	Mantis M1 Red Strap	180
05.060.008	Mantis M1 Orange Strap	180
05.060.009	Mantis M1 Yellow Strap	180
05.060.010	Mantis M1 Pink Strap	180
05.060.011	Mantis M1 Black Strap	180
05.060.012	Mantis M1 Full Black Strap	270
05.060.001	Cradle - Mantis 1	850
06.204.060	Pin Wriststrap - Mantis 1	10
06.204.061	Mantis M1 Case O-Ring	10
06.204.327	Push Pin Tool - Mantis 1 strap pins	120



05.060.001

05.060.005



05.060.006



05.060.007



05.060.008



05.060.009



05.060.010



CHROMIS

Part number	Color	Retail
05.061.100	Black	2,980
05.061.200	White	2,980
05.061.300	Black/Orange	2,980
05.061.310	Black/Lime Green	2,980
05.061.210	White/Blue	3,480
05.061.400	Black/Gold	3,480
05.061.410	Full Black	3,480
05.061.420	Deep Blue	3,480

SCUBAPRO's "sporty" wristwatch-style dive computer, the Chromis is always ready for action, both in and out of the water. Offering all of SCUBAPRO's core features except Predictive Multi-Gas (PMG), the Chromis offers full timekeeping functions, a patented stroke counter for surface swimming and a full-featured deco computer for diving.

- ZHL8 ADT MB algorithm accommodates one nitrox mix from 21% to 100% O2.
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N2 loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Casing features an engraved 316L stainless steel front ring and back plate.
- Four buttons allow for easy menu navigation.
- Extra-sharp alphanumeric characters are inspired by Samurai katanas.
- Continuously updated average depth display in Gauge mode can be reset at any time.
- Zigzag strap design compensates for dive suit compression to maintain a secure fit at depth.
- Deep blue option to match Deep Blue regulator.
- All-black option to match Carbon Fiber regulator.
- Also great for freediving.

new colors

PLUS:

- Three Dive modes: Scuba, Gauge and Freediving.
- Swim mode includes surface stroke counter.
- Intuitive menu system.
- Large, easy-to-read display.
- Maximum operating depth: 120m.
- Full topside time-keeping functions.
- Stopwatch in Scuba and Gauge modes.
- Optional USB connection with cradle.
- Large capacity CR2430 battery.
- Strap extension is included.



05.061.210



05.061.100



05.061.200



05.061.300



05.061.310



05.061.400



05.061.410



05.061.420

CHROMIS ACCESSORIES

Part number	Description	Retail
05.061.002	Chromis Black Strap	180
05.061.003	Chromis White Strap	180
05.061.004	Chromis Orange Strap	180
05.061.006	Chromis Lime Green Strap	180
05.061.007	Chromis Full Black Strap with black buckles	270
06.204.231	Extension Strap- Black	160
05.061.001	Chromis Cradle	800



05.061.001

INFRARED INTERFACE (IRDA)

Part number	Description	Retail
05.050.001	USB Smart IrDA Dongle	780

This handy accessory provides an Infrared connectivity solution for PCs that are not equipped with built-in infrared ports that allow for the transfer of your dive data from dive computer to SmartTRAK/LogTRAK. Simply plug it into a USB port for quick and easy downloading.

Provides data transfer capability for:

- Aladin One, Aladin Sport, Aladin Prime, Aladin TEC, Aladin TEC 2G, Aladin 2G, Aladin TEC 3G.
- Galileo SOL, Galileo TERRA, Galileo LUNA.
- Smart Pro, Smart COM, Smart TEC, Smart Z.

Systems Compatibility:

- Windows platforms (98, 2000, XP, VISTA, Windows 7). Drivers supplied with device.
- Windows 8. Drivers can be download from SCUBAPRO website.
- MacOS X.
- Windows 10 Drivers available soon.



ALADIN H MATRIX W QR

Part number	Description	Retail
05.047.110	Aladin H Matrix with QR - LCD, Bluetooth and d.compass	3,900

With its compact size and intuitive data display, the new Aladin H is a sharp-looking and full-featured dive computer targeted to avid recreational divers looking for a convenient air-integrated dive computer. Featuring a metallic faceplate and easy-to-read segmented display on top and middle rows, and a matrix display on the bottom row, the Aladin H's full air integration eliminates the need to carry a separate submersible pressure gauge. With the on-board digital compass and you have an ultra-compact, full-function, hose-attached dive computer.

- Predictive Multi-Gas ZHL16 ADT MB algorithm accommodates three gases (21-100% O2).
- Fully air-integrated, the algorithm calculates remaining bottom time (RBT) and estimates workload based on breathing rate.
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N2 loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.
- Features a protector boot covering the metal connection between HP hose and dive computer's HP sensor.



ALADIN SPORT (MATRIX)

Part number	Description	Retail
05.046.110	Aladin Sport Matrix	2,780

Featuring a metallic silver faceplate and easy-to-read display, the new SCUBAPRO Aladin SPORT (Matrix) is targeted to divers who want multi-gas functions as well as to recreational divers who appreciate a dive computer with the kind of features that enable them to evolve in their sport. The computer screen features an easy-to-read segmented display on the top and middle rows, plus an eye pleasing matrix display on the bottom row where you'll also find an easy-to-use on board digital compass. Available as a wrist mount.

- Predictive Multi-Gas ZHL16 ADT MB algorithm accommodates three gases (21-100% O2).
- PDIS (Profile Dependent Intermediate Stops) calculates an intermediate stop based on N2 loading, current and previous dives and breathing mixes for safer diving.
- Microbubble levels let you adjust the level of conservatism in the algorithm to match your experience level, age and physical conditioning.

PLUS:

- Three Dive modes: Scuba, Freediving and Gauge.
- Maximum operating depth: 120m.
- Altimeter.
- Saltwater and freshwater settings.
- Digital compass, displayed on matrix bottom row.
- Active back light.
- Visual and audible alarms.
- Full watch functions.
- Adjustable ppO2 from 1.0 and 1.6, and it can be set to off.
- Bookmark function.
- Lens protection cap.
- CR2450 user-replaceable battery rated for two years/300 dives.
- Dive logs can be stored and analyzed via new Bluetooth 4.0 technology.

- Using the Bluetooth Low Energy (Bluetooth 4.0) feature divers can download their dives to iOS and Android devices that handle the Bluetooth Low Energy technology.
- For PCs and Macs that are not equipped with built-in Bluetooth Low Energy technology, the end user will have to buy a Bluetooth Low Energy USB dongle which is available on the market.
- Uwatec has tested and recommends the use of the following dongle: Bluegiga BLED112.
- Up to three nitrox mix (0 to 100%) 3 gas computer.



05.046.110

ALADIN ONE MATRIX

Part number	Description	Retail
05.045.110	Aladin One Matrix with wristband	2,180
05.045.230	Aladin One Matrix + Console 2 +PG Gauge	2,775

IDEAL FOR DIVING SCHOOLS AND BASES!

PLUS:

- Nitrox compatible 21-50% in 1% increments
- Nitrox Reset function is ideal for dive rentals
- 12 and 24 hour mode
- Auto or manual Safety stop with timer (3 minutes)
- Full watch functions (UTC, alarm)
- Adjustable ppO₂ between 1.0 and 1.6bar
- Maximum operating depth: 120m
- Back light
- Bigger font digits over last model
- New easy menus
- Menu names shown in matrix screen
- ZH16 ADT algorithm
- Visual and audible alarms
- Full reset between dives for hire computer
- Safety Stop timer - add Auto or manual @ 5 meters
- Dive logs can be stored and analyzed via new Bluetooth 4.0 technology
- CR2450 user replaceable battery rated for two years/300 dives
- Full dive planer including decompression dives
- Wrist boot can be fitted for bungee straps



05.045.110

05.045.230

DIGITAL 330M

Part number	Description	Retail
05.014.110	Wrist Mount Metre	1,760
05.014.010	Capsule only	1,620

Although targeted primarily to technical divers, the Digital 330M is an ideal data delivery system for beginning divers, and a useful backup instrument for any diver. Whatever your skill level, the Digital 330M can be counted on to provide outstanding electronic accuracy in all diving conditions.

- Incorporating state-of-the-art technology, a bevy of information is provided in a compact information center.
- Data includes actual and maximum depth, ascent speed, dive time in minutes and temperature.
- Auto on/off feature means it's always ready to dive after a quick self-test.
- Variable ascent rates are displayed in a percentage and with a fast ascent warning.
- Depth-rated to 330m to suit all technical deep-diving scenarios.
- Surface interval is displayed for 24 hours for safety and convenience.
- Logbook provides data for the last nine dives to allow for post-dive review and analysis.
- Provides automatic altitude compensation when changing dive locations.



05.014.110

3-GAUGE IN-LINE CONSOLE

(Metal Compact PG, Std DG, Compass FS-2)

Part number	Description	Retail
05.011.753	Metric/Bar	2,900

This sleek, three-gauge console combines a SCUBAPRO metal pressure gauge, depth gauge and FS-2 compass, creating an easy-to-use, at-a-glance information center.

- Compact pressure gauge (0-400bar) with brass case.
- Oil-filled analog depth gauge with linear Bourdon tube design.
- 35-degree tilt, oil-filled compass.
- Available in imperial and metric.



3-GAUGE IN-LINE CONSOLE

(Plastic Compact PG, Std DG, FS-1.5)

Part number	Description	Retail
05.011.714	Metric/Bar, Compass	2,500

Three-gauge console with compact, plastic-case pressure gauge, easy-to-read depth gauge and FS-1.5 compass. Perfect for the diver who values convenience, accuracy, and style.

- Compact pressure gauge (0-400bar).
- 26-degree tilt, oil-filled compass.
- Oil-filled analog depth gauge with linear Bourdon tube design.



2-GAUGE CONSOLE, SP METAL PG

(Metal Compact PG, Compact DG)

Part number	Description	Retail
05.023.210	Metal PG Metric/Bar, uDGm	1,980

Two-gauge console including a compact brass-case pressure gauge and a compact oil-filled analog depth gauge with linear Bourdon tube design.



2-GAUGE U-LINE CONSOLE

(Compact Plastic PG, Compact DG)

Part number	Description	Retail
05.012.210	Pressure/Bar and Depth/Meter Gauge (New)	1,700

Two-gauge compact console includes a compact plastic-case pressure gauge and a compact oil-filled analog depth gauge with linear Bourdon tube design. C1 compass can be attached at the bottom of the console boot.



CONSOLE MAKO

Part number	Description	Retail
05.022.213P	CONSOLE Mako FB - Scubapro PG/FS-2 - Bar	2,180

- Compact console combines with FS-2 compass and pressure gauge



COMPACT PRESSURE GAUGE

Part number	Description	Retail
05.023.112	Compact Scubapro PG COMPLETE 0° BAR	1,180
05.023.122	Compact Scubapro PG COMPLETE 0° PSI	1,180
05.022.012	Compact Scubapro PG Capsule 0° BAR	680
05.022.022	Compact Scubapro PG Capsule 0° PSI	680

- Compact Pressure Gauge 0-400 bars with brass case
- Red zone between 50 and 0 bar and 10 bar increments



05.023.112

STANDARD PRESSURE GAUGE

Part number	Description	Retail
05.011.112	Standard PG w Hose/Rubber cover 0 ⁰ Bar	1,080
05.011.012	Standard PG Capsule w Swivel 0 ⁰ Bar	680
28.039.302P	Compact Pressure Gauge Capsule - Bar	720
28.039.902P	Compact PG Capsule - PSI	720
28.075.000	Standard Brass Pressure Gauge HP 80	1,050
28.075.002P	Standard Brass Pressure Gauge Capsule HP 80	680



PRESSURE GAUGE, U-LINE

(Compact Plastic-Case PG)

Part number	Description	Retail
05.012.112	U-Line Pressure Gauge, Metric/Bar	960
05.012.122	U-Line Pressure Gauge, Imperial/ Psi	960
05.012.012	U-Line Pressure Gauge Capsule w Swivel Metric/Bar	630



DEPTH GAUGE

Part number	Description	Retail
05.011.111	Metric, to 60m	1,000
05.011.011	DG Standard Capsule with Temp (°C)	860
05.012.011	U-line depth gauge capsule, Metric/Bar	760
05.012.021	U-line depth gauge capsule, Imperial/Psi	760

This handy depth gauge features a fluorescent scale, a built-in temperature gauge and fits nicely in a streamlined and comfortable wrist strap.

- Oil-filled gauge housed in an impact-resistant nylon case.
- 60m linear scale features maximum depth indicator for the easy logging of maximum depth.
- Bourdon tube design provides precise readings at all depths.



05.011.111

FS-2 COMPASS

Part number	Description	Retail
05.017.101	FS-2, Universal, w/wrist mount	930
05.017.111	FS-2, Universal, w/retractor mount	820
05.017.121	FS-2, Universal, w/retractor mount and retractor	1,200
05.017.001	FS-2 Capsule only	740
06.203.115	Retractor mount for compass FS-1/FS-2	180
06.203.170	Retractor for compass FS-1/FS-2	460
06.203.523	Galileo Retractor Clip Set	70
06.204.342	WRIST Mount w Strap FOR COMPASS FS-1/FS-2	260
06.204.469	WRIST Mount w Strap FOR COMPASS FS-1/FS-1.5 /FS-2	260

The FS-2 compass provides a unique tilt angle of up to 35 degrees, making it easier to read and operate in almost any position. With a floating magnet separate from the compass rose, the FS-2 has greater operating freedom than conventional compasses. This means you can use the same compass for both Northern and Southern hemispheres, making it the perfect navigation instrument for traveling divers.



05.017.101

- Scratch-resistant and durable oil-filled polycarbonate case.
- Highly luminous dial for easy reference in low light conditions.
- Side view window for easy and accurate navigation.
- Available in a wrist model or capsule.

05.017.121

FS-1.5 COMPASS

Part number	Description	Retail
05.018.101	FS-1.5 N, w/wrist mount	700
05.018.001	FS-1.5 N, Capsule	570

A compact and durable instrument for precise underwater navigation. Mounted in a pressure-resistant oil-filled polycarbonate housing, this compass is easy to read and easy to use. Calibrated to the Northern hemisphere.



05.018.101

C1 COMPASS

Part number	Description	Retail
05.015.000	C1 compass w/strap for console mount	380
05.015.100	C1 compass w/wrist strap mount	390

- Quick-connect convenience
- Four main directions clearly indicated: N/E/S/W
- Very fast response
- Very compact compass for general orientation



EMPTY BOOTS

Part number	Description	Retail
28.075.021	Cover-Pressure Gauge Black	80
06.203.624	Rubber Boot - Standard PG	200
06.204.370	Rubber Boot - Scubapro Compact PG	180
06.203.621	Rubber Boot - U-line PG	180
06.203.622	Rubber Boot - U-line Console 2	230
06.204.348	Rubber Boot - Console Mako	300
06.204.400	Rubber Boot - Scubapro Compact Console 2	220
06.202.300	Rubber Boot - Console 3	250
06.204.119	Rubber Boot - 2 - Gauge Console	220



06.202.300



06.203.621



06.203.624



06.204.400

ARMSTRAPS

Part number	Description	Retail
06.203.027	Wrist Strap - Galileo	250
06.204.268	Wrist Strap and Boot for 2G/Prime/Tec/Tec 2G/Tec 3G/Sport	270
06.204.269	Wrist Strap - ALADIN "Puck"/DDG/ Std DG	180
06.204.468	Wrist Strap - Aladin2 (G2)	190
06.003.201	Wrist Strap - Aladin Sport Black	260
06.003.207	Wrist Strap - Aladin Pro, Grey	260

SCREEN PROTECTORS

Part number	Description	Retail
06.205.261	Protection film G2	90
06.204.779	Protection Film Galileo Sol / Luna	90
06.202.514	Protection Shield Galileo Sol / Luna	220
06.204.290	Protection Film Chromis / M2	30
06.204.045	Protection Film - Mantis 1	50
06.202.362	Adhesive Screen Guard for 2G/Prime/Tec/Tec 2G/Tec 3G/Sport/One	50
06.202.927	Plastic Screen Guard for 2G/Prime/Tec/Tec 2G/Tec 3G/Sport	150

BATTERY KIT


Part number	Description	Retail
27.730.107	Battery CR2032 - Mantis 1	20
06.204.286	Battery Only CR2430 - Chromis	60
06.204.730	Battery Kit with O-ring - Chromis	150
06.201.273	Battery only CR2450 - Aladin/ SMART	70
06.201.919	Battery Kit for 2G/Prime/Tec/Tec 2G/ Tec 3G/Sport/One/ XP10	200
06.201.615	Battery Cover Aladin Prime	160
06.201.920	Battery Kit - Transmitter Smart	200
06.204.470	Battery Kit - Aladin2	200
06.202.872	Battery Kit - Galileo	270
06.204.071	Battery Kit - Transmitter Smart + LED	300
06.203.053	Battery Cover - Galileo	220
06.007.710	Battery Set for Aladin	500
06.204.873	Battery Kit - M2	210

HP SWIVELS & COUPLINGS

Part number	Description	Retail
06.007.330	HP Swivel Pin-long, 26.6 w/O-ring - 400 Bar SPGS	110
06.007.300	HP Swivel Pin-short, 19.1 w/O-ring - Old Std Uwatec SPGS	110
28.132.005	Swivel HP w/2 O-ring (For Italian Gauge)	60
06.203.548	Swivel Atmaflex Hose W O-Ring	60

HIGH PRESSURE HOSE

Part number	Description	Retail
05.003.090	HOSE with QR - 90cm Kevlar	960
05.004.010	HP HOSE - 10cm extension for transmitter Kevlar	450
05.004.015	HP HOSE - 15cm Kevlar	450
05.004.060	HP HOSE - 60cm Kevlar	520
05.004.085	HP HOSE - 85cm Kevlar	560
01.044.008	HP Hose (20 cm)	320
01.044.031	HP Hose (80cm)	480
01.044.121	HP Hose Kit for Nitrox use	70
01.334.005	HP Quick-Connector	340
05.005.001	Quick Release - compact	1,000



SCUBAPRO
2019



HYDROS PRO

THE ABILITY TO CHANGE ANYTHING, CHANGES EVERYTHING.

The HYDROS PRO is a true breakthrough in dive comfort and convenience. The moldable Monprene®, adjustable fit and multi-attachment points combine to make this the most customizable and comfortable BC ever. Winner of the 2016 Red Dot award for product design, the HYDROS PRO is an incredible feat of SCUBAPRO engineering, built for anyone who loves to dive.

Interchangeable straps, a packable design and an included backpack with room for your entire dive kit make the HYDROS PRO perfect for any destination and any dive.

- Ultra Durable: Patented Injection Molded Monprene® Gel Harness is extremely resistant to UV, chemicals and abrasion. The fabric-free harness uses no velcro or zippers.
- Instant Dry: Ideal for travel due to less water retention and lower post-dive weight.
- “BC-4-Life” Modular Design: Customizable to add/remove weight systems, straps and pouches. Extended lifespan due to simplified repairs. Virtually every component, including buckles, can be replaced without stitching.
- 3D Ergonomic Design: Conforms to your body shape for maximum comfort.
- Lightweight: Advanced materials keep weight low.
- Neutrally Buoyant: Near-Zero inherent buoyancy requires less lead, resulting in better buoyancy control and much more enjoyable diving.
- Body Grip Gel: Prevents BC from shifting and riding up.
- Torso Flex Zone: Auto-adjusts to your torso length for excellent comfort and freedom of movement.
- Articulated Shoulder Straps: Allow straps to adjust to your body shape to achieve a snug fit.
- Cross-Flow Channel: Unrestricted internal airflow reduces air trapping for enhanced maneuverability and easy deflation at any angle.
- 2-Stage Inflation: Tri-bungee system controls air distribution to maintain a compact shape under water and high lift capacity at the surface.
- Dorsal Weight-Wing: Anti-abrasion and instant dry. Optimal “Outboard” trim pockets.
- Buckle Weight System: Simple, safe and reliable quick-release buckles offer a fixed location for easy one-hand operation.
- Multi-Mount Accessory Matrix: Multiple D-Rings and mounting points for a knife + light + SMB + hoses + crotch strap and much more.
- Smart-Pack Design: Folding shoulder and waist straps pack into the wing, creating an unbelievably compact package for easy transport and storage.
- With BPI



red dot award 2016
winner



travel friendly



HYDROS PRO shown with
Trav-Tek straps

HYDROS PRO SIZE CHART:

SIZE		HEIGHT	WEIGHT	CUMMERBUND CIRCUMFERENCE	LIFT
		(cm)	(kgs)	(cm)	(N)
	S	157-170	54-70	66-99	160
	M	170-183	65-85	71-115	180
	L	179-188	80-110	76-127	180
	XL-2XL	185-199	100-130	81-147	180
	XS-S	150-170	45-65	66-99	160
	M	160-180	55-77	71-115	160
	L	170-185	68-95	76-127	180

* This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size.

HYDROS PRO

Part number	Color	Size	Retail
21.730.200	BLACK	MEN-S	7,900
21.730.300	BLACK	MEN-M	7,900
21.730.400	BLACK	MEN-L	7,900
21.730.500	BLACK	MEN-XL-XXL	7,900
21.731.200	WHITE	MEN-S	7,900
21.731.300	WHITE	MEN-M	7,900
21.731.400	WHITE	MEN-L	7,900
21.731.500	WHITE	MEN-XL-XXL	7,900
21.738.100	PINK	LADY-XS-S	7,900
21.738.300	PINK	LADY-M	7,900
21.738.400	PINK	LADY-L	7,900
21.739.100	PURPLE	LADY-XS-S	7,900
21.739.300	PURPLE	LADY-M	7,900
21.739.400	PURPLE	LADY-L	7,900

travel friendly



Includes: Travel Tek Straps and Backpack

SMART PACK
SYSTEM



MOLDS
TO YOUR BODY &
PROVIDES EXTREME
COMFORT & STABILITY



CUSTOMIZE
YOUR FIT & COLOR
ANYTIME. COLOR KITS
AVAILABLE




**TRAVEL
FRIENDLY**
FIT A FULL DIVE KIT
INTO THE INCLUDED
BACKPACK



ACCESSORIZE
MODULAR SYSTEM
ALLOWS
CUSTOMIZATION &
REPAIRS



INSTANT DRY
LIGHTWEIGHT &
COMPACT MAKES IT
TRAVEL FRIENDLY



MONPRENE®
CONSTRUCTION
MEANS ULTRA
DURABILITY



SPECIALIZED FIT
UNIQUE DESIGN FOR
MEN & WOMEN

HYDROS PRO BCD ACCESSORIES

Part number	Color	Retail
21.745.010	Color Kit - HYDROS PRO- Army Green	360
21.745.100	Color Kit - HYDROS PRO- Black	360
21.745.200	Color Kit - HYDROS PRO - Blue	360
21.745.250	Color Kit - HYDROS PRO- Turquoise	360
21.745.400	Color Kit - HYDROS PRO- Orange	360
21.745.500	Color Kit - HYDROS PRO - Yellow	360
21.745.600	Color Kit - HYDROS PRO - White	360
21.745.700	Color Kit - HYDROS PRO - Pink	360
21.745.710	Color Kit - HYDROS PRO - Purple	360
21.746.001	Knife & Accessory Plate	140
21.746.002	Mini D-Ring Set	140
21.746.400	Accessory Bungee Set - M	120
21.746.500	Accessory Bungee Set - L	120
21.746.005	HYDROS NINJA Pocket	340
21.746.006	HYDROS Cargo Thigh Pocket	380

new colors



21.745.010



21.745.100



21.745.200



21.745.250



21.745.400

new colors



21.745.500



21.745.600



21.745.700



21.745.710



21.746.001



21.746.002



21.746.400



21.746.500



21.746.005



21.746.006

HYDROS PRO shown with accessories.

X-BLACK

Part Number	Size	Retail
21.719.200	S	8,150
21.719.300	M	8,150
21.719.400	L	8,150
21.719.500	XL	8,150



Detail



Detail



The front-adjustable X-Black features SCUBAPRO's exclusive AirFlex system (highlighted by the red bungees threaded throughout the BCD) that simplifies buoyancy control and guarantees an extremely stable ride at depth. Loaded with convenience and performance features, the X-Black is also one of the most comfortable BCDs available, thanks to its ergonomic cut, and it offers a huge lift capacity.

- Constructed of a combination of durable 1000 denier and 420 denier nylon for long-term wear.
- Adjustable cummerbund compensates for suit compression, ensuring a snug fit at varying depths.
- Non-rotating quick-release shoulder buckles optimize strap routing to maximize fit.
- Airnet backpack is water-draining and comfortable during long dives.
- AirFlex system with special bladder delivers enormous buoyant lift capacity.
- Super Cinch tank buckle system locks the tank in solid for maximum stability at depth.
- Quick-release integrated weight pouches ditch quickly and easily and secure with buckles.
- Two rear trim pouches allow you to achieve a well-balanced swimming position.
- Built-in grommets provide attachment points for a knife.
- Two large zippered pockets and a zippered cummerbund pouch provide lots of cargo-carrying capability.
- Eight aluminum D-rings, four large and pre-bent, provide convenient clip-on points for additional gear.
- Available with an AIR2.

Part Number	Size	Retail
21.717.100	XS	7,030
21.717.200	S	7,030
21.717.300	M	7,030
21.717.400	L	7,030
21.717.500	XL	7,030
21.717.600	2XL	7,030



Detail



Detail



X-FORCE is more than a powerhouse of features, making it perfect for passionate and advance recreational divers. New, pre-formed wrap-around bladder provides higher buoyancy with increased volume in lower back. Say goodbye to squeezing with its superior fit and weight distribution, for unbelievable comfort.

- New quick-release weight buckle retaining system allows one-hand operation and easy to find for optimal safety.
- Additional back pockets offer trim counterweight storage.
- New backpack and soft neck protection with Air-Net padding for increased comfort and protection.
- Shoulder pads and straps covered in anti-slip material.
- New graphics include embossed SCUBAPRO logo and 'Professional Diver' silver logo, along with reflective piping on sides and back.
- Constructed of high-resistance Cordura 500 exterior and Nylon 420 interior, guaranteeing durability.
- Cordura® Lock protects against the elements.
- Octopus holder on both sides, keeps gear neat and accessible.
- Available with Balanced Power Inflator (BPI) or optional AIR2.

CLASSIC ADVENTURE 2

Part number	SIZE	Retail
21.120.100	XS	7,600
21.120.200	S	7,600
21.120.300	M	7,600
21.120.400	L	7,600
21.120.500	XL	7,600

- A fantastic product that has been trusted by customers deeply for a quarter of century.
- The traditional model that is maintained the completed prototype very well.
- An inflator that is easy to operate and easy to remove maintaining its position.
- Single bag that has a stable buoyancy can control the buoyancy as expected.
- With BPI



CLASSIC ZERO G

Part number	Size	Retail
BLACK		
22.125.100	XS	5,800
22.125.200	S	5,800
22.125.300	M	5,800
22.125.400	L	5,800
22.125.500	XL	5,800



22.125.X00

Part number	Size	Retail
TPU-ORANGE		
22.238.200	S	7,200
22.238.300	M	7,200
22.238.400	L	7,200
22.238.500	XL	7,200



22.238.X00

- CLASSY ZERO G. is the best BC for storage capacity.
- Large Velcro-type main pockets and zipper type chest pockets are the best combination in BCs of SCUBAPRO.
- This Chic design is for both of men and women.
- The Orange color that Scubapro customers wanted so much has appeared finally.
- Storage capacity and multi-function are applied to the surface of the orange gloss.
- Double TPU coating gives excellent water-resistance effect, and it is much easier and convenient to drain and dry after diving.
- With BPI. Optional Air 2 version available on request.

CLASSIC ABBY CB

Part number	Size	Retail
BLUE		
22.136.100	XS	5,900
22.136.200	S	5,900
22.136.300	M	5,900



22.136.X00

Part number	Size	Retail
WHITE		
22.137.100	XS	5,900
22.137.200	S	5,900
22.137.300	M	5,900



22.137.X00

GLIDE BLACK/ GREY

Part number	SIZE	Retail
22.285.120	XS	5,400
22.285.220	S	5,400
22.285.320	M	5,400
22.285.420	L	5,400
22.285.520	XL	5,400

- Front adjustable BC
- New "Y-FIT" shoulders layout
- 420 Nylon bladder fabric
- New fittings (including dump valves, elbow, corrugated hose and BPI)
- Front weight pockets integration
- Weight pocket with 40mm flat buckle
- Trim weight pockets
- Zippered cargo pockets
- Super cinch tank buckle
- Metal grommets for knife attachment
- Stainless steel D-rings
- Lift Capacity (kgs) - XS/10, S/12, M/15, L/16, XL/18

Y-FIT shoulder concept

- Shoulders get a Y shape to fit the body better
- A specific stainless steel triangular ring manages the forces in the Y centre
- Shoulder strap attached to the backpack
- Design inspired by motorcycle backpacks
- Stable, safe, easy fit



EQUATOR

Part number	SIZE	Retail
21.725.100	XS	5,100
21.725.200	S	5,100
21.725.300	M	5,100
21.725.400	L	5,100
21.725.500	XL	5,100

With the Equator you can enjoy all the comfort and security of a full-featured front-adjustable BC, along with the light weight and packing advantages of a travel BC. Comfortable and stable at depth, for divers who do lots of local diving as well as travel diving, but prefer to own just one BC, there's no better choice than the Equator.

- 420 denier nylon construction ensures a long and active dive life.
- Wraparound air bladder provides a secure, comfortable ride at depth and on the surface.
- Double band system locks the tank in solid for maximum stability at depth.
- Octopus pockets on each side offer options for carrying a backup second stage.
- Easy-to fold lightweight Airnet backpack is comfortable and makes dive travel so much easier.
- Rotating quick-release shoulder buckles allow you to route your shoulder straps to maximize fit.
- Quick-release integrated weight pouches ditch easily and secure with low-profile squeeze buckles.
- Two large zippered pockets fitted with knife attachment grommets provide lots of cargo-carrying capability.
- Four large pre-bent stainless steel D-rings, along with two smaller stainless D-rings, provide convenient clip-on points for additional gear.



GO

Part number	Size	Retail
21.720.100	XS	5,300
21.720.200	S	5,300
21.720.300	M	5,300
21.720.400	L	5,300
21.720.500	XL	5,300

Lightweight, easy to pack and extremely comfortable, the Go is a true travel BC. At the same time, it offers all the performance and convenience features you'd expect from a full-featured general-purpose BC. It is well-padded and comfortable yet carries virtually no inherent buoyancy. Generous buoyant lift enables it to be used for temperate water diving as well.

- Constructed of 210 denier nylon covered with polyurethane for lightweight durability.
- Wraparound air bladder provides a secure, comfortable ride at depth and on the surface.
- Coated mesh cummerbund is lightweight and dries quickly and easily.
- Double-band system locks the tank in for maximum stability at depth.
- Rotating quick-release shoulder buckles allow you to optimize the routing of your shoulder straps to maximize fit.
- Airnet padded backpack is water-draining, easy to fold, and enhances comfort during long dives.
- Quick-release integrated weight pouches ditch easily and secure with low-profile squeeze buckles.
- Optional trim weight pockets for better trim in the water.
- Two large low profile zippered pockets fitted with stainless steel knife attachment grommets provide lots of cargo-carrying capability.
- Six aluminum D-rings, two large and pre-bent, provide convenient clip-on points for additional gear.
- The BC folds easy and stows in its own bag for travel or storage.



EQUALIZER

Part number	SIZE	Retail
21.729.100	XS	4,700
21.729.200	S	4,700
21.729.300	M	4,700
21.729.400	L	4,700
21.729.500	XL	4,700

The Equalizer is a front-adjustable BC that brings together all the best features you could ever want in a recreational diving BC. Its high performance wraparound bladder is made of 420 denier nylon so it's durable and lightweight and extremely comfortable. Stability is excellent thanks to the full-sized backpack and tank strap system. The flat-buckle quick-release integrated weight system loads easy and ditches even easier, and the valve system represents the ultimate in reliability and performance. Add big Velcro-closure pockets and four stainless D-rings for carrying accessories, plus two octopus pockets for storing a backup reg, and you have a BC that can't be beat.

- 420 denier nylon construction dries quickly and ensures a long and active dive life.
- Wraparound air bladder provides a secure, comfortable ride at depth and on the surface.
- New self-locking elbow ring on main left-shoulder valve prevents accidental loosening.
- Full size backpack delivers maximum stability.
- Octopus pockets on each side offer options for carrying a backup second stage.
- Quick-release integrated weight pouches ditch easily and secure with low-profile squeeze buckles.
- Two large Velcro pockets offer lots of cargo-carrying capability.
- Stainless steel grommets allow for convenient knife attachment.
- Four stainless steel D-rings provide multiple clip-on points for carrying additional gear.



T-ONE

Part Number	Size	Retail
21.703.000	2XS	3,650
21.703.100	XS	3,650
21.703.200	S	3,650
21.703.300	M	3,650
21.703.400	L	3,650
21.703.500	XL	3,650
21.703.600	2XL	3,650

- Standard Nylon Band
- Fabric: C 1000D/N 420 D
- 2 stainless steel D-Rings
- Padded Back Pack
- 2 Velcro Pockets
- Octopus Holder



REBEL KIDS

Part Number	Size	Retail
21.222.010	One Size Fits All	4,300

Specially designed for smaller divers, the front-adjustable Rebel is built tough to last. Its wraparound bladder provides a stable and secure ride at depth, and the padded backpack and cummerbund offer a lot of additional comfort. Three dump valves and optional weight integration add to its ease of use. The one-size-fits-all is aided by a choice of cummerbunds to help dial in a snug fit.

- Constructed of 420 denier nylon for lightweight durability.
- Integrated optional gravity release weight pouches eliminate the need for a weight belt.
- Padded backpack provides extra cushion when strapped to a tank.
- Adaptable sternum strap and cummerbund allow for a comfortable fit.
- Standard web strap with lightweight buckle holds the tank secure.
- Balanced inflator and three dump valves allow for pinpoint buoyancy control.
- Two zippered cargo pockets and three plastic D-rings provide lots of opportunities for carrying extra gear.



AIR 2

Part number	Description	Retail
21.090.000	Air 2 5th Gen Octopus/Inflator	2,020
21.090.000U	Air 2 5th Gen With BCD upgrade	1,200

This excellent BC inflator/reg is in its 5th generation with dramatically improved work of breathing. Sleek ergonomic inflate/deflate controls allow for pinpoint buoyancy control.

- Test-proven breathing performance and cracking effort surpass many traditional downstream second stages when it comes to ease of breathing.
- New dive/pre-dive switch lets you detune the unit when not in use, eliminating free flows.
- Flexible purge cover is easy to locate and depress for quick clearing.
- Power inflate and deflate buttons are positioned on top of the housing for easy buoyancy control.
- Power inflate button features a lighter lever for easy inflation.
- Power inflate and deflate buttons can be differentiated by color and touch due to their different shapes and sizes, improving ascent control and safety when inflating or deflating the BC.
- CE certified EN250A>10°C/50°F warm water test controls (as a second stage regulator).



21.090.000

Part number	Description	Retail
21.610.000	BPI Inflator, black, NEW - w/hose	1,020
21.600.100	BPI Inflator - w/hose	910
21.626.013	LP hose BPI QD coupling	170
21.080.626	Adapter Air2 hose to BPI	330
21.009.006	Adapter Air 2 QD	350



21.610.000



21.600.100



21.626.013



21.080.626



21.009.006

BCD ACCESSORIES

Part number	Description	Retail
20.135.005	Super cinch band, short - Metal	460
23.073.010	Super cinch band assy. plastic	240
21.200.003	Over pressure Valve Assy - BC Dump Valve	120
21.200.017	Pull Dump Valve Assy	240



20.135.005



23.073.010



21.200.003



21.200.017

WEIGHT POCKET

Part number	Description	Retail
23.107.010	Pocket, Weight pouch w/rigid backing (X Series) (pair)	700
23.107.030	Pocket Weight - Equator/Equalizer/HYDROS PRO/GO (pair)	670
23.702.000	Weight Pocket - Knighthawk(S-M)/ Classic (XS-M)/ Glide Pro (XS-L) (unit)	300
23.703.000	Weight Pocket - Knighthawk(L-XXL) / Classic (L-XL) / Glide Pro (XL-XXL) (unit)	300
23.704.000	Weight Pocket - BELLA/ Ladyhawk - All size (5 KG)/ Glide X (XS-L)(unit)	300
23.705.000	Weight Pocket - Seahawk (all) / Glide X (XL-XXL) / Equator CN (6 KG)(unit)	300
23.720.010	Weight Pocket Kit - GO (all size)(pair)	500
23.727.030	Weight Pocket Kit - X-One (pair)	700



23.107.010



23.107.030



23.704.000



23.720.010



23.727.030



SCUBAPRO

2019



SIDEMOUNT

Part number	Description	Retail
21.726.001	Harness only	3,500
21.726.200	Wing only (12 Lit.)	3,200
21.726.400	Wing only (20 Lit)	3,400
21.726.117	Cover	400
21.726.008	Weight Strap	100

- Modular approach
- Compact independent aircell
- Aircell size: 20 liters lift & 12 litres lift
- Soft Airnet finished backpack
- Compatible with current X-TEK Steel and aluminum back plates
- Stainless steel grommets, D-rings and handles
- New Dump valve, corrugated hose and BPI
- Specific streamlined elbow
- Bungee and hooks for tank support
- Fully adjustable, easy to wear and configure
- Harness includes crotch strap
- Side bungees for streamlined shape
- Optional top cover for total streamlining and increased durability



21.726.001



21.726.117



21.726.XXX

X-TEK PURE TEK SYSTEM

Part number	Description	Retail
22.195.010	13Kg	7,400

- Donut Wing with 13kg lift capacity
- 1680 DEN Ballistic Nylon outer shell
- 420 DEN Nylon inner bladder
- Stainless Steel back plate
- Continuous harness with stainless steel back plate for best stability when using twin cylinders
- Two shoulder D-rings and one waist stainless steel D-ring on the left side
- 50mm wide crotch strap with two stainless steel D-rings
- With X-Tek single tank adapter with two super cinch straps
- Heavy duty dedicated tech diving inflator



X-TEK PURE TEK HARNESS

Part number	Description	Retail
22.179.000	Harness complete	3,100
23.804.000	Harness w/o backplate w/o crotch strap	720

Traditional harness and back plate create a comfortable and super-stable platform for carrying single or double tanks.

- Continuous web harness and stainless steel back plate with back pad work together to provide optimal stability, regardless of the number of cylinders you're carrying.
- Shoulder straps attach to back plate with tri-glide fasteners.
- Stainless steel waist buckle and 50mm crotch strap help dial in fit.
- Two stainless shoulder D-rings and one waist D-ring are provided as clip-on points for carrying additional gear.



22.179.000

X-TEK FORM HARNESS

Part number	Description	Retail
22.182.000	Complete harness	4,700
23.806.000	Harness w/o backplate, w/o crotch strap	2,800

- Stainless steel back plate
- Tri-compound Comfort-Harness-System
- Anatomically optimized back padding
- Adjustable shoulder straps in length and alignment
- 50 mm Crotch Strap with two stainless steel D-rings
- Optionally equipped with QR-weight system



23.806.000

Shown with crotch
strap (not included)

X-TEK DONUT WINGS

Part number	Description	Retail
22.193.010	13 kg (Single)	3,100
22.210.010	18kg (Single)	3,300
22.183.010	18 kg (Twin)	3,300
22.184.010	27 kg (Twin)	3,600
22.187.010	40 kg (Twin)	7,600

The shape and internal design of X-TEK donut wings mean you can always expect unparalleled buoyancy control regardless of your diving position.

- Wings are built with a 1680D Ballistic nylon outer shell and a 420D nylon inner bladder.
- Airflow is controlled via a SCUBAPRO Balanced Power Inflator (BPI).
- Available for single or double tank configurations in three lift capacities: 13kg, 18kg or 27kg.



Single
22.193.010
22.210.010



Twin
22.18X.010
Shown fully assembled
with harness and backplate

X-TEK BACK PLATES

Part number	Description	Retail
23.800.000	Stainless steel	1,800
23.801.000	Aluminium	1,400

Available in corrosion-resistant stainless steel and lightweight aluminum, X-TEK back plates are made of quality metals and feature an ergonomic shape for maximum comfort, control and stability. The stainless steel version weighs 2.4kg; the aluminum version features a special black coating and weighs 0.9kg, making it the perfect travel companion.



23.800.000 23.801.000

X-TEK ACCESSORIES

Part number	Description	Retail
23.802.000	Single Tank Adaptor – 2 Super Cinch Straps included	1,200
23.803.000	Weight Pocket System, pair	900
23.807.000	Travel Adaptor	1,100
23.808.000	Backplate Storage Pack (includes screws)	800
23.809.000	Shoulder Pads, pair	270
23.810.000	Storage Bag, Small	320
23.811.000	Storage Bag, Large	340
23.812.000	Counter Weight Pockets, pair	300
23.818.000	Crotch Strap - 50mm	250
01.010.000	Regulator Necklace	50
45.070.000	X-Tek Wetnotes	360



23.802.000



23.803.000



23.807.000



23.808.000



23.809.000



23.810.000 23.811.000



23.812.000



23.818.000



01.010.000



45.070.000

STAINLESS STEEL SNAPS

Part number	Description	Retail
01.030.090	Double end snap - 90mm	110
01.030.100	Double end snap - 100mm	130
01.031.010	Swivel bolt snap - 10mm/64mm	100
01.031.013	Swivel bolt snap - 13mm/76mm	100
01.031.019	Swivel bolt snap - 19mm/92mm	120
01.031.025	Swivel bolt snap - 25mm/96mm	150
01.032.032	Swivel bolt snap roundeye 32mm/122mm	170

- Stainless steel snaps AISI 316 for securing accessories and stage tanks
- Available in various sizes in double-end and swivel versions



01.030.090



01.030.100



01.031.010



01.031.013



01.031.019



01.031.025



01.032.032

X-TEK ACCESSORIES & SPARES

Part number	Part name	Description	Retail
01.080.180	D-Ring bend	50x45x6 mm	50
01.080.181	D-Ring straight	50x45x6 mm	50
01.080.175	Weight Stopper No teeth	50 mm	50
01.108.102	Screw Set (M6/14 mm)	Pair (2M 2F)	160
01.108.402	MB Washer for STA (M8, WASHER)	Pair (2M 2F)	160
22.182.0001	Low Nut and Bolt (M6/9MM)	Form Harness	80
22.230.140	Wing Bungee with Stopper		100

TECH GAUGE

Part number	Description	Retail
28.152.002	PG CAPSULE BAR - DIAM 52MM (BLACK)	620
28.163.002	PG CAPSULE BAR - DIAM 63MM (BLACK)	720
28.152.202	PG CAPSULE BAR - DIAM 52mm (WHITE)	new 620
28.163.202	PG CAPSULE BAR - DIAM 63mm (WHITE)	new 720
01.045.006	TP HOSE 15CM	380
28.132.305	SWIVEL (VITON O-RING)	36
28.163.202	PG capsule - Diam 63mm	720
28.152.202	PG capsule - Diam 52mm	720



28.152.002



28.163.002



28.152.202



28.163.202



01.045.006



28.132.305

Valid from 01/10/2018 - Prices are subject to change without notice.



SCUBAPRO

SCUBAPRO

2019



EVERFLEX 3MM STEAMER

Part Number	Size	Retail
MAN - BLACK		
63.482.100	XS	2,800
63.482.200	S	2,800
63.482.250	MS	2,800
63.482.300	M	2,800
63.482.320	MT	2,800
63.482.350	LS	2,800
63.482.400	L	2,800
63.482.500	XL	2,800
63.482.600	2XL	2,800

WOMAN - BLACK/WHITE

63.481.000	2XS	2,800
63.481.100	XS	2,800
63.481.200	S	2,800
63.481.300	M	2,800
63.481.400	L	2,800



63.482.XXX



63.481.XXX



BLUE DIAMOND SPAN
inner lining with water-
draining material
enhances cold-water
protection.



THERMAL TEC 3MM

Part number	SIZE	Retail
MAN		
64.470.100	XS	2,250
64.470.200	S	2,250
64.470.250	MS	2,250
64.470.300	M	2,250
64.470.320	MT	2,250
64.470.350	LS	2,250
64.470.400	L	2,250
64.470.450	XLS	2,250
64.470.500	XL	2,250
64.470.600	2XL	2,250
WOMAN		
64.471.000	2XS	2,250
64.471.100	XS	2,250
64.471.200	S	2,250
64.471.300	M	2,250
64.471.400	L	2,250



THERMAL TEC 5MM

Part number	SIZE	Retail
MAN		
64.473.100	XS	2,700
64.473.200	S	2,700
64.473.250	MS	2,700
64.473.300	M	2,700
64.473.320	MT	2,700
64.473.350	LS	2,700
64.473.400	L	2,700
64.473.450	XLS	2,700
64.473.500	XL	2,700
64.473.600	2XL	2,700
WOMAN		
64.472.000	2XS	2,700
64.472.100	XS	2,700
64.472.200	S	2,700
64.472.300	M	2,700
64.472.400	L	2,700



DEFINITION 3MM

Part number	SIZE	Retail
MAN		
63.930.100	XS	2,160
63.930.200	S	2,160
63.930.300	M	2,160
63.930.400	L	2,160
63.930.500	XL	2,160
63.930.600	2XL	2,160
WOMAN		
63.931.000	2XS	2,160
63.931.100	XS	2,160
63.931.200	S	2,160
63.931.300	M	2,160
63.931.400	L	2,160

With the Definition 3mm SCUBAPRO takes all of the premium construction materials found on the Definition 5mm and includes special tailoring to create a suit that fits the body like no other, and provides extra stretch where it's needed most. The suit offers a level of warmth and comfort any warm-water diver will love.

- Made from X-Foam neoprene, the only "green" neoprene that complies with P.A.H. regulations.
- Built with the Body Map System, an exclusive manufacturing method that uses special tailoring and material inserts to compensate for the stresses of the human body.
- Ultraspan chest panel and Stretchtec side panels work together to produce a highly flexible and snug fit.
- Infrared (IR) fleece interior lining reflects body heat for extra thermal insulation and is extremely soft against the skin.
- Zippered seals at wrists and ankles plus a rear diagonal zipper block water entry, are comfortable and make the suit easy to put on and take off.
- Abrasion resistant fabric on shoulders and seat, along with elbow pads and kneepads, increase long-term durability.
- Spine pad cushions the tank, providing additional comfort during extended dives.
- Small neck zipper enhances topside comfort, eliminating the need to remove the suit between dives.
- I-Safe strap keeps a wrist instrument securely attached.

Available in March 2019



63.930.XXX



63.931.XXX



with double zippered seals
make donning and doffing
the suit even easier.




63.931.XXX



SCUBA DIVING'S GREENEST DIVE WEAR

SCUBAPRO's 2018 neoprene suits, hoods and gloves 1.5mil and above.
Better for you ... Better for the environment.



DEFINITION 3MM (WHILE STOCKS LAST)

Part number	SIZE	Retail
MAN		
63.498.100	XS	1,960
63.498.200	S	1,960
63.498.300	M	1,960
63.498.400	L	1,960
63.498.500	XL	1,960
63.498.600	2XL	1,960
WOMAN		
63.784.000	2XS	1,960
63.784.100	XS	1,960
63.784.200	S	1,960
63.784.300	M	1,960
63.784.400	L	1,960

With the Definition 3mm SCUBAPRO takes all of the premium construction materials found on the Definition 5mm and includes special tailoring to create a suit that fits the body like no other, and provides extra stretch where it's needed most. The suit offers a level of warmth and comfort any warm-water diver will love.

- Made from X-Foam neoprene, the only "green" neoprene that complies with P.A.H. regulations.
- Built with the Body Map System, an exclusive manufacturing method that uses special tailoring and material inserts to compensate for the stresses of the human body.
- Ultraspan chest panel and Stretchtec side panels work together to produce a highly flexible and snug fit.
- Infrared (IR) fleece interior lining reflects body heat for extra thermal insulation and is extremely soft against the skin.
- Zippered seals at wrists and ankles plus a rear diagonal zipper block water entry, are comfortable and make the suit easy to put on and take off.
- Abrasion resistant fabric on shoulders and seat, along with elbow pads and kneepads, increase long-term durability.
- Spine pad cushions the tank, providing additional comfort during extended dives.
- Small neck zipper enhances topside comfort, eliminating the need to remove the suit between dives.
- I-Safe strap keeps a wrist instrument securely attached.



63.498.XXX



63.784.XXX

SCUBAPRO's SOLVENT-FREE GLUE - We're Always Thinking Green

As part of our ongoing efforts to do what we can to make our planet healthy, three years ago SCUBAPRO introduced another environmental first - a solvent-free adhesive used in the construction of our neoprene wetsuits. Today, all SCUBAPRO neoprene drysuits, wetsuits, shortys, hoods and gloves thicker than 1.5mm feature solvent-free glue to better protect divers and the environment.

This glue is tough as nails - SCUBAPRO engineers made sure of that with rigorous testing spanning more than 400 hours. So divers can be confident that they are not only wearing the most comfortable, durable dive suit available, it's also more compatible with a healthy environment.

- Solvent-free adhesive formula.
- Tough as nails.
- Used on the NovaScotia 7.5mm and Sport 7mm Hooded semi-dry suits.
- Used on all Everflex, Definition, Sport, Rebel & Hybrid steamers and shortys 1.5mm and thicker.
- Used on all hooded vests, hoods, and gloves 1.5mm and thicker.

SPORTS 3MM

Part number	SIZE	Retail
MAN		
63.647.100	XS	1,380
63.647.200	S	1,380
63.647.300	M	1,380
63.647.400	L	1,380
63.647.500	XL	1,380
WOMAN		
63.651.000	2XS	1,380
63.651.100	XS	1,380
63.651.200	S	1,380
63.651.300	M	1,380
63.651.400	L	1,380

new



This new-generation Sport steamer has been updated with new features and a fresh look. An ultra-comfortable dive suit designed for the tropics, it is a great choice for new divers, casual divers, and first-time suit buyers who enjoy warm water island diving in moderate to shallow depths.

- Made from X-Foam neoprene, the only “green” neoprene that complies with P.A.H. regulations.
- Designed to keep new divers and casual divers warm and comfortable while diving in moderate to shallow depths.
- Pure Design Concept uses fewer seams and panels for maximum flexibility.
- Triathlon cut employs wider panels covering the underarm and back areas that allow unrestricted arm and shoulder movement.
- Main vertical-cut YKK rear zipper with KA brass slider offers increased long-term durability and ease of use.
- Single-cuff ankles and wrists are backed with plush inside.
- The interior is lined with a plush material that enhances comfort and warmth and dries quickly.
- High-stretch neoprene is great for hard-to-fit divers who can now enjoy a suit that molds comfortably to the body.

Available in January 2019



SPORTS 5MM

Part number	SIZE	Retail
WOMAN		
63.633.000	2XS	2,400
63.633.100	XS	2,400
63.633.200	S	2,400
63.633.300	M	2,400
63.633.400	L	2,400

new



Must-have thermal protection for first-time suit buyers who love leisurely warmer water diving.

Has wrist and ankle zippers.

- CE certified a Class B dive suit - rated for water temperatures ranging from 50°F/10°C to 64.5°F/18°C.

Available in June 2019



PROFILE 0.5MM

Part number	SIZE	Retail
MAN - BLACK		
63.037.100	XS	1,000
63.037.200	S	1,000
63.037.300	M	1,000
63.037.400	L	1,000
63.037.500	XL	1,000

- X-Foam neoprene
- 100% Nylon 2 sides 0,5mm neoprene
- Everflex in Flexible Panels
- Anti-abrasion powertex on seat and shoulders
- In Black/Gray/White
- Tatex knee pads for heavy protection
- Glideskin interior and on wrist seals
- Thumb loops and ankle stirrups for easy donning



ONEFLEX 3MM

Part number	SIZE	Retail
MAN		
63.568.100	XS	1,440
63.568.200	S	1,440
63.568.300	M	1,440
63.568.320	MT	1,440
63.568.400	L	1,440
63.568.500	XL	1,440
63.568.600	2XL	1,440
WOMAN		
63.569.000	2XS	1,440
63.569.100	XS	1,440
63.569.200	S	1,440
63.569.300	M	1,440
63.569.400	L	1,440



ONEFLEX 5MM WITH POCKET

Part number	SIZE	Retail
MAN		
63.586.102	XS	2,400
63.586.202	S	2,400
63.586.302	M	2,400
63.586.402	L	2,400
63.586.502	XL	2,400
63.586.602	2XL	2,400

new



Available in April 2019



ONEFLEX SHORTY 2.5MM

Part number	SIZE	Retail
MAN		
63.748.100	XS	830
63.748.200	S	830
63.748.300	M	830
63.748.400	L	830
63.748.500	XL	830
63.748.600	2XL	830
WOMAN		
63.749.000	2XS	830
63.749.100	XS	830
63.749.200	S	830
63.749.300	M	830
63.749.400	L	830



EVERFLEX HOODED VEST 2.5MM

Part Number	Size	Retail
64.062.000	2XS	700
64.062.100	XS	700
64.062.200	S	700
64.062.300	M	700
64.062.320	MT	700
64.062.400	L	700
64.062.500	XL	700
64.062.600	2XL	700
64.062.700	3XL	700

When having slightly less thermal layering is the plan for the dive day, SCUBAPRO offers this thinner, lighter 2.5mm version of its classic hooded vest. Made from 100% Everflex neoprene, it is flexible and comfortable, making it the ideal thermal under layer for any SCUBAPRO steamer.

- Provides a thin neoprene protective layer over the torso and head, two critical areas for minimizing heat loss.
- Everflex neoprene is super-stretchy so it's easy to don and doff.
- Fast-drying, the vest remains comfortable for use and reuse during a long dive day.
- Light graphic print on side panels enhances styling.



EVERFLEX HOODED VEST W/ FRONT ZIP 3MM

Part Number	Size	Retail
MAN		
70.018.300	M	1,160
70.018.320	MT	1,160
70.018.400	L	1,160
70.018.500	XL	1,160
70.018.600	XXL new	1,160
WOMAN		
70.019.200	S	1,160
70.019.300	M	1,160
70.019.320	MT	1,160
70.019.400	L	1,160
70.019.500	XL new	1,160



* Please see page 104 for the sizing



BLUE DIAMOND SPAN
inner lining with water-
draining material
enhances cold-water
protection.

ECO SHORTY 2.5MM (SPECIAL ORDER)

Part number	SIZE	Retail
64.522.100	XS	720
64.522.200	S	720
64.522.300	M	720
64.522.400	L	720
64.522.500	XL	720
64.522.600	2XL	720

new



*For drop ship order or special order only.
Need to meet MOQ per order.



ECO 2.5MM

Part number	SIZE	Retail
63.755.100	XS	980
63.755.200	S	980
63.755.300	M	980
63.755.400	L	980
63.755.500	XL	980
63.755.600	2XL	980

- 2.5mm Polyester 2 Sides
- Straight back zip
- 100% Black
- Silver thread for style
- One S+SCUBAPRO logo on front
- Unisex using a Men cut



EVERFLEX LONG SLEEVE 1.5MM - MEN

Part number	SIZE	Retail
BLACK		
63.420.100	XS	1,450
63.420.200	S	1,450
63.420.300	M	1,450
63.420.400	L	1,450
63.420.500	XL	1,450
63.420.600	2XL	1,450



63.420.X00

new colors

Part number	SIZE	Retail
AEGEAN		
63.421.100	XS	1,450
63.421.200	S	1,450
63.421.300	M	1,450
63.421.400	L	1,450
63.421.500	XL	1,450
63.421.600	2XL	1,450



63.421.X00

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- A slightly higher neck delivers maximum comfort and protects from BCD chafing.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn by itself or with Everflex 1.5mm pants and shorts.
- Solvent-free glue.
- Same sizing as wetsuits.



EVERFLEX SHORT 1.5MM - MEN

Part number	SIZE	Retail
63.444.100	XS	820
63.444.200	S	820
63.444.300	M	820
63.444.400	L	820
63.444.500	XL	820
63.444.600	2XL	820



EVERFLEX PANT 1.5MM - MEN

Part number	SIZE	Retail
BLACK		
63.433.100	XS	1,300
63.433.200	S	1,300
63.433.300	M	1,300
63.433.400	L	1,300
63.433.500	XL	1,300
63.433.600	2XL	1,300



new colors

Part number	SIZE	Retail
AEGEAN		
63.435.100	XS	1,300
63.435.200	S	1,300
63.435.300	M	1,300
63.435.400	L	1,300
63.435.500	XL	1,300
63.435.600	2XL	1,300

63.433.X00



63.435.X00

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn with Everflex 1.5mm long sleeve or short sleeve thermal tops.
- Solvent-free glue.
- Same sizing as wetsuits.



EVERFLEX LONG SLEEVE 1.5MM - WOMEN

Part number	SIZE	Retail
63.423.000	2XS	1,440
63.423.100	XS	1,440
63.423.200	S	1,440
63.423.300	M	1,440
63.423.400	L	1,440

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- A slightly higher neck delivers maximum comfort and protects from BCD chafing.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn by itself or with Everflex 1.5mm pants and shorts.
- Solvent-free glue.
- Same sizing as wetsuits.



EVERFLEX SHORT 1.5MM - WOMEN

Part number	SIZE	Retail
63.449.000	2XS	610
63.449.100	XS	610
63.449.200	S	610
63.449.300	M	610
63.449.400	L	610



EVERFLEX LEGGING - LADY

Part number	SIZE	Retail
CARIBBEAN		
63.440.100	XS	1290
63.440.200	S	1290
63.440.300	M	1290
63.440.400	L	1290



63.440.X00

Part number	SIZE	Retail
BLACK		
63.437.000	2XS	1290
63.437.100	XS	1290
63.437.200	S	1290
63.437.300	M	1290
63.437.400	L	1290

new colors



63.437.X00

- Neoprene is lightweight, durable, water repellent and a highly efficient insulator for heat retention.
- Assembled using solvent-free Aqua glue, a 100% green process.
- High-tech plush and fleece lining reduces water flow and provides both comfort and extra warmth.
- Design helps block water intrusion to reduce convection.
- Provides effective insulation under water as well as at the surface.
- High stretch neoprene is easy to don and doff and offers excellent range of motion.
- Designed to be worn with Everflex 1.5mm long sleeve or short sleeve thermal tops.
- Solvent-free glue.
- Same sizing as wetsuits.



SWIM BLACK RASHGUARD UPF50 - MEN

Part number	SIZE	Retail
62.031.100	XS	260
62.031.200	S	260
62.031.300	M	260
62.031.400	L	260
62.031.500	XL	260
62.031.600	2XL	260

Chlorine resistant - ideal for swimming pool use.



RASH GUARD SHORT SLEEVE UPF 50 - MEN

Part number	SIZE	Retail
Graphite		
65.022.100	XS	370
65.022.200	S	370
65.022.300	M	370
65.022.320	MT	370
65.022.400	L	370
65.022.500	XL	370
65.022.600	XXL	370



RASH GUARD LONG SLEEVE UPF 50 - MEN

Part number	SIZE	Retail
Black		
65.031.100	XS	370
65.031.200	S	370
65.031.300	M	370
65.031.320	MT	370
65.031.400	L	370
65.031.500	XL	370
65.031.600	2XL	370
Ice		
65.034.100	XS	370
65.034.200	S	370
65.034.300	M	370
65.034.320	MT	370
65.034.400	L	370
65.034.500	XL	370
65.034.600	2XL	370
Graphite		
65.032.100	XS	530
65.032.200	S	530
65.032.300	M	530
65.032.320	MT	530
65.032.400	L	530
65.032.500	XL	530
65.032.600	2XL	530
Aegean		
65.033.100	XS	530
65.033.200	S	530
65.033.300	M	530
65.033.320	MT	530
65.033.400	L	530
65.033.500	XL	530
65.033.600	2XL	530



65.031.X00



65.034.X00



65.032.X00



65.033.X00



T FLEX LONG SLEEVE UPF 80 - MEN

Part number	SIZE	Retail
Black		
65.231.100	XS	530
65.231.200	S	530
65.231.300	M	530
65.231.320	MT	530
65.231.400	L	530
65.231.500	XL	530
65.231.600	2XL	530



65.231.X00

Part number	SIZE	Retail
Graphite		
65.232.100	XS	530
65.232.200	S	530
65.232.300	M	530
65.232.320	MT	530
65.232.400	L	530
65.232.500	XL	530
65.232.600	2XL	530



65.232.X00

Part number	SIZE	Retail
Aegean		
65.233.100	XS	530
65.233.200	S	530
65.233.300	M	530
65.233.320	MT	530
65.233.400	L	530
65.233.500	XL	530
65.233.600	2XL	530



65.233.X00

Part number	SIZE	Retail
Orange		
65.230.100	XS	530
65.230.200	S	530
65.230.300	M	530
65.230.400	L	530
65.230.500	XL	530
65.230.600	2XL	530



65.230.X00

The best UV protection rating the industry has to offer. UPF 80 dive wear is tested using the UV Standard 801, which tests fabrics in their "worst-case" scenario. In other words, in real world conditions of use - wet and stretched - two stress factors that adversely affect a fabric's protective qualities. A UPF 80 rating represents the ultimate in quality and UV protection, wet or dry.

HYBRID THERMAL 1MM - MEN

Part number	SIZE	Retail
65.331.100	XS	720
65.331.200	S	720
65.331.300	M	720
65.331.320	MT	720
65.331.400	L	720
65.331.500	XL	720
65.331.600	XXL	720



Built with a mix of quality 1mm X-Foam neoprene for warmth and durable nylon for stretch and comfort. On the underside of the nylon panels a microplush interior makes the top warm and cozy. This fleece fabric absorbs less water, which keeps heat against the body, increasing overall warmth. It also dries quickly.



HYBRID HOODED VEST 1MM - MEN

Part number	SIZE	Retail
65.341.100	XS	510
65.341.200	S	510
65.341.300	M	510
65.341.320	MT	510
65.341.400	L	510
65.341.500	XL	510
65.341.600	2XL	510
65.341.700	3XL	510



Soft and warm, the vest protects your torso and head. Warmth and protection where you need it most.



HYBRID SHORTS CARGO POCKETS - MEN

Part number	SIZE	Retail
65.351.200	S	710
65.351.300	M	710
65.351.320	MT	710
65.351.400	L	710
65.351.500	XL	710
65.351.600	2XL	710



Wear it by itself or over a dive suit. Includes nylon drawstring and cargo pockets.



HYBRID CARGO PANTS - MEN

Part number	SIZE	Retail
65.352.100	XS	910
65.352.200	S	910
65.352.300	M	910
65.352.400	L	910
65.352.500	XL	910
65.352.600	2XL	910

Wear it by itself or over a dive suit. Includes nylon drawstring and cargo pockets.



T FLEX LONG SLEEVE INSTRUCTOR - MEN

Part number	SIZE	Retail
63.283.102	XS	520
63.283.202	S	520
63.283.302	M	520
63.283.402	L	520
63.283.502	XL	520
63.283.602	2XL	520



RASH GUARD CAP SLEEVE UPF 50 - WOMEN

Part number	SIZE	Retail
Caribbean		
65.515.100	XS	300
65.515.200	S	300
65.515.300	M	300
65.515.400	L	300
65.515.500	XL	300
Onyx		
65.516.100	XS	300
65.516.200	S	300
65.516.300	M	300
65.516.400	L	300
65.516.500	XL	300
65.516.600	2XL	300
Flamingo		
65.517.100	XS	300
65.517.200	S	300
65.517.300	M	300
65.517.400	L	300
65.517.500	XL	300



65.515.X00



65.516.X00



65.517.X00

A garment with a rating of UPF 50 blocks 98% of UV radiation. UPF ratings 50 and above are considered to be in the "Excellent" Protection Category.

- Stylish skin protection increases comfort during diving.
- Made from high quality polyester fabric.
- Form-fitting.
- Dries quickly.



SWIM BLACK RASHGUARD UPF50 - WOMEN

Part number	SIZE	Retail
62.531.100	XS	260
62.531.200	S	260
62.531.300	M	260
62.531.400	L	260
62.531.500	XL	260
62.531.600	2XL	260

Chlorine resistant - ideal for swimming pool use.



LONG SLEEVE UPF50 - WOMEN

Part number	SIZE	Retail
Caribbean		
65.535.100	XS	410
65.535.200	S	410
65.535.300	M	410
65.535.400	L	410
65.535.500	XL	410
65.535.600	2XL	410
Shell		
65.538.100	XS	330
65.538.200	S	330
65.538.300	M	330
65.538.400	L	330
65.538.500	XL	330
65.538.600	2XL	330
Jewel		
65.539.100	XS	330
65.539.200	S	330
65.539.300	M	330
65.539.400	L	330
65.539.500	XL	330
65.539.600	2XL	330
Flamingo		
65.537.100	XS	440
65.537.200	S	440
65.537.300	M	440
65.537.400	L	440
65.537.500	XL	440
65.537.600	2XL	440



65.535.X00



65.538.X00



65.539.X00



65.537.X00



T FLEX LONG SLEEVE UPF 80 - WOMEN

Part number	SIZE	Retail
Caribbean		
65.735.100	XS	480
65.735.200	S	480
65.735.300	M	480
65.735.400	L	480
65.735.500	XL	480
65.735.600	2XL	480
Jewel		
65.739.100	XS	480
65.739.200	S	480
65.739.300	M	480
65.739.400	L	480
65.739.500	XL	480
65.739.600	2XL	480
Onyx		
65.736.100	XS	480
65.736.200	S	480
65.736.300	M	480
65.736.400	L	480
65.736.500	XL	480
65.736.600	2XL	480



65.735.X00



65.739.X00



65.736.X00

The best UV protection rating the industry has to offer. UPF 80 dive wear is tested using the UV Standard 801, which tests fabrics in their “worst-case” scenario. In other words, in real world conditions of use – wet and stretched – two stress factors that adversely affect a fabric’s protective qualities. A UPF 80 rating represents the ultimate in quality and UV protection, wet or dry.

- Made from a blend of 86% super-soft nylon and 14% high-stretch spandex.
- Maximum comfort – maximum stretch.
- Form-fitting for that sleek hydrodynamic look and feel.



T-FLEX LEGGINGS UPF 80 - WOMEN

Part number	SIZE	Retail
Caribbean		
65.775.100	XS	510
65.775.200	S	510
65.775.300	M	510
65.775.400	L	510
65.775.500	XL	510
65.775.600	2XL	510
Jewel		
65.779.100	XS	510
65.779.200	S	510
65.779.300	M	510
65.779.400	L	510
65.779.500	XL	510
65.779.600	2XL	510
Onyx		
65.772.100	XS	510
65.772.200	S	510
65.772.300	M	510
65.772.400	L	510
65.772.500	XL	510
65.772.600	2XL	510

Leggings are the perfect complement to all the rash guards. They make slipping a wetsuit on easy and look great on their own.

The best UV protection rating the industry has to offer. UPF 80 dive wear is tested using the UV Standard 801, which tests fabrics in their “worst-case” scenario. In other words, in real world conditions of use – wet and stretched – two stress factors that adversely affect a fabric’s protective qualities. A UPF 80 rating represents the ultimate in quality and UV protection, wet or dry.



65.775.X00



65.779.X00



65.772.X00



HYBRID THERMAL 1MM - WOMEN

Part number	SIZE	Retail
Women		
65.831.100	XS	730
65.831.200	S	730
65.831.300	M	730
65.831.400	L	730
65.831.500	XL	730

Built with a mix of quality 1mm X-Foam neoprene for warmth and durable nylon for stretch and comfort. On the underside of the nylon panels a microplush interior makes the top warm and cozy. This fleece fabric absorbs less water, which keeps heat against the body, increasing overall warmth. It also dries quickly.



RASHGUARD LONG SLEEVES - LADY

Part number	SIZE	Retail
Long Sleeve		
63.661.100	XS	460
63.661.200	S	460
63.661.300	M	460
63.661.400	L	460
63.661.500	XL	460



RASHGUARD SHORT SLEEVES - LADY

Part number	SIZE	Retail
Short Sleeve		
63.662.100	XS	420
63.662.200	S	420
63.662.300	M	420
63.662.400	L	420
63.662.500	XL	420



NOVA SCOTIA 7.5/6.5 MM SEMI-DRY WITH HOOD

Part number	SIZE	Retail
63.696.200K	S	6,300
63.696.300K	M	6,300
63.696.400K	L	6,300
63.696.500K	XL	6,300
63.696.600K	2XL	6,300

Offering a snug-fitting, flexible dive suit with good thermal properties and minimal water intrusion, the new novaScotia semi-dry is the perfect solution for staying very warm and relatively dry while virtually eliminating hydrodrag, radically improving a diver's ability to move easily through the water. With its new 7.5/6.5mm thickness, easy-zip waterproof YKK Aquaseal Vislon zipper, improved plush lining to increase warmth and stretch, and a long list of convenience features, the novaScotia is the diver's answer to a comfortable, affordable semi-dry suit. Positioned between a traditional wetsuit and a neoprene drysuit, the novaScotia delivers the best of both worlds in cold water, temperate water, and multi-dive thermal protection.

- CE certified a Class A dive suit -- rated for water temperatures ranging from 7°C to 12°C.
- **New 7.5/6.5mm suit is made of 100% Everflex neoprene, an X-Foam formulation for better health, and it is assembled using eco-friendly solvent-free Aqua glue.**
- Pure Design Concept uses fewer seams and panels to ensure maximum flexibility.
- Blind-stitched seams block water entry.
- Internal stress discs installed at stitch intersections protect seams, extending the suit's working life.
- Rear shoulder-to-shoulder YKK Aquaseal Vislon waterproof main zipper with heavy-duty plastic slider is flexible yet provides an excellent seal against water entry.
- New plush interior liner in the arms, legs and shoulder areas increases warmth and stretch.
- Double zippered seals on ankles and wrists feature KA brass sliders for durability, water-tightness and ease of use.
- Fold-under neck seal is ultra-comfortable and keeps water seepage to a minimum.
- Right thigh 3D pocket offers lots of room for carrying extra gear. The hood hook has been moved to the outside of the pocket for added convenience.
- Shoulders and kneepads feature both anti-abrasion patterns and extra rubber prints to provide protection while adding a stylish look.
- Enhanced spine pad provides a welcomed cushion where the tank hits the diver's back.
- I-Safe straps on both arms offer non-slip mounting spots for securing wrist instruments.
- Available in black for men.
- Hood included.



BLUE DIAMOND SPAN inner lining with water-draining material enhances cold-water protection.



EVERFLEX HOOD

Part number	SIZE	Retail
EVERFLEX NO BIB 5/3mm		
67.052.200	S	350
67.052.300	M	350
67.052.400	L	350
67.052.500	XL	350

Everflex hoods help protect the body from heat loss and raise the comfort quotient by keeping the head and ears warm while at depth.

- Constructed of high-stretch 100 percent Everflex neoprene for maximum comfort and durability.
- Extremely stretchy Silverskin lining feels good against the skin and provides a good seal to minimize water transfer.



GO SOCK 3MM

Part number	Size	Retail
57.167.100	XS	240
57.167.200	S	240
57.167.300	M	240
57.167.400	L	240
57.167.500	XL	240

Designed to be worn with GO travel fins, the 3mm GO sock features a thin sole to provide cushion and stability, and a lowcut upper for comfort and easy donning and doffing. Offering versatile foot protection, this sock is also ideal for wearing on tropical beaches and in training pools.



DELTA CLUB 5MM

Part number	Size	Retail
57.137.090	3XS /4	430
57.137.000	2XS /5	430
57.137.100	XS /6	430
57.137.200	S /7	430
57.137.300	M /8	430
57.137.400	L /9	430
57.137.500	XL /10	430
57.137.600	2XL /11	430
57.137.700	3XL /12	430

- Perfect for moderate waters
- Classic sole
- Zip closure

*New Delta Club boots will be launched early 2019.
This will be an in-line production change with some feature changes.



DELTA CLUB 5MM (Inline change)

Part number	Size	Retail
57.138.090	3XS /4	440
57.138.000	2XS /5	440
57.138.100	XS /6	440
57.138.200	S /7	440
57.138.300	M /8	440
57.138.400	L /9	440
57.138.500	XL /10	440
57.138.600	2XL /11	440
57.138.700	3XL /12	440

updated



For 2019, the popular Delta 5mm, our top-selling leisure dive boot, gets a refresh. The boot maintains its sturdy but flexible outsole and rubberized protective armor, yet still feels very light on the foot. A revised ankle diameter and new contoured top improve fit and make sliding the YKK zipper up and down even easier. A full cut creates a comfortable, cramp-free fit.

Available in April 2019



NEW Waving edge



Detail

DELTA SHORT 3MM

Part number	Size	Retail
57.166.090	3XS /4	260
57.166.000	2XS /5	260
57.166.100	XS /6	260
57.166.200	S /7	260
57.166.300	M /8	260
57.166.400	L /9	260
57.166.500	XL /10	260
57.166.600	2XL /11	260



This comfortable 3mm short boot is designed for tropical diving and snorkelling. Low-cut, lightweight, with just the right amount of protection, it slips on and off without the need for a zipper.

- Provides full-featured foot protection for warm-water diving.
- Light comfort sole offers good protection without being stiff or heavy.
- Can be comfortably worn with adjustable fins.



BASE BOOTS 4MM

Part number	Size	Retail
57.013.000	2XS /5	340
57.013.100	XS /6	340
57.013.200	S /7	340
57.013.300	M /8	340
57.013.400	L /9	340
57.013.500	XL /10	340
57.013.600	2XL /11	340
57.013.700	3XL* /12	340
57.013.800	4XL* /13	340



The 4mm Base boot is an economical boot built for temperate water diving. Its rubberized armor on the toe and heel cap offers additional protection without sacrificing comfort. A thin sole increases flexibility while providing an effective antislip tread.

- Thin rubber sole increases flexibility while providing an effective anti-slip tread.
- Toe cap provides cushioning while protecting against abrasion from the edge of the fin pocket.
- Heel cap includes a molded fin strap keeper.
- The long zipper makes it easy to put it on. Secured with a Velcro tab.
- Exterior size logo is ideal for groups and rental applications.

***Special order only**



Detail

SEAMLESS GLOVE 1.5MM

Part number	Size	Retail
58.000.100	XS	390
58.000.200	S	390
58.000.300	M	390
58.000.400	L	390
58.000.500	XL	390
58.000.600	2XL	390

updated



- Using heat taping instead of traditional stitching transforms this lightweight glove into an extremely soft, flexible and tactile
- hand-warmer. By eliminating the stitching you gain in dexterity in the fingers, making it much easier to push buttons and handle gear at depth.



D-FLEX 2MM

Part number	Size	Retail
58.164.100	XS-S	310
58.164.300	M-L	310
58.164.500	XL-2XL	310

updated



Delivering the perfect balance of warmth and protection for tropical diving, this super-soft glove offers a lot of flexibility for maximum finger dexterity, plus its contoured shape provides a comfortable fit. A textured non-slip palm lets you maintain a good grip.



TROPIC 1.5MM

Part number	Size	Retail
GRAPHITE		
58.031.000	2XS	330
58.031.100	XS	330
58.031.200	S	330
58.031.300	M	330
58.031.400	L	330
58.031.500	XL	330
AEGEAN		
58.032.000	2XS	330
58.032.100	XS	330
58.032.200	S	330
58.032.300	M	330
58.032.400	L	330
58.032.500	XL	330
CARIBBEAN		
58.033.000	2XS	330
58.033.100	XS	330
58.033.200	S	330
58.033.300	M	330
58.033.400	L	330
58.033.500	XL	330
FLAMINGO		
58.034.000	2XS	330
58.034.100	XS	330
58.034.200	S	330
58.034.300	M	330
58.034.400	L	330
58.034.500	XL	330
BLACK		
58.035.000	2XS	310
58.035.100	XS	310
58.035.200	S	310
58.035.300	M	310
58.035.400	L	310
58.035.500	XL	310



SCUBAPRO
cares

X-FOAM



WETSUIT/ RASH GUARD SIZING GUIDE - MEN

Dimensions	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
MEN					
2XS - 44	32-34 81-86	27-29 69-74	320 35-37 320 89-94	5'3"-5'5" 160-165	131-156 60-70
XS - 46	34-36 86-91	29-31 74-79	320 37-39 320 94-99	5'5"- 5'7" 165-170	142-167 65-75
S - 48	36-38 91-96	31-33 79-84	320 39-41 320 99-104	5'7"-5'9" 170-175	153-188 70-80
ST - 94	36-38 91-96	31-33 79-84	39-41 99-104	5'9"-5'11" 175-180	153-188 70-80
MS - 25	38-40 96-101	33-35 84-89	41-43 320 04-109	5'7"-5'9" 170-175	164-189 75-85
M - 50	38-40 96-101	33-35 84-89	320 41-43 320 04-109	5'9"-5'11" 175-180	164-189 75-85
MT - 98	38-40 96-101	33-35 84-89	320 41-43 320 04-109	5'11"-6'1" 180-185	164-189 75-85
LS - 26	40-42 101-107	35-37 89-94	320 43-45 109-114	5'9"-5'11" 175-180	175-200 80-90
L - 52	40-42 101-107	35-37 89-94	43-45 320 109-114	5'11"-6'1" 180-185	175-200 80-90
LT - 102	40-42 101-107	35-37 89-94	320 43-45 320 109-114	6'1"-6'3" 185-190	175-200 80-90
XLS - 27	42-44 107-112	37-39 94-99	320 45-47 320 114-119	5'11"-6'1" 180-185	186-211 85-95
XL - 54	42-44 107-112	37-39 94-99	320 45-47 114-119	6'1"-6'3" 185-190	186-211 85-95
XLT - 106	42-44 107-112	37-39 94-99	45-47 114-119	6'3"-6'5" 190-195	186-211 85-95
2XLS - 28	44-46 112-117	39-41 99-104	320 47-49 320 119-124	6'1"-6'3" 185-190	197-222 90-100
2XL - 56	44-46 112-117	39-41 99-104	320 47-49 320 119-124	6'3"-6'5" 190-195	197-222 90-100
2XLT - 110	44-46 112-117	39-41 99-104	320 47-49 320 119-124	6'5"+ >195	197-222 90-100
3XLS - 29	46-48 117-122	41-43 104-109	49-51 124-129	6'3"-6'5" 190-195	208-235 95-105
3XL - 58	46-48 117-122	41-43 104-109	300 49-51 124-129	6'5"+ >195	208-235 95-105
4XL - 60	48-51 122-129	43-45 109-114	300 51-53 300 29-135	6'5"+ >195	219-244 100-110
5XL - 62	51-53 129-135	45-47 114-119	300 53-55 300 35-140	6'5"+ >195	230-255 105-115

These charts are intended to act as a sizing guide. We recommend that all suits be tried on to ensure a perfect fit.

Wetsuit chart applies to the following: Novascotia Semi-dry, All Everflex wetsuits, All Thermal Tec wetsuits, Profile 0.5, Sport 7mm Semi-dry, Sport 3,5,7mm steamers, Oneflex wetsuits, Tropical Steamer, Everflex Skin Suit, Everflex Hooded Vest 5mm, Everflex Hooded Vest 2.5mm, Pyroflex Steamers & Tops, Hybrid Jane, Hybrid shorty, Hybrid Shorts, Hybrid Cargo Shorts.

WETSUIT/ RASH GUARD SIZING GUIDE - WOMEN

Dimensions	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
WOMEN					
2XS - 34 -0	31-33 79-84	25-27 64-69	31-33 79-84	4'11"-5'1" 150-155	93-118 42-54
XS - 36 - 2	32-34 81-86	27-30 69-76	34-36 86-91	5'1"-5'3" 155-160	106-131 47-59
S - 38 - 4	34-36 86-91	28-30 71-76	35-37 89-94	5'3"-5'5" 160-165	115-140 52-64
ST - 74 - 4T	34-36 86-91	28-30 71-76	35-37 89-94	5'5"-5'7" 165-170	115-140 52-64
MS - 20 - 6S	35-37 89-94	30-32 76-81	37-39 94-99	5'3"-5'5" 160-165	126-151 57-69
M - 40 - 6	35-37 89-94	30-32 76-81	37-39 94-99	5'5"-5'7" 165-170	126-151 57-69
MT - 76 - 6T	35-37 89-94	30-32 76-81	37-39 94-99	5'7"-5'9" 170-175	126-151 57-69
LS - 21 - 8S	37-39 94-99	32-34 81-86	38-40 96-101	5'5"-5'7" 165-170	137-162 62-74
L - 42 - 8	37-39 94-99	32-34 81-86	38-40 96-101	5'7"-5'9" 170-175	137-162 62-74
LT - 80 - 8T	37-39 94-99	32-34 81-86	38-40 96-101	5'9"-5'11" 175-180	137-162 62-74
XLS - 22 - 10S	38-40 96-101	33-35 84-89	40-42 101-107	5'7"-5'9" 170-175	148-173 67-69
XL - 44 - 10	38-40 96-101	33-35 84-89	40-42 101-107	5'9"-5'11" 175-180	148-173 67-69
XLT - 84 - 10L	38-40 96-101	33-35 84-89	40-42 101-107	5'11"-6'1" 180-185	148-173 67-69
2XLS - 23 - 12S	40-42 101-107	35-37 89-94	42-44 107-112	5'9"-5'11" 175-180	159-184 72-84
2XL - 46 - 12	40-42 101-107	35-37 89-94	42-44 107-112	5'11"-6'1" 180-185	159-184 72-84
2XLT - 88 - 12T	40-42 101-107	35-37 89-94	42-44 107-112	>6'1" >185	159-184 72-84
3XL - 48 - 14	42-44 107-112	37-39 94-99	43-45 109-114	>6'1" >185	>181 >82
3XLT - 92 - 14T	42-44 107-112	37-39 94-99	43-45 109-114	>6'1" >185	>181 >82
4XL - 50 - 16	43-45 109-114	38-40 96-101	45-47 114-119	>6'1" >185	>181 >82

These charts are intended to act as a sizing guide. We recommend that all suits be tried on to ensure a perfect fit.

Wetsuit chart applies to the following: Novascotia Semi-dry, All Everflex wetsuits, All Thermal Tec wetsuits, Profile 0.5, Sport 7mm Semi-dry, Sport 3,5,7mm steamers, Oneflex wetsuits, Tropical Steamer, Everflex Skin Suit, Everflex Hooded Vest 5mm, Everflex Hooded Vest 2.5mm, Pyroflex Steamers & Tops, Hybrid Jane, Hybrid shorty, Hybrid Shorts, Hybrid Cargo Shorts.

DEFINITION 5MM & 3MM WETSUITS SIZING GUIDE

Sizes	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
MEN					
S	37 - 38 94 - 97	32 - 33 81 - 84	35 - 36 88 - 92	65 - 68 164 - 172	154 - 170 70 - 77
M	39 - 40 98 - 101	33 - 35 85 - 88	37 - 38 93 - 97	67 - 70 170 - 177	65 - 181 75 - 82
L	40 - 41 102 - 105	35 - 37 89 - 93	39 - 40 98 - 101	69 - 71 175 - 180	176 - 192 80 - 87
XL	42 - 43 106 - 109	37 - 39 94 - 98	40 - 41 102 - 104	70 - 73 177 - 185	187 - 203 85 - 92
2XL	43 - 44 110 - 113	39 - 41 99 - 103	41 - 42 105 - 107	71 - 75 180 - 190	198 - 214 90 - 97
3XL	45 - 46 114 - 117	41 - 43 104 - 108	43 - 44 108 - 112	73 - 77 185 - 195	220 - 236 100 - 107
WOMEN					
2XS	21 - 31 78 - 82	24 - 26 62 - 66	35 - 36 89 - 92	60 - 62 153 - 157	90 - 106 41 - 48
XS	32 - 33 82 - 85	26 - 27 66 - 69	36 - 37 92 - 95	62 - 63 157 - 161	106 - 121 48 - 55
S	34 - 35 86 - 89	28 - 29 70 - 73	38 - 39 96 - 98	63 - 65 161 - 165	121 - 139 55 - 63
M	35 - 37 90 - 93	29 - 30 74 - 77	39 - 40 99 - 102	65 - 67 165 - 169	139 - 154 63 - 70
L	37 - 38 94 - 97	31 - 32 78 - 81	40 - 41 102 - 104	67 - 68 169 - 173	154 - 165 70 - 75

This chart is intended to act as a sizing guide. We recommend that undergarments be tried on to ensure a perfect fit.

EVERFLEX HOODED VEST 2.5MM SIZING GUIDE

Dimensions	Chest in/cm	Waist in/cm	Hips in/cm	Height ft-in/cm	Weight lbs/kg
2XS - 34 -0	31-33	25-27	31-33	4'11"-5'1"	93-118
	79-84	64-69	79-84	150-155	42-54
XS - 36 - 2	32-34	27-30	34-36	5'1"-5'3"	106-131
	81-86	69-76	86-91	155-160	47-59
S - 38 - 4	34-36	28-30	35-37	5'3"-5'5"	115-140
	86-91	71-76	89-94	160-165	52-64
M - 50	38-40	33-35	41-43	5'9"-5'11"	164-189
	96-101	84-89	104-109	175-180	75-85
MT - 98	38-40	33-35	41-43	5'11"-6'1"	164-189
	96-101	84-89	104-109	180-185	75-85
L - 52	40-42	35-37	43-45	5'11"-6'1"	175-200
	101-107	89-94	109-114	180-185	80-90
XL - 54	42-44	37-39	45-47	6'1"-6'3"	186-211
	107-112	94-99	114-119	185-190	85-95
2XL - 56	44-46	39-41	47-49	6'3"-6'5"	197-222
	112-117	99-104	119-124	190-195	90-100
3XL - 58	46-48	41-43	49-51	6'5"+	208-235
	117-122	104-109	124-129	>195	95-105

This chart is intended to act as a sizing guide. We recommend that undergarments be tried on to ensure a perfect fit.

EVERFLEX HOODED VEST W/ FRONT ZIP 3MM

Sizes	Chest in/cm	Height in/cm	Head Circumference in/cm	Length in/cm
MEN				
M	32 - 34 81 - 86	64 - 66 162 - 168	11.5 29	24 60
MT	34 - 36 86 - 91	65 - 68 166 - 172	12 30	25 63
L	36 - 38 92 - 97	68 - 70 172 - 178	14 35	26 65
XL	38 - 40 98 - 103	70 - 72 177 - 184	15 39	27 69
WOMEN				
S	29 - 31 74 - 78	61 - 62 155 - 158	11 28	20 52
M	30 - 32 77 - 81	63 - 64 159 - 162	11 28	21 53
MT	31 - 33 80 - 85	64 - 65 163 - 166	11.5 29	22 57
L	34 - 35 86 - 90	66 - 67 167 - 170	11.5 29	23 59
This chart is intended to act as a sizing guide. We recommend that undergarments be tried on to ensure a perfect fit.				





SCUBAPRO
2019



SEAWING NOVA GORILLA

Part number	SIZE	Retail
GRAPHITE		
25.736.300	M	1,700
25.736.400	L	1,700
25.736.500	XL	1,700
ARMY GREEN		
25.728.200	S	1,700
25.728.300	M	1,700
25.728.400	L	1,700
25.728.500	XL	1,700

- Clean water blade geometry
- Variable pivot control ribs
- Ergonomic foot pocket with extended heel plate
- Heavy duty marine grade bungee strap system
- Durable Monprene® construction
- Stiffer blade than the original Seawing Nova



Detail



25.736.X00

25.728.X00

SEAWING NOVA

Part number	SIZE	Retail
BLACK		
25.731.100	XS	1,600
25.731.200	S	1,600
25.731.300	M	1,600
25.731.400	L	1,600
25.731.500	XL	1,600
WHITE		
25.732.100	XS	1,600
25.732.200	S	1,600
25.732.300	M	1,600
25.732.400	L	1,600
25.732.500	XL	1,600
PURPLE*		
25.738.100	XS	1,600
25.738.300	M	1,600
PINK		
25.735.100	XS	1,600
25.735.200	S	1,600
25.735.300	M	1,600

- Clean water blade geometry
- Variable pivot control ribs
- Ergonomic foot pocket with extended heel plate
- Heavy duty marine grade bungee strap system
- Durable Monprene® construction

 **reddot award**
winner



25.731.X00



25.732.X00



25.738.X00
While stocks last



25.735.X00

***While stocks last**

JET FIN W/SPRING STRAP

Part number	SIZE	Retail
BLACK		
25.365.300	M	1,250
25.365.400	L	1,250
25.365.500	XL	1,250
25.365.600	2XL	1,250



25.365.X00

Part number	SIZE	Retail
CAMO 2 COLORS MIX		
25.362.300	M	1,650
25.362.400	L	1,650
25.362.500	XL	1,650
25.362.600	XXL	1,650
CAMO 4 COLORS MIX		
25.373.300	M	1,650
25.373.400	L	1,650
25.373.500	XL	1,650
25.373.600	XXL	1,650



25.362.X00

Part number	SIZE	Retail
SPARES		
25.365.305	Spring Heel Straps (M) (20CM)	360
25.365.405	Spring Heel Straps (L) (22CM)	360
25.365.505	Spring Heel Straps (XL) (26CM)	360
25.365.605	Spring Heel Straps (XXL) (28CM)	360
25.378.005	Rubber Strap-Jet Fins Black (pair)	320
25.378.025	Buckle Set for Rubber Strap - Jet Fins Black (pair)	240



25.365.X0X

SCUBAPRO Jet Fins have a long and celebrated history of performance. They set the standard for power and durability in 1965, and continue to be immensely popular today.

- Proven vented design
- Spring heel strap

JET SPORT ADJUSTABLE

Part number	Size	Retail
RED		
25.878.100	XS	600
25.878.200	S	600
25.878.300	M	600
25.878.400	L	600
25.878.500	XL	600
BLACK		
25.879.100	XS	600
25.879.200	S	600
25.879.300	M	600
25.879.400	L	600
25.879.500	XL	600
YELLOW		
25.880.100	XS	600
25.880.200	S	600
25.880.300	M	600
25.880.400	L	600
25.880.500	XL	600
BLUE		
25.881.100	XS	600
25.881.200	S	600
25.881.300	M	600
25.881.400	L	600
25.881.500	XL	600
SPARES		
25.878.101 XS-S	1 strap+Buckle+	110
25.878.103 M/L/XL	Buckle housing	110



25.878.X00 25.879.X00



25.880.X00 25.881.X00

FLUIDA FULL FOOT FIN

Part number	Size	Retail
25.280.100	5XS /27-30	270
25.280.200	4XS /31-33	270
25.280.300	3XS /34-35	270
25.280.400	2XS /36-37	270
25.280.500	XS /38-39	270
25.280.600	S /40-41	270
25.280.700	M /42-43	270
25.280.800	L /44-45	270
25.280.900	XL /46-47	270



- Full Foot fin
- Soft foot pocket, resistant blade

RENTAL FULL FOOT FIN

Part number	Size	Retail
Scubapro		
25.027.000	XXS	360
25.027.100	XS	360
25.027.200	S	360
25.027.300	M	360
25.027.400	L	360
25.027.500	XL	360



GO TRAVEL

Part number	Size	Retail
25.740.090	3XS - Black	560
25.740.000	2XS - Black	560
25.740.150	XS-S - Black	560
25.740.300	M-L - Black	560
25.740.500	XL - Black	560
25.740.600	2XL - Black	600

- Light weight
- Ideal fin for divers, snorkelers and swimmers who enjoy traveling the world
- Barefoot design features a replaceable self-adjusting bungee heel strap
- Ultra-strong 100 percent Monprene
- Fins fit into IATA carry-on compliant luggage
- 5 sizes cover a wide range of fitment needs
- Black blade with black straps



GO RENTAL

Part number	Size	Retail
25.743.090	3XS - Black w Purple Strap	560
25.743.000	2XS - Black w Green Strap	560
25.743.150	XS-S - Black w Blue Strap	560
25.743.300	M-L - Black w Yellow Strap	560
25.743.500	XL - Black w Orange Strap	560
25.743.600	2XL - Black w Grey Strap	600



25.743.090



25.743.000



25.743.150



25.743.300



25.743.500



25.743.600

GO FIN ACCESSORIES

Part number	Size	Retail
25.748.100	Fin Strap, GO Bungee, Mini, Black (3XS & 2XS)	150
25.749.100	Fin Strap, GO Bungee, Midi, Black (XS-S to XL)	150
25.750.050	Fin Strap, GO Bungee, Mini, Purple (3XS & 2XS)	150
25.751.050	Fin Strap, GO Bungee, Midi, Purple (XS-S to XL)	150
25.752.000	Fin Strap, GO Bungee, Mini, Green (3XS & 2XS)	150
25.753.000	Fin Strap, GO Bungee, Midi, Green (XS-S to XL)	150
25.754.200	Fin Strap, GO Bungee, Mini, Blue (3XS & 2XS)	150
25.755.200	Fin Strap, GO Bungee, Midi, Blue (XS-S to XL)	150
25.756.500	Fin Strap, GO Bungee, Mini, Yellow (3XS & 2XS)	150
25.757.500	Fin Strap, GO Bungee, Midi, Yellow (XS-S to XL)	150
25.758.400	Fin Strap, GO Bungee, Mini, Orange (3XS & 2XS)	150
25.759.400	Fin Strap, GO Bungee, Midi, Orange (XS-S to XL)	150
25.760.001	GO Fin Name Plate Holder (pair)	50

GO FIN RESORT SIZE CHART				3XS	2XS	XS-S	M-L	XL	2XL
♂	♀	UK	EU (cm)						
10		9	27	18	●	---	---	---	---
11		10	28	18.5	●	---	---	---	---
12		11	29	19	●	---	---	---	---
13		12	30	20	●	○	---	---	---
1		13	31-32	21	○	●	---	---	---
2		1	33	22	---	●	---	---	---
3	4	2	34	23	---	●	---	---	---
4	5	3	35-36	23.5	---	●	○	---	---
5	6	4	37	24.5	---	○	●	---	---
6	7	5	38	25.5	---	---	●	---	---
7	8	6	39-40	26	---	---	●	○	---
8	9	7	41	27.5	---	---	○	●	---
9	10	8	42	28	---	---	---	●	---
10	11	9	43-44	29	---	---	---	●	○
11	12	10	45	30	---	---	---	○	●
12	13	11	46	30.5	---	---	---	●	○
13	14	12	47	31.5	---	---	---	○	●
14	15	13	48-49	32	---	---	---	○	●

This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size. Individual fit will vary depending on foot shape.

● Recommended size.

○ Secondary size option.

'---' shows that the selected model is not available to fit that particular foot size.

Part number	Size	Retail
BLACK		
25.761.100	XS	800
25.761.200	S	800
25.761.300	M	800
25.761.400	L	800
25.761.500	XL	800
WHITE		
25.762.100	XS	800
25.762.200	S	800
25.762.300	M	800
25.762.400	L	800
25.762.500	XL	800

new



25.761.X00

25.762.X00

Special Order Only

YELLOW*	25.763.100
BLUE*	25.764.100
TURQUOISE*	25.765.100

*This is drop ship product. MOQ is for special orders.



25.763.X00



25.764.X00



25.765.X00

- Power Bars on the underside of the rails prevent over-flex to maintain the optimum angle of attack under high load conditions.
- In-water performance delivers speed, power, stability and maneuverability with a minimum of effort.
- Innovative Piggy Back Stack system interlocks one fin blade into the other, creating a snug pairing that makes packing and traveling that much easier.



Available in April 2019

* THE SCUBA SKEGS SOLD SEPARATELY

GO SPORT ACCESSORIES

Part number	Size	Retail
25.328.000	Scuba Skegs Amy Green- 4 UNITS/SET	50
25.328.010	Scuba Skegs Green - 4 UNITS/SET	50
25.328.025	Scuba Skegs Silver - 4 UNITS/SET	50
25.328.050	Scuba Skegs Purple - 4 UNITS/SET	50
25.328.100	Scuba Skegs Black - 4 UNITS/SET	50
25.328.250	Scuba Skegs Turquoise - 4 UNITS/SET	50
25.328.200	Scuba Skegs Blue - 4 UNITS/SET	50
25.328.400	Scuba Skegs Orange - 4 UNITS/SET	50
25.328.500	Scuba Skegs Yellow - 4 UNITS/SET	50
25.328.700	Scuba Skegs Pink - 4 UNITS/SET	50

new



Available in April 2019

JET FIN REVO

Part number	Size	Retail
BLACK		
25.360.000	Regular	1,880
25.362.000	Grande	1,880
WHITE		
25.363.000	Regular	1,880
25.364.000	Grande	1,880



25.360.000
25.362.000





25.363.000
25.364.000

*This is drop ship product. MOQ is for special orders.

SEAWING NOVA ACCESSORIES

Part number	Description	Retail
25.712.001	Buckle Cover (Pair) Seawing Nova	40
25.712.002	Buckle Body (Pair) Seawing Nova	50
25.712.205	Complete Strap Set Seawing Nova Black, S	380
25.712.305	Complete Strap Set Seawing Nova Black, M	380
25.712.405	Complete Strap Set Seawing Nova Black, L	380
25.712.505	Complete Strap Set Seawing Nova Black, XL	380
25.714.205	Complete Strap Set Seawing Nova Blue, S	380
25.714.305	Complete Strap Set Seawing Nova Blue, M	380
25.714.405	Complete Strap Set Seawing Nova Blue, L	380
25.714.505	Complete Strap Set Seawing Nova Blue, XL	380
25.715.205	Complete Strap Set Seawing Nova Yellow, S	380
25.715.305	Complete Strap Set Seawing Nova Yellow, M	380
25.715.405	Complete Strap Set Seawing Nova Yellow, L	380
25.715.505	Complete Strap Set Seawing Nova Yellow, XL	380
25.718.205	Complete Strap Set Seawing Nova Grey - S	380
25.718.305	Complete Strap Set Seawing Nova Grey - M	380
25.718.405	Complete Strap Set Seawing Nova Grey - L	380
25.718.505	Complete Strap Set Seawing Nova Grey - XL	380

SIZE CHART: OPEN HEEL FINS				SEAWING NOVA & GORILLA, TWIN JET MAX, TWIN JET, JET SPORT			JET FIN		
International Sizing				3mm	5mm	Heavy/Dry	3mm	5mm	Heavy/Dry
♂	♀	UK	EU						
4	5	3	35-36	XS	XS	XS	---	---	---
5	6	4	37	XS	XS	S	---	---	---
6	7	5	38	S	S	S	---	---	M
7	8	6	39-40	S	S	M	---	M	M
8	9	7	41	S	M	M	M	M	L
9	10	8	42	M	M	L	M	L	L
10	11	9	43-44	M	L	L	L	L	XL
11	12	10	45	L	L	XL	L	XL	XL
12	13	11	46	L	L	XL	XL	XL	2XL
13	14	12	47	L	XL	XL	XL	2XL	2XL
14	15	13	48-49	XL	XL	---	2XL	2XL	---
15	16	14	50	XL	XL	---	2XL	---	---
16	17	15	51-52	XL	---	---	---	---	---

This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size. Individual fit will vary depending on foot shape and boot construction.

‘---’ shows that the selected model is not available to fit that particular foot size.

SIZE CHART: FULL FOOT FINS				SEAWING NOVA & ELEMENT S1, S2, S3. * SEAWING NOVA NOT AVAILABLE IN 2XL.			JET SPORT	GO	RENTAL
International Sizing									
♂	♀	UK	EU	(cm)					
10	9	27	18	---	---	---	---	3XS	---
11	10	28	18.5	---	---	---	---	3XS	---
12	11	29	19	---	---	---	---	3XS	---
13	12	30	20	---	---	---	---	3XS	---
1	13	31-32	21	---	---	---	---	2XS	---
2	1	33	22	---	---	---	---	2XS	---
3	4	2	34	23	---	---	XS	---	2XS
4	5	3	35-36	23.5	XS	---	XS	XS	2XS
5	6	4	37	24.5	XS	XS	S	XS	XS-S
6	7	5	38	25.5	S	XS	S	S	XS-S
7	8	6	39-40	26	S	S	M	S	XS-S
8	9	7	41	27.5	M	S	M	M	M-L
9	10	8	42	28	M	M	L	M	M-L
10	11	9	43-44	29	L	M	L	M	M
11	12	10	45	30	L	L	XL	L	XL
12	13	11	46	30.5	XL	L	XL	L	XL or XL
13	14	12	47	31.5	XL	XL	2XL*	XL	XL
14	15	13	48-49	32	2XL*	XL	2XL*	XL	XL

This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size. Individual fit will vary depending on foot shape.

‘---’ shows that the selected model is not available to fit that particular foot size.



SCUBAPRO
2019



SYNERGY 2 TRUFIT

Part number	Color	Skirt Color	Retail
24.838.140	Silver - Mirror Lens	Black	720
24.838.130	Silver	Black	600
24.838.310	Red	Black	600
24.838.200	Blue	Clear	600
24.838.500	Yellow	Clear	600
24.838.700	Pink	Clear	600

- Ultra-clear glass provides a bright and clear view of the underwater world.
- New-generation Trufit Technology design uses two skirts for creating a comfortable, watertight seal.
- Main skirt offers a thin and soft silicone material for the best possible fit, seal and comfort against the skin.
- Outer skirt, made with firmer silicone, provides support and rigidity where needed.
- Trufit Technology can be identified by its unique ribbing texture.
- Rotating buckles work with a micro-adjustable strap to achieve a comfortable, watertight fit.
- Buckle tabs are flexible, enabling the mask to be folded flat for traveling.
- Mirrored lens option delivers a glare-free view of the underwater world.



24.838.140



24.838.200



24.838.700



24.838.310



24.838.500



24.838.130

SYNERGY TWIN TRUFIT

Part number	Color	Skirt Color	Retail
24.713.140	Silver - Mirror Lens	Black	600
24.713.130	Silver	Black	460
24.713.200	Blue	Clear	460
24.713.310	Red	Black	460
24.713.500	Yellow	Clear	460
24.713.510	Yellow	Black	460
24.713.730	Pink	Black	460
24.713.230	Turquoise	Black	460
24.713.700	White/Pink	Clear	460

- Trufit Technology can be identified by its unique ribbing texture on the mask skirt.
- Silicone near the mask frame is thicker and firmer with a matte finish for additional support and rigidity.
- Silicone contouring the face is thinner, providing a pliable, comfortable watertight seal.
- Push-button buckles attach to tabs on the skirt to optimize range of motion when dialing in fit.
- Rotating buckles work with a micro-adjustable strap to achieve a comfortable, watertight fit.
- Buckle tabs are flexible, enabling the mask to be folded flat for traveling.
- Mirrored lens option delivers a glare-free view of the underwater world.

new colors



24.713.700

new colors



24.713.140



24.713.130



24.713.200



24.713.310



24.713.500



24.713.510



24.713.730



24.713.230

FRAMELESS

Part number	Color	Retail
24.340.110	Black	560

- Single-Lens Design
- Extremely Low Volume
- Soft Black Silicone Skirt



* From 1/10/2018, item numbers changed

SOLO

Part number	Color	Retail
24.849.110	Black	470

- Single lens mask, low volume styling
- Crystal-clear or black double sealed silicone skirt
- Easy clearing and equalization
- Swivel buckles



CRYSTAL VU

Part number	Color	Skirt Color	Retail
24.855.110	Metallic Black/Silver	Black	560
24.855.810	Metallic Black/Orange	Black	560
24.855.200	Metallic Blue	Clear	560
24.855.300	Metallic Red	Clear	560
24.855.500	Metallic Yellow	Clear	560
24.855.700	White	Clear	560

- Exclusive paint process
- Patented single lens with seamless side window design
- Crystal-clear, double sealed silicone skirt
- Low volume styling
- Swivel buckles
- Tempered glass lenses



24.855.810



24.855.110



24.855.200



24.855.300



24.855.500



24.855.700

FLUX TWIN

Part number	Color	Skirt Color	Retail
24.833.100	Metallic Black	Black	530
24.833.205	Metallic Blue	Clear	530
24.833.320	Metallic Red	Black	530
24.833.600	White	Clear	530
24.833.700	Pink	Clear	530
24.833.200	Blue	Clear	530

This attractive low-volume dual-lens mask comes with a strong, impact-resistant polycarbonate frame to withstand lots of use and abuse. The hypoallergenic, silicone skirt features a double-feathered edge to provide a comfortable, watertight seal on a variety of face shapes. The non-slip strap and easy adjust buckles let you dial in the perfect fit. A wide range of optical lenses are available.

- Replacable optical lens. Ranging: -1.0 to -8.0 (in .5 diopter increment)



24.833.320



24.833.100



24.833.205



24.833.600

new colors



24.833.700

new colors



24.833.200

SPECTRA

Part number	Color	Skirt Color	Retail
24.847.140	Silver / Black-Mirrored Lens	Black	520
24.847.840	Bronze - Mirror Lens	Black	520
24.847.830	Bronze	Black	450
24.847.230	Blue	Black	450
24.847.320	Red	Clear	450
24.847.600	White	Clear	450
24.847.110	Silver / Black	Black	450
24.847.210	Silver / Blue	Clear	450
24.847.310	Silver / Red	Clear	450
24.847.910	Silver / Yellow	Clear	450

- Exclusive painted frames including duotones
- Two lenses
- Crystal clear or black double sealed silicone skirt
- Swivel buckles
- Ultra clear lenses



24.847.140



24.847.840



24.847.830



24.847.320



24.847.600



24.847.110



24.847.210



24.847.310



24.847.910

SPECTRA 2

Part number	Color	Skirt Color	Retail
24.851.110	Black/ Silver	Black	430
24.851.750	Silver/ Purple	Black	430
24.851.700	White	Clear	430
24.851.710	Peach	Clear	430

- Designed to Fit Smaller Faces
- Two lens
- Low-Volume Design



24.851.110



24.851.700



24.851.710



24.851.750

ZOOM EVO MASK

Part number	Color	Retail
24.157.001	Black/ Silver	380
24.157.002	Blue/ Silver	380
24.157.005	Yellow/ Black	380
24.157.006	Red/ Black	380
24.157.007	Pink/ Black	380
24.157.011	White/ Silver	380
24.157.101	Color Kit - black/ silver	80
24.157.102	Color Kit - blue/ silver	80
24.157.103	Color Kit - yellow/ silver	80
24.157.104	Color Kit - silver	80
24.157.105	Color Kit - yellow/ black	80
24.157.106	Color Kit - red/ black	80
24.157.107	Color Kit - pink/ black	80
24.157.108	Color Kit - Turquoise/ black	80
24.157.109	Color Kit - purple/ black	80

- Please refer to next page for prescription lens details



24.157.001



24.157.002



24.157.005



24.157.006



24.157.007



24.157.011



24.157.101



24.157.102



24.157.103



24.157.104



24.157.105



24.157.106



24.157.107



24.157.108



24.157.109

PREScription LENSES

Part number	Description	Retail
ZOOM EVO		
24.595.201	LEFT SIDE ONLY +1.75	160
24.595.202	LEFT SIDE ONLY +2.25	160
24.595.301	RIGHT SIDE ONLY +1.75	160
24.595.302	RIGHT SIDE ONLY +2.25	160
24.595.401	LEFT OR RIGHT -1.5	240
24.595.402	LEFT OR RIGHT -2.0	240
24.595.403	LEFT OR RIGHT -2.5	240
24.595.404	LEFT OR RIGHT -3.0	240
24.595.405	LEFT OR RIGHT -3.5	240
24.595.406	LEFT OR RIGHT -4.0	240
24.595.407	LEFT OR RIGHT -4.5	240
24.595.408	LEFT OR RIGHT -5.0	240
24.595.409	LEFT OR RIGHT -5.5	240
24.595.410	LEFT OR RIGHT -6.0	240
24.595.411	LEFT OR RIGHT -6.5	240
24.595.412	LEFT OR RIGHT -7.0	240
24.595.413	LEFT OR RIGHT -7.5	240
24.595.414	LEFT OR RIGHT -8.0	240
 FLUX TWIN		
24.833.210	LEFT OR RIGHT -1.0	330
24.833.215	LEFT OR RIGHT -1.5	330
24.833.220	LEFT OR RIGHT -2.0	330
24.833.225	LEFT OR RIGHT -2.5	330
24.833.230	LEFT OR RIGHT -3.0	330
24.833.235	LEFT OR RIGHT -3.5	330
24.833.240	LEFT OR RIGHT -4.0	330
24.833.245	LEFT OR RIGHT -4.5	330
24.833.250	LEFT OR RIGHT -5.0	330
24.833.255	LEFT OR RIGHT -5.5	330
24.833.260	LEFT OR RIGHT -6.0	330
24.833.265	LEFT OR RIGHT -6.5	330
24.833.270	LEFT OR RIGHT -7.0	330
24.833.275	LEFT OR RIGHT -7.5	330
24.833.280	LEFT OR RIGHT -8.0	330

FULL FACE MASK

Part number	Description	Color	Retail
24.150.000	Black Silicone	Black	4,600
24.150.030	Octopus kit		200

- Unique separate compartments for nose and mouth
- Direct inhalation with or without internal mouthpiece
- Top compartment equivalent to a two lens mask
- Mineral anti-fogging treated lens
- Chemically resistant silicone skirt
- Very easy regulator(s) DIN connection
- One way valve optional alternate air source adapter



OSPREY MASK - BLACK/YELLOW

Part number	Color	Retail
24.853.510	Black/Yellow	320



ECCO & VENT 2 SET

Part number	Color	Retail
24.315.280	Turquoise	230

- Ideal for snorkeling
- Ecco mask and Vent 2 snorkel



TRINIDAD MASK & SNORKEL COMBO

Part number	Description	Color	Retail
24.156.100	Trinidad Frameless Mask	Black	310
26.070.000	Trinidad Snorkel	Black	150

- Frameless, low-volume mask design.
- Vented flex snorkel with splash guard.

updated part numbers



* From 1/10/18, item Trinidad Snorkel numbers changed from "96.071.000" to "26.070.000".

NEXUS

Part number	Color	Retail
26.810.100	Black	350
26.810.220	Metallic Blue	350
26.810.320	Metallic Red	350
26.810.500	Yellow	350

The low-drag Nexus is fitted with a rotating mouthpiece so you can position it perfectly for maximum comfort. It also has an angled purge valve to divert bubbles out of the line of sight. The oval shape of the upper tube minimizes drag and allows for a lot of air to flow. It is also flexible, so if you don't want to hang the Nexus from your mask strap, you can fold it up and stow it in a BC pocket.

- Splashguard top design helps keep water from entering the large-bore barrel.
- Flexible, corrugated section is easy to use and drops away from face when not needed.
- Angled purge directs bubbles out of your sight line.
- Ergonomic mouthpiece offers maximum comfort during long snorkel sessions.
- Flexible upper barrel allows snorkel to be folded for stowing.
- Quick-connect clip makes it easy to attach or remove snorkel from mask strap.



26.810.220

26.810.320

26.810.500

26.810.100

SPECTRA SNORKEL DRY

Part number	Color	Retail
26.722.710	Black/Pink	300
26.722.810	Black/Bronze	300
26.722.230	Black/Turquoise	300
26.722.130	Black/Silver	300
26.722.310	Black/Red	300
26.722.200	Clear/Blue	300
26.722.300	Clear/Red	300
26.722.500	Clear/Yellow	300
26.722.600	Clear/White	300
26.722.700	Clear/Pink	300

- Exclusive paint process including new duotones colors
- Flexible corrugated joint
- Purge valve at lowest point
- Regulator style mouthpiece



SPIDER MASK / SNORKEL COMBO KIDS

Part number	Color	Retail
24.301.230	Turquoise #315	340

This high-quality snorkeling set for younger divers comes with a single-lens mask complete with soft silicone skirt, and a comfortable snorkel with dry top and lower purge valve. A quick-clip for attaching the snorkel to mask is included, as is a convenient mesh storage bag.



SPECTRA SNORKEL - SEMI DRY

Part number	Color	Retail
26.704.110	Black/Silver	210
26.704.750	Black/Purple	210
26.704.810	Black/Orange	210
26.704.820	Black/Blue	210
26.706.830	Black/Bronze	210
26.704.200	Clear/Blue	210
26.704.300	Clear/Red	210
26.704.500	Clear/Yellow	210
26.704.700	Clear/White	210
26.704.710	Clear/Pink	210
26.706.220	Clear/Blue	210
26.706.320	Clear/Red	210
26.706.600	Clear/White	210

- Exclusive paint process including new duotones colors

- Flexible corrugated joint

- Purge valve at lowest point

- Regulator style mouthpiece



COMFORT MASK STRAP

Part number	Description	Retail
24.730.010	Comfort Mask strap - PINK / PURPLE	170
24.730.020	Comfort Mask strap - TURQUOISE	170
24.730.030	Comfort Mask strap - BLACK/YELLOW	170
24.730.040	Comfort Mask strap - BLUE	170
24.730.050	Comfort Mask strap - BLACK	170



24.730.010



24.730.020



24.730.030



24.730.040



24.730.050

MASK STRAPS

Part number	Description	Retail
24.700.030	Mask Strap Cover Neoprene - 2.5mm Black/Gray	80
24.700.040	Mask Strap Cover Neoprene - 2.5mm Black/Purple	80
24.700.050	Mask Strap Cover Neoprene - 2.5mm Black/Yellow	80
24.700.060	Mask Strap Cover Neoprene - 2.5mm Black/Orange	80
24.700.070	Mask Strap Cover Neoprene - 2.5mm Black/Blue	80
24.700.080	Mask Strap Cover Neoprene - 2.5mm Black/White	80
24.700.090	Mask Strap Cover Neoprene - 2.5mm Black/Black	80
24.700.100	Mask Strap Cover Neoprene - 2.5mm Black/Pink	80

Mask strap protection made of neoprene as sleeve model.

Comfortable protection against pressure marks, and tangled hair, black, fits to all standard masks. From 300 pieces with own shop logo deliverable.



24.700.090

24.700.070

24.700.060

24.700.100

24.700.080

ACCESSORIES AND SPARES

Part number	Description	Retail
24.090.000	Scuba Clear, Antifog - 30 ml	90
24.340.010	Mask Strap - Frameless - Black	150
24.570.023	Silicone Mask Strap - Black (replaced 24.811.103)	40
24.570.025	Silicone Mask Strap - Clear (replaced 24.811.102)	40
24.845.102	Mask Strap Scubapro 5/8» - Clear (Spectra) / Crystal VU	70
24.845.104	Mask Strap Scubapro 5/8» - Black (Spectra) / Crystal VU	70
24.835.102	Mask Strap with Logo - Clear - 22cm	60
24.835.104	Mask Strap with Logo - Black - 22cm	60
26.711.001	Mouthpiece - Clear (Phoenix/Trinidad/Laguna)	32
26.711.002	Mouthpiece Black (Phoenix/Trinidad/Laguna)	32
26.705.002	Bottom Valve, Spectra Dry	10
26.704.002	Valve for Snorkel Clear	8



SCUBAPRO
2019



STEEL COM MASK

Part number	Description	Retail
24.108.100	Black Skirt	460
24.108.600	White Skirt	460

- perfect for free diver
- very low profile for easy cleaning



24.108.100



24.108.600

APNEA SNORKEL

Part number	Color	Retail
26.130.000	Black - soft tube w/removable tops & quick clip	110
26.130.600	White - soft tube w/removable tops & quick clip	110

Made from flexible, non-toxic silicone, the upper barrel on this versatile surface breather can be removed if you prefer to use a shorter pipe. The snorkel easily attaches to your mask strap when being used. When not needed, it can be folded and stowed in an accessory pocket.



26.130.000

26.130.600



SCUBAPRO
2019



DIVE'N ROLL LIGHT

Part number	L	W	H	V	Wg.	Retail
53.360.170	66	40	32	84	3.98	2,400

The 2-in-1 concept of the Dive 'N Roll wheeled bag takes the hassle out of dive travel, and this new lighter version eliminates some of the weight. The back portion of the main compartment is semi-rigid to lighten the load while providing outstanding protection. Separate the two pieces for quick baggage stowage and carry-on convenience, then zip them together and you're ready to roll again.

- One semi-rigid case plus one removable soft bag equals a hassle-free gear transport system.
- Non-rigid portion of the exterior is made from a combination of 420D Nylon NT, 450D Rip-stop and 600D Polyester/PU for strength and durability.
- Large main compartment holds lots of dive gear while providing plenty of protection.
- Coil double-slider zippers are durable and make accessing the large main compartment that much easier.
- Additional packing space in the main compartment's soft lid is ideal for stashing clothes and other soft goods.
- Detachable backpack enables you to keep your most valuable gear with you throughout your journey.
- Two rubber-covered handles plus a telescopic tow handle and reinforced saltwater-resistant wheels offer a bevy of lifting, carrying and rolling options.
- Dimensions: 66x40x32cm. Weight: 3.98g. Volume: 84L.



CARAVAN BAG

Part number	L	W	H	V	Wg.	Retail
53.350.120	75	40	35	105	4.65	1,980

The Caravan will cart your dive gear safely and conveniently, no matter where in the world you do your diving. As a roller bag it works great moving gear from car trunk to local dive boat, but it can just as easily negotiate crowded airports as you journey to exotic dive destinations. Easy to lift, carry and roll, the Caravan is a solid all-round choice for hassle-free gear transport.

- Bag's exterior is made from a combination of 420D Nylon NT and 450D Rip-stop for strength and durability. The interior lining is 150D Polyester.
- The bag enjoys a 20% lighter overall weight thanks to the new PU lining and updated construction.
- Offering over four gallons more volume than its predecessor, the Caravan comes with substantially increased gear-packing capacity.
- A large main compartment with U-shaped opening, two side pockets and one flat pocket on top provide a variety of packing and stowage options.
- YKK saltwater-resistant double-slider zippers are durable and allow for easy access of the large main compartment.
- External compression straps help snug down a partial load to make bag handling easier.
- Telescopic double-bar tow handle, side, top and bottom carry handles and reinforced saltwater resistant wheels provide a bevy of lifting, carrying and rolling options.
- Dimensions: 75x40x35cm. Weight: 4.65kg. Volume: 105L.



PORTER BAG

Part number	Description	L	W	H	V	Wg.	Retail
53.310.120	Porter Bag	85	57	36	174	2.65	1,560

This big carrier offers lots of volume to handle your gear. It comes with reinforced “off-road” skate-style roller wheels plus a backpack system, so you’ll be able to easily roll or carry the bag wherever you want to go. But what’s really great about the Porter Bag is its easy-fold feature that allows it to stow compactly as it awaits your next dive adventure.

- Bag’s exterior is made from a combination of 420D Nylon NT and 450D Rip-stop for strength and durability. The interior lining is 150D Polyester.
- The bag enjoys a 20% lighter overall weight thanks to the new PU lining.
- Offering lots of gear carrying capacity, the bag folds into a compact package for storage.
- Large main compartment, two front pockets and two inside pockets provide a variety of packing and stowage options.
- YKK saltwater-resistant double-slider zipper is durable and makes accessing the large main compartment that much easier.
- Backpack system plus top handle with reinforced “off-road” skate-style wheels provide multiple transport options.
- Adjustable top handle makes rolling easy and convenient.
- Dimensions: 85x57x36cm.
Weight: 2.65kg.
Volume: 174L.
- Folded dimensions: 51x41x18cm.



CABIN BAG 4 WHEELS

Part number	L	W	H	V	Wg.	Retail
53.365.170	53	37	19	37	3.18	1,450

Carry-on airline travel has never been easier. The new Cabin Bag now sports four wheels, making it more luggage-like and user-friendly and the ideal carry-on bag for traveling. The large main compartment with U-shaped double-slide coil zipper, along with smaller pockets on the inside and outside, are just a few of the features offered by this convenient multi-wheeled carry-on.

- Made of 500D heavy-duty PVC (Tarpaulin) fabric for the ultimate in durability.
- Large compartment includes elastic hold-downs to keep the load from shifting.
- U-shaped double-slider coil zipper provides easy access for packing or unpacking.
- Small horizontal pocket on the front cover and zippered inside pocket are perfect for stowing smaller items.
- Telescopic tow handle and 4 reinforced skate wheels allow for excellent balance and effortless maneuvering through busy airport terminals.
- Side and top carry handles make easy work of hefting the bag into overhead compartments.
- Conforms to new IATA size regulations.
- Dimensions: 53x37x19cm.
Weight: 3.18kg. Volume: 37L.



MESH BAG COATED

Part number	L	W	H	V	Wg.	Retail
53.120.200	70	35	35	86	0.65	600

This duffel-style mesh dive bag is made of durable PVC-coated mesh that lets water drain easily. Roomy enough – and strong enough – for a full set of gear, it is still lightweight and folds easily for storage. It is an ideal gear-hauler for live-aboard use or for carrying dive suits separately. Also excellent for carrying rental equipment when resort diving.



- Saltwater-resistant YKK Vision zipper features double-sliders for added convenience.
- Dimensions: 70x35x35cm.
Weight: 0.65kg. Volume: 86L.
- Padded carry handles make hefting the load that much easier.

MESH BAG - POCKETABLE

Part number	L	W	H	V	Wg.	Retail
53.013.200	69	36	38	95	0.5	520

- Foldable duffle style mesh bag into its own pocket.
- Durable soft mesh material



MESH BAG

Part number	L	W	H	V	Wg.	Retail
53.379.000	73	40	33	96	0.5	480

- Made of nylon mesh
- Top-loading U-shaped
- Saltwater-resistant YKK Vision zipper features double-sliders
- Padded carry handles
- Dimensions: 70x40x30cm, Weight: 0.49kg, Volume: 84L



MESH SACK

Part number	L	W	H	V	Wg.	Retail
53.369.000	70	39	39	109	0.5	440

This lightweight nylon mesh backpack is the perfect carryall for snorkeling gear or tropical dive gear. Durable soft mesh material holds a lot cargo.

- Bag opening secures with a top rope fitted with a sliding, spring-loaded button closure.
- Main compartment handles the larger-sized gear while the front exterior pocket is perfect for small items.
- Padded shoulder strap makes it easy to sling the bag for the hike down to the boat or beach.
- Folds into a compact size for storage.
- Dimensions: 70x39xx39cm. Weight: 0.5kg. Volume: 106L.



REGULATOR BAG + INSTRUMENT BAG

Part number	Description	L	W	H	V	Wg.	Retail
53.309.000	Reg.	34	26	10	9	0.42	330
	Ins.	10	7	14	1	0.10	

- Constructed from a combination of 420D Nylon NT and 450D Rip-stop
- The interior lining is 150D Polyester
- Internal Velcro straps secure a coiled reg or console hoses
- Double slider zipper
- Padded handle and shoulder strap
- Transparent zippered pouch inside
- Regulator Bag dimensions:
34x26x10cm, Weight: 0.42kg, Volume: 9L
- Instrument Bag dimensions:
10x7x14cm, Weight: 0.1kg, Volume: 1L



TRAVEL REG BAG, VINTAGE

Part number	L	W	H	V	Wg.	Retail
53.309.100	32	32	10	10	0.72	430

The SCUBAPRO Travel Reg Bag comes in a new "vintage" style commemorating SCUBAPRO's 50 years in diving. It features one large main compartment with straps to secure your reg while in transit. A clear zippered inside pocket allows you to store a logbook or any documents you might need while traveling. The bag comes with a top handle and shoulder strap for easy carrying.

- Constructed of 500D water-resistant Tarpaulin with a lined interior to hold all the essentials.
- Dimensions: 32x32x10cm.
Weight: 0.72kg. Volume: 10L.



DRY BAG 45

Part number	Description	L	W	H	V	Wg.	Retail
53.399.180	Dry 45	76	33	20	44	0.65	800

- No PVC. Made from a new and super resistant fabric
- 500 D 85% Nylon and 15% Poly Ripstop outside with PU coating when backing is TPU coated.
- Backpack with top rolled closing system
- Outside pocket for small belonging.
- 45L - Dimensions: 76x33x20cm, Weight: 0.65kg, Volume: 44L



DRY BAG W/SHOULDER STRAP

Part number	Description	Retail
15 Litre		
53.031.200	Black	180
53.032.200	Blue	180
53.035.200	Yellow	180
53.037.200	Pink	180
25 Litre		
53.031.300	Black	250
53.032.300	Blue	250
53.035.300	Yellow	250
53.037.300	Pink	250



DUFFLE BAG HD

Part number	L	W	H	V	Wg.	Retail
53.339.190	32	65	26	54	1.08	720

- Made from 1000D nylon material
- Heavy Duty YKK Zip Nylon
- Large Nylon Zip Slider
- All round heavy duty webbing straps
- Two Compression straps fitter for reducing bag volume
- Opening reinforced with heavy duty webbing
- Two rounded HD Grip handles on each end
- Perfect bag for checking extra dive gear

new



CARRY-ON FOLDABLE

Part number	L	W	H	V	Wg.	Retail
53.338.190	55	43	12	28	0.2	170

- 1200D Nylon
- 6000D Polyester Straps
- Designed to fit/slide on top cabin bag handle
- Great reusable shopping bag too

new



Available in January 2019



Detail



Folded



Opened

NOVA 2100 SF

Part number	Description	Retail
30.400.000	NOVA 2100 (Light only)	4,160
30.400.001	NOVA 2100 with Goodman Handle, Pistol Grip & GoPro Adaptor	5,300
30.400.005	LI-ION Battery 7.4V, 3200 Mah	1,000
30.402.000	1/4-20 Ball Joint Adaptor	300
30.403.000	1/4-20 Y-S Adaptor (Packaged)	360

The powerful new SF (Spot Flood) multi-use dive light offers both a 65° wide beam and a 15° spot beam to perfectly match different diving situations. Five light modes plus an emergency signal mode provide lots of versatility, with one-button control for easy operation. Extremely reliable, the waterproof battery compartment is isolated so even if the O-ring seal fails, water cannot reach the internal electronics. The Nova 2100 SF comes as a set with both a large and a small a Goodman handle, plus a pistol grip handle and a GoPro adapter. Both lights come with a wrist lanyard, rechargeable battery, charger and spare parts, all packed in a zippered EVA carry case.

- Dual beams include a powerful 2100 lumen 65° wide beam, and 800 lumen 15° spot beam.
- Wide beam features 6 Cree XM-L2 LEDs; the spot beam features 1 Cree XPL LED.
- Five primary light modes: 100% Flood, 50% Flood, 100% Spot, 50% Flood + 75% Spot, and 25% Flood + 50%Spot.
- Hidden emergency signal mode offers a one-second blink interval or a SOS Morse code. Simply push and hold the power button for four seconds to activate.
- Simple one-button control lets you power on and off, adjust brightness and switch beam angle.
- Provides 55 minutes of burn time at full power and constant brightness.
- Depth tested to 328ft/100m.
- Corrosion-proof metal light head improves heat dispersion and increases durability.
- Completely isolated battery compartment protects internal electronics from water intrusion.
- Universal 1/4-20 tripod mount attaches to a Goodman handle, Monopod or optional Y-S adapter.
- Complete Nova 2100 SF set includes: SCUBAPRO UW light head, wide and narrow Goodman handles, pistol grip handle, wrist lanyard, GoPro adapter, 25w lithium-ion rechargeable battery, AC power adapter, charging tray, international plug adapters, spare O-rings, O-ring lubricant, O-ring removal tool, EVA carry case with foam insert and instruction manual. Packaged in a four-color box.



30.400.001

NOVA LIGHT 250

Part number	Description	Retail	new
30.224.000	NOVA 250	700	

- Push button switch
- Cree LED
- CR123 rechargeable or disposable batteries
- Light beam direction cap to avoid blinding buddys
- Three modes: 100% and 50% and flash
- NEW! 250 real lumen
- A depth rating of 150m ensures worry-free lighting in virtually all diving conditions
- Run time up to 5 hours
- Mask attachment rubber band included



Available in May 2019

NOVA LIGHT 220

Part number	Description	Retail
30.222.000	NOVA 220	640

- With a length of just 9cm it is an incredibly useful secondary light
- Can be stored even in the smallest BC pocket
- Output of 220 lumen
- Powered by a CR123 battery
- 100% and 50% Strobe is activated by turning
- Overpressure Valve
- Run time 1-4 hours



NOVA LIGHT 850

Part number	Description	Retail
30.226.000	NOVA 850	1,560

new

- Push button switch
- Cree XPL/XML LED
- Powered by 3xC batteries
- Light beam direction cap to avoid blinding buddys
- NEW 850 real lumen
- NEW!15.000 lux@1m
- Double O-ring seals ensure watertight integrity
- Over-pressure valve releases any battery o -gassing
- A depth rating of 150m ensures worry-free lighting in virtually all diving conditions
- Run time up to 2 hours on full power



Available in May 2019

NOVA LIGHT 850R

Part number	Description	Retail
30.228.002	NOVA 850R	1,460

new

- Push button switch
- Cree XPL/XML LED
- **Standard 18650 rechargeable battery**
- Light beam direction cap to avoid blinding buddys
- NEW 850 real lumen
- NEW!15.000 lux@1m
- Double O-ring seals ensure watertight integrity
- Over-pressure valve releases any battery o -gassing
- A depth rating of 150m ensures worry-free lighting in virtually all diving conditions
- Run time up to 2 hours on full power



Available in May 2019

NOVA LIGHT 720

Part number	Description	Retail
30.221.000	Novalight 720	1,400

- Aluminum body
- Interchangeable light head
- Newest CREE XPL LED
- Two modes: 100% and 50% power
- 720 real measured lumen
- 13800 lux @ 1m
- Runs with 3 x C battery (rechargeable or disposable)
- Overpressure valve
- Run time up to 10 hours of burn time



Part number	Description	Retail
32.009.100	Stainless Steel	1780

- 15cm multifunctional blade
- With line cutter
- Marine grade stainless steel polished blade
- Stainless Steel: excellent cutting edge & high resistance to rust



MAKO

Part number	Description	Retail
32.022.000	Titanium	850
32.023.000	Stainless Steel	520
32.005.206	Strap Assembly - Mako Knife	70

- 8,5cm multifunctional blade
- providing a conventional edge, line-cutting notch, serrated edge and bottle opener
- Comes with a locking sheath with a one-hand release mechanism
- Titanium: extreme resistance to corrosion with durable edge
- Stainless Steel: excellent cutting edge & high resistance to rust



WHITE TIP

Part number	Description	Retail
32.002.000	WHITE TIP BCD KNIFE	480

- Compact 6,5cm stainless steel classic blade with multi-use serrated edge
- Comes with a locking sheath and kit for BC/hose attachment.



MESH CUTTER

Part number	Description	Retail
32.065.000	MESH CUTTER	520

- A contoured shackle spanner tool with 7,5cm stainless steel blade
- Curved edge design
- Protective sheath



K6

Part number	Description	Retail
32.006.100	K6 BLACK	1,000

- A classic 15,5cm stainless steel blade with hammer in handle
- Comes with a locking sheath



POCKET WEIGHT BELT

Part number	Description	Retail
23.201.200	S-Black, 3 Pockets	550
23.201.300	M-Black, 4 Pockets	550
23.201.400	L-Black, 5 Pockets	550
23.201.500	XL-Black, 6 Pockets	580



SLIDE POCKET WEIGHT BELT 50MM BUCKET

Part number	Description	Retail
23.081.200	S-Black	350
23.081.300	M-Black	400
23.081.400	L-Black	430



23.081.200



23.081.300



23.081.400

STANDARD WEIGHT BELT

Part number	Description	Retail
23.030.100	Black w/ Nylon Buckle	140
23.030.200	Blue w/ Nylon Buckle	140
23.029.100	Black w/ Stainless Steel Buckle	280
23.428.001	Stainless Steel Buckle	180



ECO WEIGHT

Part number	Description	Retail
23.051.101	1.0 kg	260
23.051.151	1.5 kg	360
23.051.251	2.5 kg	600



SCUBAPRO REEL

Part number	Description	Retail
40.122.000	75 M	950

- Anodized alloy frame and nylon fiberglass reel & handle
- Folding knob & friction adjustement
- Includes 75 m length of 2mm diameter polyester line and one swivel carabinier
- 15M reel is available



SCUBAPRO SPOOL

Part number	Description	Retail
40.119.000	15 M	220

- New lightweight mini reel with collapsible rotating handle for compact fit in BC pocket
- Brass carabineer hook and 15m length, 1.5mm diameter polyester line



SEALED MARKER BUOY

Part number	Description	Retail
40.310.001	210D Nylon - 1M, Orange	460
40.312.001	210D Nylon - 1.4M, Orange	590
40.312.002	210D Nylon - 1.4M, Yellow	590
40.316.000	210D Nylon - 1.8M Orange	630



40.310.001

40.312.001

40.312.002

40.316.000

UNIVERSAL HANGER

Part number	Description	Retail
51.054.000	Neon Yellow	140
51.056.000	Graphite	140



UNIVERSAL GO PRO® MASK MOUNT

Part number	Retail
24.101.004	110

- Universal fit for most double lens mask brands
- secure mounting so you can enjoy the dive
- low volume, lightweight and easy to attach



RETRACTOR

Part number	Description	Retail
28.010.000	0.5KG FORCE/140CM	260

- Underwater retractor to secure accessories and gauge



SHAKER WITH MAGNET AND HOOK

Part number	Description	Retail
51.538.000	Shaker w/ magnet	380





SCUBAPRO

SCUBAPRO

2019



BASEBALL CAP

Part number	Description	Retail
50.792.000	Black	200

- One size fits all
- YKK stopper
- Water resistant material



SNAPBACK CAP

Part number	Description	Retail
50.793.000	Black	188

- One size fits all



T-SHIRT DIVERS BELOW

Part number	Size	Retail
MEN		
Black		
50.415.200	XS	275
50.415.300	S	275
50.415.400	M	275
50.415.500	L	275
50.415.600	XL	275
Gray		
50.416.200	XS	275
50.416.300	S	275
50.416.400	M	275
50.411.500	L	275
50.411.600	XL	275
LADY		
White		
50.417.200	S	275
50.417.300	M	275
50.417.400	L	275
50.417.500	XL	275
Blue		
50.418.200	S	275
50.418.300	M	275
50.418.400	L	275
50.418.500	XL	275

new



50.415.X00



50.416.X00



50.417.X00



50.417.X00

Available in December 2019

T-SHIRT REG, MASK, FIN

Part number	Size	Retail
Men		
White		
50.419.200	XS	275
50.419.300	S	275
50.419.400	M	275
50.419.500	L	275
50.419.600	XL	275
Blue		
50.420.200	XS	275
50.420.300	S	275
50.420.400	M	275
50.420.500	L	275
50.420.600	XL	275

new



50.419.X00



50.420.X00

Available in December 2019

SCUBAPRO BUSINESS SHIRT

Part number	Size	Retail
MEN		
Grey		
50.410.200	S	700
50.410.300	M	700
50.410.400	L	700
50.410.500	XL	700
50.410.600	2XL	700
Blue		
50.411.200	S	700
50.411.300	M	700
50.411.400	L	700
50.411.500	XL	700
50.411.600	2XL	700



50.410.X00



50.411.X00

45% cotton / 55% polyester long sleeves business-shirt with a classic Scubapro embroidery logo on the sleeve and the front.

SCUBAPRO SHORT SLEEVES SHIRT

Part number	Size	Retail
White		
50.413.200	S	625
50.413.300	M	625
50.413.400	L	625
50.413.500	XL	625
50.413.600	2XL	625
Black		
50.414.200	S	625
50.414.300	M	625
50.414.400	L	625
50.414.500	XL	625
50.414.600	2XL	625



45% cotton / 55% polyester short sleeves shirt with a classic Scubapro embroidery logo on the front.

POLO SHIRT

Part number	Size	Retail
50.384.100	XS	375
50.384.200	S	375
50.384.300	M	375
50.384.400	L	375



MICROFIBER TOWEL

Part number	Description	Retail
50.583.000	Blue 160 x 75cm	400

- Microfiber Towel with anti-bacterial



CAMO JET FIN USB FLASH DRIVE

Part number	Description	Retail
51.906.000	32 GB - 3.0 USB	600



SEAWING NOVA KEY RING

Part number	Description	Retail
47.106.000	Black	25
47.106.001	White	25
47.106.002	Blue	25
47.106.003	Pink	25
47.106.004	Yellow	25
47.106.005	Purple	25
47.106.006	Orange	25
47.106.007	Grey	25




METAL PEN

Part number	Description	Retail
50.900.100	Metal Pen - Scubapro	30



FLAG

Part number	Description	Retail
47.100.003	1 x 1.5m	300



SAIL FLAG

Part number	Description	Retail
47.100.005	50 x 250cm	1,375

- 3 ply fabric with both side printing



NON-WOVEN BAG

Part number	Description	Retail
53.381.200	Small - 26 x 38 x 10cm	30
53.381.300	Large - 45 x 38 x 12cm	40



PLASTIC BAG LARGE

Part number	Description	Retail
53.381.400	58 X 61 X 13cm	30



TOOLS

Part No.	Part Name	Description	Retail
41.047.000	SCUBAPRO Christo-lube	MCG-111, 2 oz Tube version	600
43.080.002	O-3 Magnehelic w/ Stand		4,500
41.496.101	Monojet Syringe		70
43.018.000	Hose Protector Installation Tool		460
43.039.103	BC Pull Dump Valve Remover Tool	All SCUBAPRO BC's	1000
43.040.000	Universal Multi-Tool		1050
43.080.000	T-10 Torque Driver 5-10 inch pounds		3,300
43.080.100	Torque Blade T-10		200
43.080.101	AIR2 Bullet Kit		400
43.080.102	Slotted Screwdriver	3mm	160
43.300.002	Nut Driver 1/4"		280
43.300.003	Socket Driver 5.5mm		280
43.300.017	Brass O-Ring Pick Set		430
43.300.020	Tool for unscrewing case ring		60
43.300.101	AIR 2 Seat Slider Tool		380
43.300.107	Plastic O-Ring Pick		70
43.300.108	Piston Bullet Brass		190
43.300.112	Adjust Tool With Gauge		2,900
43.300.119	AIR 2 Spider Tool		850
43.300.127	Field Handle	3/8" unf LP & 7/16" unf HP threads	280
43.300.221	Schrader Valve Tool		120
43.300.235	LP Hose Tool	Front Cover - SG100	1,050
43.300.998	Torque Wrench	5-35 Nm with 3/8" adaptor	4,700
43.707.109P	Torque Wrench Tool - MK11		900
43.404.001P	Magnehelic Calibration Mouthpiece		110
43.090.106P	AIR 2 - 5th Gen Tool		630
43.300.114	Field handle brass +		940
43.730.000	Tool 2-Pin Driver - 10.5mm PCD	For HYDROS PRO color kit	1,100



41.047.000



43.080.002



41.496.101



43.018.000



43.039.103



43.040.000



43.080.000



43.080.101

TOOLS



43.080.102



43.300.002



43.300.017



43.300.101



43.300.107



43.300.112



43.300.119



43.300.127



43.300.221



43.300.235



43.300.998



43.404.001P

TOOLS - Computers Tools

Part No.	Part Name	Description	Retail
43.080.200	G2 FULL SET TOOLS		2,100
43.062.200	MANTIS COVER TOOL (M1, M2)		1,760
43.460.000	Watch Base Tool (M1, M2, Chromis)		1500
06.204.329	Mini Table Vise		420



43.062.200

43.080.200

TOOLS - 1st Stage

Part No.	Part Name	Description	Retail
43.040.009	Drive Extension (for 43.191.107)		520
43.191.107	1" Yoke Socket	All 1st Stage Yoke Retainers	800
43.300.210	MK2 HP Seat Removal Tool		240
43.300.226	MK20/25 Bushing Assembly Tool		340
43.300.240	MK16/17/18 Balance Chamber Tool	Aluminium	560
43.117.130P	Tool MK17 Ambient Cap		2,400



43.040.009



43.191.107



43.300.210



43.300.226



43.300.240

TOOLS - 2nd Stage

Part No.	Part Name	Description	Retail
41.043.010	Tool, 2nd Stage Adjust		1,050
43.300.225	Flow Vane Removal Tool	2nd Stage EXCEPT AIR 2 & X650	320
43.403.000	Cover Tool	R295/395, S555/600, AIR 2 - 4th & 25th GEN	150



41.043.010



43.300.225



43.403.000

SERVICE KITS

Part number	Description	Retail
1st Stage Service Kits		
10.042.045	MK2	130
10.063.045	MK2 EVO	160
10.105.045	MK5	160
10.500.045	MK10	160
10.550.045	MK10 PLUS	160
10.707.045	MK11	270
10.705.045	MK14 DPH	130
10.600.041	MK15	270
10.117.045	MK17, MK19	290
10.756.045	MK16, MK18 / MK18 UL	350
10.721.045	MK21	180
10.750.045	MK25 EVO, MK25, MK20	180
2nd Stage (Including Octopus) Service Kits		
11.012.045	D300/350/400	230
11.109.045	G200/ADJUSTABLE/M50	140
11.254.045	S360/S600/S550/555/G200B/250/250HP/G500/ Bal.ADJ/Classic	180
11.261.045	G250V/ G260	120
11.300.045	R095/190/295/380/390/295/395/HP	120
11.361.045	C300/C200/C350/C370	160
11.620.045	S620Ti	180
11.650.045	X650	180
11.700.045	A700	160
BC Kits		
21.085.045	AIR-2 - 3rd/4th Gen	160
21.090.045	AIR-2 - 5th Gen	170
21.626.045	BPI	100
Nitrox Kits		
10.062.032	Service Kit, MK2+, EAN 100	430
10.063.032	MK2 EVO Nitrox	450
10.712.032	Service Kit, MK20, MK25, EAN 100 (Brass Only)	470
11.263.005	Service Kit, Swivel for LP Hose	250
10.062.030	Conversion Kit, MK2 to MK2 Nitrox	450
10.063.033	Conversion Kit - Mk2Evo to Mk2Evo Nitrox	550
10.712.030	Conversion Kit, MK25 to MK25 Nitrox	550
10.712.033	Conversion Kit, MK25 EVO to MK25 EVO Nitrox	600
10.714.033	Conversion Kit - Mk17Evo Nitrox (USA)	700
10.750.121	Conversion Kit, MK20 Nitrox	580